



Republic of the Philippines
Department of Education
REGION IV-A CALABARZON

REQUEST FOR QUOTATION

The **Department of Education Region IV-A (CALABARZON)** through its **Bids and Awards Committee**, intends to procure **“ICT EQUIPMENT FOR THE UPGRADE OF THE NEAP FACILITIES AND ITS OPERATION PROCEDURE FOR CONTINUOUS IMPROVEMENT”** in accordance with Alternative Method of Procurement under ☐Section 52 (Shopping) or ☒Section 53.9 (Negotiated Procurement – Small Value Procurement) of the 2016 Revised Implementing Rules and Regulations of Republic Act No. 9184. The Approved Budget for the Contract (ABC) is **THREE HUNDRED SEVENTY THREE THOUSAND EIGHT HUNDRED FORTY SIX PESOS (Php373,846.00).**

Please quote your **Best Offer** for the item/s described herein, **subject to the Terms and Conditions** provided at the bottom/last page of this Request for Quotation (RFQ). Submit your proposal/quotation duly signed by your authorized representative **not later than AUGUST 24, 2022 at 9:00 A.M.** at the BAC Secretariat, DepEd Region IV-A CALABARZON, Gate 2 Karangalan Village, Cainta, Rizal. **Quotations may also be submitted through facsimile or email at the address and contact numbers indicated below.**


A copy of your 2022 **Business/Mayor's Permit, PhilGEPS Registration Number and Latest Income/Business Tax Return** are required to be submitted along with your signed quotation/proposal.

Also, please provide a copy of your **Department of Tourism (DOT) Certificate of Authority to Operate and Safety Seal Certificate** for hotels, including staycation hotels.

Moreover, a **Notarized Omnibus Sworn Statement (GPPB-prescribed forms)** will also be required to be submitted prior to award.

For any clarification, you may contact us at telephone no. **02-8682-5773; 8684-4914; or 8647-7487** or e-mail address at **bac.calabarzon@deped.gov.ph**


CHERRYLOU D. REPIA
BAC Chairperson



Address: Gate 2, Karangalan Village, Cainta, Rizal
Telephone Nos.: 02-8682-5773/8684-4914/8647-7487
Email Address: region4a@deped.gov.ph
Website: depedcalabarzon.ph

In case of recently expired Mayor's/Business permit, it shall be accepted together with its Official Receipt that the bidder has applied for renewal within the period prescribed by the concerned local government unit, provided that the renewed permit shall be submitted after the award of contract but before payment in accordance with item 6.2 of Government Procurement Policy Board (GPPB) Resolution No. 09-2020.

In case of Unnotarized Omnibus Sworn Statement, it shall be accepted, provided that the Notarized Omnibus Sworn Statement shall be submitted after the award of contract but before payment in accordance with item 6.3 of GPPB Resolution No. 09-2020.

Date: _____

Name of Company:	
Address:	
Name of Store/Shop (if applicable):	
TIN:	
PhilGEPS Registration Number:	

INSTRUCTIONS:

- (1) Accomplish this RFQ correctly, accurately and completely.
- (2) Do not alter the contents of this form in any way.
- (3) All technical specifications are mandatory. Failure to comply with any of the mandatory requirements will disqualify your quotation.
- (4) Failure to follow these instructions will disqualify your entire quotation.

Sir/Madam:

After having carefully read and accepted the Terms and Conditions in the Request for Quotation, hereunder is our quotation for the item/s as follows:

TECHNICAL SPECIFICATION

1. Please quote your **best offer** for the item/s below. Please do not leave any blank items. Indicate **"0"** if item being offered is for free.
2. Bidders must state "Comply" or any equivalent term in the column "Bidder's Statement of Compliance" against each of the individual parameters of each Specification.

Item	Description	Total QTY	Bidder's Statement	Unit Cost	Total Cost
------	-------------	-----------	--------------------	-----------	------------

			of Compliance	(VAT Inclusive)	(VAT Inclusive)
1.	Internet TV Box (PHP2,700.00)	12 UNITS			
2.	Heavy Duty Scanner (PHP27,600.00)	1 PC			
3.	Printer (PHP30,450.00)	1 PC			
4.	Laminating Machine (PHP2,500.00)	1 PC			
5.	LCD Projector (PHP44,998.00)	2 PCS			
6.	High End Laptop (PHP90,000.00)	1 PC			
7.	43 inches UHD Android TV (PHP28,000.00)	1 PC			
8.	TV Wall Mount (PHP1,250.00)	2 PCS			
9.	10 meters 3.5 mm to 6.35mm Adapter (Male) Aux Cable for Mixer Amplifier (PHP700.00)	4 PCS			
10.	Wireless Micriphone - Dual Vocal Wireless System (PHP28,000.00)	2 SETS			
11.	Headphone Splitter Audio Cable 3.5mm Male to Female Jack 3.5mm (PHP300.00)	2 PCS			
12.	AA Battery Charger with 4 AA NiMH Rechargeable Batteries (PHP2,000.00)	4 SETS			
13.	3 Meter 3pin XLF Male to Female XLR Cable Microphone (PHP700.00)	4 PCS			
14.	Microphone Holder Ring (PHP20.00)	10 PCS			
PLEASE SEE ATTACHED SPECIFICATION OF ALL THE ITEMS ON PAGE 6 UPTO PAGE 12 FROM END-USER					
TOTAL COST:					

**The above quoted prices are inclusive of all costs and applicable taxes.*

SCHEDULE OF REQUIREMENTS

The delivery schedule expressed as weeks/months stipulates hereafter the delivery date to the project site.

Item	Description	Total Quantity	Delivery
I			

FINANCIAL OFFER

Approved Budget for the Contract		Your Total Offered Quotation
Php373,846.00		In words:
		In figures:
<u>Payment Details:</u>	Payment shall be made promptly, but in no case later than sixty (60) days, through Land Bank's LDDAP-ADA/Bank Transfer facility after submission of billing statement/invoice and upon fulfilment of other obligations as stipulated in the contract as well as upon inspection and acceptance of the goods by the end user.	
Banking Institution		
Account Number		
Account Name		
Branch		

TERMS AND CONDITIONS:

1. Bidders shall provide correct and accurate information required in this form.
2. Price quotation/s must be valid for a period of sixty (60) calendar days from the date of submission of quotation.
3. Price quotation/s, to be denominated in Philippine peso shall include all taxes, duties and/or levies payable.
4. Quotations exceeding the Approved Budget for the Contract shall be rejected.

5. Award of contract shall be made to the Lowest Calculated and Responsive Quotation (for goods and infrastructure) or, the Highest Rated Offer (for consulting services) which complies with the minimum technical specifications and other terms and conditions stated herein.
6. Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative/s.
7. The item/s shall be delivered according to the requirements specified in the Technical Specifications.
8. The Department of Education Region 4A shall have the right to inspect and/or to test the goods to confirm their conformity to the technical specifications.
9. In case two or more bidders are determined to have submitted the Lowest Calculated Quotation/Lowest Calculated and Responsive Quotation, the DBM shall adopt and employ "draw lots" as the tie-breaking method to finally determine the single winning provider in accordance with GPPB Circular 06-2005.
- 10. Payment shall be processed after delivery and upon the submission of the required supporting documents, in accordance with existing government accounting rules and regulations. Please note that the corresponding bank transfer fee, if any, shall be chargeable to the contractor's account.**
11. Liquidated damages equivalent to one tenth of one percent (0.1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. The Department of Education Region IV-A shall rescind the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.



Signature over Printed Name



Position/Designation


Office Telephone Number



Fax/Mobile Number



E-mail address/es




QUANTITY	UNIT	PICTURE OF THE ITEM	ITEM DESCRIPTION AND SPECIFICATION (Indicate the brand, color, type, and other properties)
12	Units	<p style="text-align: center;">Internet for TV</p> 	<p>Supports Wi-Fi, Bluetooth, and USB connections, delivering superfast transfer speeds.</p> <p>【Specifications】</p> <ul style="list-style-type: none"> # Output Resolution: 4K (3840 x 2160) # CPU: Cortex-A53 Quad-core 64bit # GPU: Mali-450 # RAM: 2GB DDR3 # Storage: 8GB eMMC # Operating System: Android 8.1 # Dimensions: 95.25mm (Length)* 95.25mm (Width)* 16.7mm (Thickness) # Weight: 147g # Color: Black <p>【Package Contents】</p> <ul style="list-style-type: none"> # TV box * 1 # Voice Remote * 1 # Power Adapter *
1	Unit	 <p style="text-align: center;">Heavy Duty Continuous Scanner</p>	<p>Scanning speeds of up to 35 ppm / 70 ipm</p> <p>Automatic Document Feeder (ADF) of up to 100 sheets</p> <p>Daily duty cycle of 4,000 pages</p> <p>One-pass duplex scanning</p> <p>Wireless connectivity</p> <p>Compatible with Epson Smart Panel app</p> <p>Scan-to function without having to use the PC</p> <p>Paper protection function and image sensor glass dirt detection</p> <p>Simplify data sharing with Epson ScanWay</p>


1	unit	 <p>Wi-Fi Duplex Wide-Format All-in-One Ink Tank Printer</p>	<p>Printer Type:Print, Scan, Copy, Fax with ADF</p> <p>Number of Paper Trays:2 (Front 1, Rear 1)</p> <p>Standard Paper Input</p> <p>Capacity:Cassette: 250 sheets for A4 Plain paper (80g/m²), 20 sheets for Premium Glossy Photo Paper</p> <p>Rear Slot: 20 sheets for A3+ Plain Paper (80 g/m²)</p> <p>Output Capacity:30 sheets for A4 Plain paper (80 g/m²), 20 sheets for Premium Glossy Photo Paper</p> <p>Maximum Paper Size:329 x 1200 mm</p> <p>Paper Sizes:A3, A3+, Super B, US B (11 x 17"), Legal, Indian Legal, Letter, A4, 16K (195 x 270mm), 8K (270 x 390mm), Executive, B4, B5, A5, B6, A6, Hagaki (100 x 148mm), Mexico-Oficio, 8.5 x 13", Offico9, Half-Letter, 5 x 7", 4 x 6", 8 x 10", 11 x 14", 16:9 wide, Envelopes: #10, DL, C6, C4</p> <p>Paper Feed Method:Friction feed</p> <p>Print Margin:0mm top, left, right, bottom via custom setting in printer driver (except plain paper)³</p> <p>USB:USB 2.0</p> <p>Network:Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct</p> <p>Network Protocol:TCP/IPv4, TCP/IPv6</p> <p>Network Management</p> <p>Protocols:SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SLP, WSD, LLTD</p> <p>LCD Screen:2.7" Colour LCD Touch Screen</p>
1	Unit	 <p>Laminating Machine</p>	<p>A4 Laminator Laminating Machine</p>

2	units	 <p>DLP Projector</p>	<p>Type Product type Projector Imaging device, number DMD x1 DMD Number of pixels 1280x800 (WXGA) Size / Aspect ratio 0.65 type/ 16:10 Projection lens Zoom ratio / Focal length / F value 1.1x / 22.0–24.1mm / F2.56–2.68 Projection distance W: 2.0 - 6.0 m T: 2.2 - 6.6 m Projection distance for 100" 3.33 – 3.67 m Projection ratio (*1) 1.55:1 - 1.70:1 Operation Zoom: manual, Focus: manual Light source Lamp type Super-high pressure lamp for projectors Lamp power 210/170 W (Lamp mode: normal/eco) Images Optical system Time division color extraction, sequential display Brightness 3200/2550 lm (Lamp mode: normal/eco) Marginal lumination ratio 75% Contrast ratio 10000:1 Image size (*2) 60 – 180 type Amount of lens shift 50%, fixed Electrical zoom (by length) 2x maximum Keystone correction range H ±30°, V ±30° Image signal Analog PC input UXGA / SXGA+ / WXGA+ / FWXGA / WXGA / SXGA / XGA / SVGA / VGA / MAC Digital PC input UXGA / SXGA+ / WXGA+ / FWXGA / WXGA / SXGA / XGA / SVGA / VGA Digital video input 1080p / 1080i / 720p / 576p / 480p MHL input 1080p / 1080i / 720p / 576p / 576i / 480p / 480i Component video input 1080p / 1080i / 720p / 576p / 576i / 480p / 480i Video input/S-video input NTSC / PAL / SECAM / NTSC4.43 / PAL-M / PAL-N / PAL-60 Terminal Mini D-sub 15pin x 2 Analog PC / Component video input HDMI(MHL) Digital PC / Digital video / MHL input RCA Composite video input Mini DIN4 S-video input Mini Jack Audio input Mini Jack Audio output Dsub9 RS-232C connection RJ45 100BASE-TX / 10BASE-T USB type B Service port Mechanics Adjustable feet Front: 1, Rear: 1 (the angle of elevation of up to 6°) Speaker 10W, monaural Dimensions (W x H x D) W: 282 mm, H: 114.5 mm, D: 232 mm Weight 2.5 kg (5.5 lbs) Noise 38 / 31dB (Lamp mode: normal/eco) Others Power supply AC100V - 240V 50 / 60Hz Power consumption 350 W / 240 W (Lamp mode: normal/eco) Standby power consumption 3.0 W (Standby) When setting is: Standby LAN:On 0.5 W (Standby) When setting is: Standby LAN:Off Operating temperature 0°C (32°F) to 40°C (104°F) Accessories Remote control LV-RC08, Computer Cable, Power Cord</p>
---	-------	---	--

1	uni	 <p>High End Laptop</p>	<p>15.6in WQHD (2560x1440) IPS 300nits Anti-glare, 165Hz, 100% sRGB, Dolby Vision, G-Sync, DC dimmer Intel Core i7-11800H (8C / 16T, 2.3 / 4.6GHz, 24MB) 16GB (2x 8GB) SO-DIMM DDR4-3200 512GB SSD M.2 2280 PCIe 4.0x4 NVMe NVIDIA GeForce RTX 3060 6GB GDDR6, Boost Clock 1425 / 1702MHz, TGP 130W Windows 11 Home</p>
1	unit	 <p>UHD Android T.V</p>	<p>43 inches 4k HDR display IPS panel Resolution 3840x2160p</p> <p>with: RF antenna, LAN port, HDMI port, USB port, Optical Digital Audio Out, TV Remote control</p>
2	unit	 <p>TV Wall Mount</p>	<p>Wall Mount Main Material: Steel Supported Flat-Panel TV Sizes: 32" to 55" Max Load: 40 kg / 88 lbs VESA: 200×100, 200×200, 400×200, 300×300, 400×400 Profile: 25mm Open architecture provides superior ventilation and easy access for wiring</p>

4	Pcs.	 <p>HiFi 3.5 TO 6.35mm</p>	<p>10 meters 3.5mm to 6.35mm Adapter (Male) Aux Cable for Mixer Amplifier</p>
2	sets	 <p>Wireless Microphones</p>	<p>Wireless Microphone - Dual Vocal Wireless System</p> <p>Wireless Handheld Transmitter Features RF Level Switch between 1mW and 10mW 2 “AA” batteries Up to 10 hours of battery life Bottom on/off switch design Anti-rolling ring on grille for PG28 Power and battery status LED 6 color rings for microphone identification</p> <p>Tech Specs Transmitter Type: Handheld Dimensions: 254 mm X 51 mm diameter RF Output Power: 1 Battery, endurance: 10 h Weight: 270 g Audio Input Level: -20 dBV maximum Input Impedance: 22 kΩ RF Output (dependent on applicable country regulations): HI power mode: 10 mW maximum LO power mode: 1 mW maximum Weight: 270 g (10.2 oz.)(without batteries) Housing: Molded ABS Power Requirements: 2 “AA” size alkaline or rechargeable batteries</p> <p>Dual Channel Diversity Receiver Features Up to 8 selectable channels Up to 4 compatible systems* Antenna Switching Diversity Adjustable Squelch Level 1/4" and XLR output Available with Handheld and Lavalier system packages</p> <p>Tech Specs Power Supply: 12 to 18 V DC @ 220 mA, supplied by external power supply Maximum Output Level: XLR connector into 100 kΩ load: -16 dBV, 6.35 mm (1/4") connector into 100 kΩ load: -22 dBV mW Dimensions: 32 mm X 168 mm X 104.5 mm (1.26 in. x 6.625 in. x 4.2 in.) Weight: 245 g (11.5 oz.) Housing: Molded ABS Audio Output Level (Ref. ±48 kHz deviation with 1 kHz tone): XLR connector into 100 kΩ load: -16 dBV (MIC)</p>

			6.35 mm (1/4") connector into 100 k Ω load: -22 dBV (MIC) Output Impedance: XLR connector: 600 Ω 6.35 mm (1/4") connector: 600 Ω Sensitivity: -105 dBm for 12 dB SINAD, typical Image Rejection: >50 dBm, typical Power Requirements: 12 to 18 V DC @ 130 mA, supplied by external power supply
2	Pcs		Headphone Splitter Audio Cable 3.5mm Male to Female Jack 3.5 mm
4	sets	 <p>Rechargeable Batteries with charger</p>	AA Battery Charger with 4 AA NiMH Rechargeable Batteries
4	Pcs		3 Meter 3pin XLR Male to Female XLR Cable Microphone

10	Pcs.		Rubber Handheld Wireless Microphone Anti-Rolling Protection Ring
----	------	---	--