

PHILIPPINE BIDDING DOCUMENTS

PROCUREMENT OF TECHNICAL- VOCATIONAL-LIVELIHOOD (TVL) EQUIPMENT PACKAGES TO PUBLIC SENIOR HIGH SCHOOLS

Government of the Republic of the Philippines
DepEd Region IV-A CALABARZON
Gate 2 Karangalan Village, Cainta, Rizal

Identification Number: ROIVA-25-03

**Sixth Edition
July 2020**

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the “*name of the Procuring Entity*” and “*address for bid submission*,” should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.

- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.
- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

Glossary of Acronyms, Terms, and Abbreviations	4
Section I. Invitation to Bid.....	7
Section II. Instructions to Bidders.....	11
1. Scope of Bid	12
2. Funding Information.....	12
3. Bidding Requirements	12
4. Corrupt, Fraudulent, Collusive, and Coercive Practices.....	13
5. Eligible Bidders.....	13
6. Origin of Goods	13
7. Subcontracts	13
8. Pre-Bid Conference	13
9. Clarification and Amendment of Bidding Documents	14
10. Documents comprising the Bid: Eligibility and Technical Components	14
11. Documents comprising the Bid: Financial Component	14
12. Bid Prices	14
13. Bid and Payment Currencies	15
14. Bid Security	15
15. Sealing and Marking of Bids	15
16. Deadline for Submission of Bids	15
17. Opening and Preliminary Examination of Bids	16
18. Domestic Preference	16
19. Detailed Evaluation and Comparison of Bids	16
20. Post-Qualification	17
21. Signing of the Contract	17
Section III. Bid Data Sheet	18
Section IV. General Conditions of Contract	21
1. Scope of Contract	22
2. Advance Payment and Terms of Payment	22
3. Performance Security	22
4. Inspection and Tests	22
5. Warranty	23
6. Liability of the Supplier	23
Section V. Special Conditions of Contract	24
Section VI. Schedule of Requirements	30
Section VII. Technical Specifications	64
Section VIII. Checklist of Technical and Financial Documents	230

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means “delivered duty paid.”

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – “Free Carrier” shipping point.

FOB – “Free on Board” shipping point.

Foreign-funded Procurement or Foreign-Assisted Project– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as “Call-Offs,” are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – **Government** Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



Republic of the Philippines
Department of Education
REGION IV-A CALABARZON
GATE 2, KARANGALAN VILLAGE
1900 CAINTA, RIZAL

INVITATION TO BID
ROIVA-25-03

1. The **DEPARTMENT OF EDUCATION REGION IV-A CALABARZON**, through its Bids and Awards Committee (BAC), is inviting interested parties to bid the hereunder project:

Name of Project : **PROCUREMENT OF TECHNICAL-VOCATIONAL-LIVELIHOOD (TVL) EQUIPMENT PACKAGES TO PUBLIC SENIOR HIGH SCHOOLS**

Location : DepEd Region IV-A Calabarzon, Gate 2
Karangalan Drive, Cainta, Rizal

Delivery Period : Ninety (90) calendar days upon receipt of
the Notice to Proceed

Place of Delivery : **Selected Recipient Senior High Schools within DepEd
Region IV-A CALABARZON**

2. The **DEPARTMENT OF EDUCATION REGION IV-A CALABARZON**, through the **FY 2024 General Appropriations Act** intends to apply the sum of:

LOT	IDENTIFICATION NUMBER	APPROVED BUDGET OF THE CONTRACT (Php)	BID DOCUMENT PRICE (Php)
1	ROIVA-25-03-Lot 1	43,337,825.00	25,000.00
2	ROIVA-25-03-Lot 2	8,544,010.00	10,000.00
3	ROIVA-25-03-Lot 3	4,367,020.00	5,000.00
4	ROIVA-25-03-Lot 4	9,181,110.00	10,000.00

Bids received in excess of the ABC and late bids shall be automatically rejected at bid opening.

Important Note/s:

- Supplier shall refer to Section VII - Technical Specifications, for details on the Technical-Vocational-Livelihood (TVL) Equipment Packages and Distribution Lists for each lot.
- The project is separated into FOUR (4) LOTS which will be awarded into separate contracts, bidders are required to purchase and submit Bid Documents per lot.

3. The **DEPARTMENT OF EDUCATION REGION IV-A CALABARZON** now invites bids for the above Procurement Project. Delivery of the Goods is within **90 calendar days upon receipt of the Notice to Proceed**. Bidders should have completed, within **FIVE (5) years** from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
4. Bidding will be conducted through open competitive bidding procedures using a non-discretionary “*pass/fail*” criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
5. Prospective Bidders may obtain further information from the **Department of Education Region IV-A CALABARZON, BAC Secretariat/Procurement Unit** and inspect the Bidding Documents at the address given below from **8:00am to 5:00pm**.
6. A complete set of Bidding Documents may be acquired by interested bidders on **June 5, 2025 to June 30, 2025** from given address and its website, and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB. The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person.
7. The **DEPARTMENT OF EDUCATION REGION IV-A CALABARZON** will hold a Pre-Bid Conference on **June 16, 2025 at 1:00 in the afternoon** at **DepEd Region IV-A CALABARZON, Gate 2 Karangalan Village, Cainta, Rizal**, which shall be open to prospective bidders.
8. Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below on or before **June 30, 2025 until 12:45 in the afternoon**. Late bids shall not be accepted.
9. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
10. Bid opening shall be on **June 30, 2025 at 1:00 in the afternoon at DepEd Region IV-A CALABARZON, Gate 2 Karangalan Village, Cainta, Rizal**. Bids will be opened in the presence of the bidders’ representatives who choose to attend the activity.
11. The **DEPARTMENT OF EDUCATION REGION IV-A CALABARZON** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.

12. For further information, please refer to:

JOCELYN L. MARTIN

Head - BAC Secretariat/Administrative Officer IV
Procurement Unit
DepEd Region IV-A Calabarzon
Gate 2 Karangalan Village, Cainta, Rizal
Email add: bac.calabarzon@deped.gov.ph
Cel. No./Viber No.: 09175361866

13. You may visit the following websites:
For downloading of Bidding Documents: <https://depedcalabarzon.ph/bid-documents> **OR go to depedcalabarzon.ph**, on the menu, go to **Transparency > Bid Documents**

May 30, 2025

(SGD) ANN GERALYN T. PELIAS
BAC Vice-Chairperson

Section II. Instructions to Bidders

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, **DepEd Region IV-A CALABARZON**, wishes to receive Bids for the **Procurement of Technical-Vocational-Livelihood (TVL) Equipment Packages to Public Senior High Schools** with identification numbers **ROIVA-25-03**.

The Procurement Project (referred to herein as “Project”) is composed of **FOUR** (4) Lots, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

2.1. The GOP through the source of funding as indicated below for **FY 2024** in the amount of:

LOT	IDENTIFICATION NUMBER	APPROVED BUDGET OF THE CONTRACT (Php)
1	ROIVA-25-03-Lot 1	43,337,825.00
2	ROIVA-25-03-Lot 2	8,544,010.00
3	ROIVA-25-03-Lot 3	4,367,020.00
4	ROIVA-25-03-Lot 4	9,181,110.00

2.2. The source of funding is NGA, the General Appropriations Act or Special Appropriations.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex “I” of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership limited to those allowed under the rules may participate in this Project.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA’s CPI, must be at least equivalent to:

a. For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.

- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on **June 16, 2025 at 1:00 in the afternoon** at its physical address at Gate 2 Karangalan Village, Cainta, Rizal as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within **5 years** prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);

- ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in the **BDS**.
- b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in the **BDS**.

13. Bid and Payment Currencies

- 13.1. Payment of the contract price shall be made in: **Philippine Pesos**.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration¹ or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until **120 calendar days**. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

16. Deadline for Submission of Bids

- 16.1. The Bidders shall submit on the specified date and time at its physical address as indicated in paragraph 7 of the **IB**.

¹ In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

17. Opening and Preliminary Examination of Bids

- 17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

- 17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

- 18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case may be. In this case, the Bid Security as required by **ITB** Clause 14 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as FOUR (4) contracts.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

- 20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

- 21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

ITB Clause	
5.3	<p>For this purpose, contracts similar to the Project shall be:</p> <ol style="list-style-type: none"> Technical-Vocational-Livelihood (TVL) Tools and Equipment completed within 5 years prior to the deadline for the submission and receipt of bids.
7.1	Subcontracting is not allowed
12	The price of the Goods shall be quoted Delivered Duties Paid (DDP) .
14.1	<p>The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:</p> <ol style="list-style-type: none"> The amount of not less than to two percent (2%) of ABC, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or The amount of not less than five percent (5%) of ABC, if bid security is in Surety Bond.
15	<p>Bidder shall submit hard copies of their proposals manually, three sets (original, copy 1, and copy 2)</p> <div style="text-align: center;"> <p>Recommended Sealing of Bids</p> </div> <p><u>That all original and copies (every page) of documents in the envelopes containing the technical and financial components of the bid shall be signed by the bidder or its duly authorized representative. Failure to observe will be a ground for disqualification.</u></p>
19.3	To be awarded on a per Lot basis.

20.2	<p>Within a non-extendible period of five (5) calendar days from receipt by the bidder of the notice from the BAC that it submitted the LCB, the Bidder shall submit the following requirements:</p> <p>a. Latest income and business tax returns: Printed copies of the Electronically filed Income Tax and Business Tax Returns with copies of their respective Payment Confirmation Forms for the immediately preceding calendar/tax year from the authorized agent bank;</p> <p>Only tax returns filed and taxes paid through the BIR Electronic Filing and Payment System (EFPS) shall be accepted.</p> <p>NOTE: The latest income and business tax returns are those within the last six months preceding the date of bid submission; and</p> <p>b. Certificate of Non-Toxicity issued by FDA and other appropriate licenses and permits required by law and stated in this BDS.</p> <p>During post-qualification, upon demand by the BAC or its representative(s), a bidder with the lowest calculated bid shall be able to present:</p> <p>a. Documents to verify or support its Statement of On-going and/ or Statement identifying its Completed Contracts which may consist of the following: appropriate and clear duly signed contracts, purchase orders, agreements, notices of award, job orders, or notices to proceed, with the corresponding duly signed certificate of completion, delivery receipts, inspection and acceptance reports, certificates of final acceptance or official receipts.</p> <p>b. Original copy of Class “A” Eligibility documents for validation purposes as well as the technical and financial documents submitted during bid opening.</p> <p>c. <u>Sample of the Technical-Vocational-Livelihood (TVL) Equipment being offered shall be available for inspection during the Post Qualification and its Project Implementation Timeline</u></p> <p>Failure to submit above requirements within the required timeframe or a finding against the veracity of any such documents or other documents submitted for the project shall be a ground for disqualification of the bidder for the award and the enforcement of the bid securing declaration.</p>
------	---

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

2. Advance Payment and Terms of Payment

2.1. Advance payment of the contract amount is provided under Annex “D” of the revised 2016 IRR of RA No. 9184.

2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project. In addition to tests in the **SCC**, **Section VII (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

Special Conditions of Contract

GCC Clause	
1	<p>Delivery and Documents –</p> <p>For purposes of the Contract, “EXW,” “FOB,” “FCA,” “CIF,” “CIP,” “DDP” and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:</p> <p><i>[For Goods supplied from within the Philippines, state:]</i> “The delivery terms applicable to this Contract are delivered to Selected Recipient Senior High Schools within DepEd Region IV-A CALABARZON. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.”</p> <p>Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).</p> <p>For purposes of this Clause the Procuring Entity’s Representative at the Project Site is School Inspectorate Team and Accepted by the School Property Custodian, whichever is applicable.</p> <p>Incidental Services –</p> <p>The Supplier is required to provide all of the following goods, including additional goods, if any, specified in Section VI. Schedule of Requirements:</p> <ol style="list-style-type: none"> a. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied goods; and b. performance or supervision or maintenance and/or repair of the supplied goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract.
	<p>Packaging –</p> <p>The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall be taken into consideration, where appropriate, the remoteness of the Goods’ final destination and the absence of heavy handling facilities at all points in transit.</p>

	<p>The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.</p> <p>The outer packaging must be clearly marked on at least four (4) sides as follows:</p> <p>Name of the Procuring Entity</p> <p>Name of the Supplier</p> <p>Project Name</p> <p>Items inside (name, general description, quantity)</p> <p>Packaging/Unpacking instructions</p> <ul style="list-style-type: none"> • Gross Weight • Any special lifting instructions • Any special handling instructions • Any relevant HAZCHEM classifications <p>Supplier's Name and Contact Details</p> <p>Recipients' Name and Contact Details</p> <p>A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.</p>
	<p>Pre-Delivery Inspection</p> <p>The Supplier shall notify the DepEd Region IV-A CALABARZON within five (5) calendar days that goods are available for pre-inspection at its warehouse before delivery.</p> <p>After inspection and acceptance at its warehouse, the Supplier shall ensure that the goods are packaged, sealed, ready and fit for transport.</p> <p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the identified Selected Recipient Senior High Schools within CALABARZON, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.</p> <p>Transportation –</p>

	<p>Where the Supplier is required under this Contract to transport the Goods to a specified destinations within CALABARZON, defined as the Project Site, transport to such destinations within CALABARZON, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.</p>
	<p>Where the Supplier is required under Contract to deliver the goods CIF, CIP or DDP, goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.</p> <p>The Procuring Entity accepts no liability for the damage of goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.</p> <p>Intellectual Property Rights –</p> <p>The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.</p>
2.2	<p>The terms of payment:</p> <p>Full payment shall be effected upon 100% delivery. Three percent (3%) retention money shall be deducted and will be released one (1) year after acceptance by the Procuring Entity of the delivered or submission of surety bond equivalent to the retention money.</p> <p>The method and conditions of payment shall be made to the Supplier through the Government disbursement procedure within sixty (60) days after the date of acceptance of Goods at the delivery site and upon submission of documents.</p>
	<p>Performance Security</p> <p>The Performance Security shall be posted in favor of DepEd Region IV-A CALABARZON, and shall be forfeited in the event it is established that the Supplier is in default of any of its obligation under the contract. The Supplier</p>

	<p>shall be responsible for the extension of its performance security and/or renewal of its performance security whenever necessary and/ without need of prior notice or instruction from Procuring Entity, to ensure that it is in force and effect for the whole duration of the contract delivery period and until a Certificate of Final Acceptance is duly issued.</p> <p>Performance Security shall not contain any deletion, crossing-out, expunction, or any form of correction. Otherwise, The Procuring Entity may reject such security if any such intercalation or alteration affects any materials information or feature of the document.</p>
4	<p>Delivery and Inspection:</p> <ul style="list-style-type: none"> a. DepEd Region IV-A CALABARZON shall conduct pre-delivery inspection of items offered before delivery. b. The supplier shall be responsible for the transport of the goods from the warehouse to the Selected Recipient Senior High Schools within DepEd Region IV-A CALABARZON. c. All goods to be delivered to the Selected Recipient Senior High Schools within DepEd Region IV-A CALABARZON shall be free from defects, substandard material, imperfection and other analogous defects. d. Only goods with the best quality shall be acceptable to the Department. e. All goods found to be with defects, imperfections and poor quality shall be rejected by the Department at any stage of the contract implementation. f. Delivery shall be during office hours (8:00am-5:00pm). The Supplier shall not deliver goods on a Saturday, Sunday or Holiday. g. Delivered goods at recipient schools shall be inspected by the concerned Inspectorate Team and accepted by the School Property Custodian. h. The Supplier shall be responsible in the preparation and completion of the Inspection and Acceptance Report (IAR). i. The Delivery Receipt (DR) shall be signed by the School Property Custodian.
	<p>LIQUIDATED DAMAGES</p> <ol style="list-style-type: none"> 1. When the supplier fails to satisfactorily deliver goods under the contract within the specified delivery schedule, inclusive of duly granted time extension, if any, the supplier shall be liable for damages for the delay and shall pay the procuring entity liquidated damages. 2. An amount equal to one-tenth (1/10) of one percent (1%) of the cost of the delayed goods scheduled for delivery for every day of delay until such goods are finally delivered and accepted by the procuring entity.

	<p>3. Such amount shall be deducted from any money due or which may become due to the supplier, or collected from any securities or warranties posted by the supplier, whichever is convenient to the procuring entity concerned.</p> <p>3. In case the total sum of liquidated damages reaches ten percent (10%) of the total contract price, the procuring entity concerned may rescind the contract and impose appropriate sanctions over and above the liquidated damages to be paid.</p>
	<p>Warranty - Under Section 62.1 of the 2016 revised IRR of RA No. 9184.</p> <p>For the procurement of Goods, in order to assure that manufacturing defects shall be corrected by the supplier, a warranty security shall be required from the contract awardee for a minimum period of three (3) months, in the case of Expendable Supplies, or a minimum period of one (1) year, in the case of Nonexpendable Supplies, after acceptance by the Procuring Entity of the delivered supplies.</p> <p>The obligation for the warranty shall be covered by either retention money in an amount equivalent to at least one percent (1%) but not to exceed five percent (5%) of every progress payment, or a special bank guarantee equivalent to at least one percent (1%) but not to exceed five percent (5%) of the total contract price. The said amounts shall only be released after the lapse of the warranty period or, in the case of Expendable Supplies, after consumption thereof: Provided, however, That the supplies delivered are free from patent and latent defects and all the conditions imposed under the contract have been fully met.</p> <p>The Supplier shall supply and deliver only the best goods of Technical-Vocational Livelihood (TVL) Packages.</p> <p>The Supplier warrants that any damage or defect in the goods delivered, they shall automatically and immediately replace the same with no question at no cost to the school, DepEd or Government within two weeks from the time of the defects become apparent and reported by the school or the Department.</p> <p>The supplier shall replace or immediately compensate the school for replacement of damaged goods, or any other defects attributable to the delivery and factory defect of the items delivered within two years from delivery, except for damages caused while being used by the learners in the school.</p>

Section VI. Schedule of Requirements

- a. The supply and delivery schedule expressed below stipulates the date of delivery to the project site

Description	Contract Duration
Procurement of Technical-Vocational-Livelihood (TVL) Equipment Packages to Public Senior High Schools	Within 90 calendar days from the issuance of Notice to Proceed (NTP)

- b. **Delivery Site:** Shall be delivered at the respective addresses of the **SELECTED RECIPIENT SENIOR HIGH SCHOOLS OF DEPED REGION IV-A CALABARZON.** *(Please see below)*

LOT 1

		Batangas	Batangas	Batangas	Binan City	Cabuyao City	Calamba City	CAVITE	CAVITE	Dasmaringas City	Dasmaringas City
	Item	Agoncillo SHS	Alitagtag SHS	Placido T. Amo SHS	Binan City SHS - Timbao Campus	Mamatid SHS	Integrated School of Lawa	Emilia Ambalada Poblete Integrated HS	Escuela Secundaria Senor de Salinas	Dr. Jose P. Rizal SHS	Paliparan II Integrated HS
	Bread and Pastry Production										
1	Air Compressor with Airbrush Cake Decorating Set	1	3	1	3	1	6	2	1		6
2	Beater	5	10	4	10		5	6	6	10	
3	Board, Chopping, 6 Color (set)	4	5	2	10	6	5	4	1	5	
4	Boiler, Double	4	3	4	5	12	3	4	1	5	6
5	Bowl, Mixing (6 pcs/Set)	5	3	8	10	6	3	2	15	8	12
6	Cake Pans, Round 75, 92, 122, 206, 230, 270 (set)	5	3	6	5	6	2	3	10	5	12
7	Cake Stand, with Tier	5	3	3	10	6	2	4	2	5	
8	Cake Turn Table	5	2	6		6	1	4	1	5	
9	Coupler	5	10		10		1	1	1	5	
10	Cup, Measuring (for Solid)	5	5	5		6	5	4	15	5	
11	Cup, Measuring, 250 mL for Liquid	5	5	8		6	2	4	5	5	
12	Cup, Measuring, 500 mL for Liquid	6	5	8		6	2	4	5	5	
13	Cutter, Dough	5	10	6			5	10	20	5	
14	Cutter, Pie	5	10	5			2	10	5	5	
15	Flour Sifter, Hand Cranked	5	5	6		6	2	4	10	5	
16	Grater	5	5				2	4	2	5	
17	Knife, Kitchen	5	10	2	10	6	2	8	6	5	
18	Knife, Pallet	4	10	4	10	6	2	6	5	5	
19	Ladle, 3 OZ	5	5	6			2	8	2	2	
20	Loaf Pan Big	5	5	6			5	5		5	
21	Loaf Pan Medium	6	5	6			5	6		4	
22	Loaf Pan Small	6	5	6			5	6		5	24
23	Muffin Pan Big	5	3	6			5	5	20	5	
24	Muffin Pan Medium	5	3	6			5	5	10	5	
25	Muffin Pan Small	5	3	6			5	5		5	
26	Pie Pan, 10 Inches Diameter	5	5	6			10	5	10	5	
27	Pie Pan, #6, #8, #10	5	5	6			5	5	5	5	

		Batangas	Batangas	Batangas	Binan City	Cabuyao City	Calamba City	CAVITE	CAVITE	Dasmariñas City	Dasmariñas City
	Item	Agoncillo SHS	Alitagtag SHS	Placido T. Amo SHS	Binan City SHS - Timbao Campus	Mamatid SHS	Integrated School of Lawa	Emilia Ambalada Poblete Integrated HS	Escuela Secundaria Senor de Salinas	Dr. Jose P. Rizal SHS	Paliparan II Integrated HS
28	Pillars, Cake (Set 3", 5", 7")	5	5	2			5		2	5	
29	Piping Bag	5	15	8			12	20	4	5	22
30	Rectangular Pan (8x8x1)	5	5	6			5	5		5	
31	Rolling Pins	6	6	8		24	5	5	6	5	24
32	Rubber Scraper	5	5	6		25	10	10	20	11	24
33	Sauce Pan	5	3	12	10	12	5	4	10	5	
34	Sheet Pan	5	5	8	20		5	10	20	5	
35	Spoon, Measuring	6	10	8			6	5	10	10	
36	Spoon, Wooden	6	5	6			5	6	20	5	
37	Strainer	6	6	4			5	5	6	5	
38	Tip, Decarative (Set)	5	5	0		6	5	5	2	5	
39	Weighing Scale, 10kgs	5	1	4	2	1	1	4	1	5	
40	Weighing Scale, 5kgs, Digital	4	3	4	5	1	1	6	4	5	6
41	Wire Whisk, Medium	5	5				5	10	10	10	24

	Item	Laguna BN Calara Senior High School	Laguna Luis Obial SHS	Laguna Luisiana INHS	Laguna Siniloan INHS	Lucena Gulang-Gulang NHS	Lucena Ibabang Talim Integrated HS	Quezon Apad NHS	Quezon Danlagan	Quezon Hagonghong Integrated HS	Quezon Jacinto G. Esplana NHS	Quezon Lalig NHS
	Bread and Pastry Production											
1	Air Compressor with Airbrush Cake Decorating Set	7	7	7	2	1	2	2	2	1	16	1
2	Beater				3	5	5	7	5	4	10	5
3	Board, Chopping, 6 Color (set)	5	5	5	3	5	5	5	2	3	5	2
4	Boiler, Double	5	5	5	2	5	5	6	1	2	3	5
5	Bowl, Mixing (6 pcs/Set)	6	6	6	3	10	5	6	5	6		5
6	Cake Pans, Round 75, 92, 122, 206, 230, 270 (set)	5	5	5	5	3	5	4	2	6	5	5
7	Cake Stand, with Tier	5	5	5	2	2	4	4	3	6	5	5
8	Cake Turn Table				5	2	4	4	4	6		5
9	Coupler					1	4	3	3	4		5
10	Cup, Measuring (for Solid)				7	10	4	4	10	3	5	5
11	Cup, Measuring, 250 mL for Liquid				5	10	4	4	5	3	10	5
12	Cup, Measuring, 500 mL for Liquid				2	10	4	4	5	3	10	5
13	Cutter, Dough				5	10	4	4	5	6	45	5
14	Cutter, Pie				2	3	4	6	5	6	12	5
15	Flour Sifter, Hand Cranked				2	10	4	4	10	3	12	5
16	Grater				5	4	4	4	5	6	12	5
17	Knife, Kitchen				5	3	4	6	20	6	6	5
18	Knife, Pallet				3	3	4	6	5	3	6	5
19	Ladle, 3 OZ				5	3	4	6	10	3	12	5
20	Loaf Pan Big	5	5	5	5	3	5	5	5	6	6	6
21	Loaf Pan Medium	5	5	5	4	3	5	5	5	6		6
22	Loaf Pan Small	5	5	5	4	3	5	5	5	8		6
23	Muffin Pan Big	5	5	5	3	5	5	5	5	6		6
24	Muffin Pan Medium	5	5	5	5	10	5	5	5	6		5
25	Muffin Pan Small	5	5	5	3	10	5	5	5	6	5	5
26	Pie Pan, 10 Inches Diameter	5	5	5	5	3	5	6	5	6	5	5
27	Pie Pan, #6, #8, #10	5	5	5	5	3	5	6	5	6	5	5

		Laguna	Laguna	Laguna	Laguna	Lucena	Lucena	Quezon	Quezon	Quezon	Quezon	Quezon
	Item	BN Calara Senior High School	Luis Obial SHS	Luisiana INHS	Siniloan INHS	Gulang-Gulang NHS	Ibabang Talim Integrated HS	Apad NHS	Danlagan	Hagonghong Integrated HS	Jacinto G. Esplana NHS	Lalig NHS
28	Pillars, Cake (Set 3" , 5" , 7")	5	5	5	2	3	4	3	5	6	5	5
29	Piping Bag	5	5	5		5	5	6	10	3	5	5
30	Rectangular Pan (8x8x1)	5	5	5	5	8	4	6	5	6		5
31	Rolling Pins				3	5	9	4	5	6	5	5
32	Rubber Scraper				10	10	5	6	20	6		5
33	Sauce Pan				5	3	5	6	5	6	5	5
34	Sheet Pan				7	10	10	3	10	3	40	5
35	Spoon, Measuring				5	11	4	6	5	6	40	5
36	Spoon, Wooden				5	10	4	6	5	6	40	6
37	Strainer	1	1	1	5	5	4	4	5	6	40	5
38	Tip, Decarative (Set)	5	5	5	3	4	4	3	5	6		5
39	Weighing Scale, 10kgs	1	1	1		2	4	2	2	6		5
40	Weighing Scale, 5kgs, Digital	1	1	1	5	10	4	6	2	2		5
41	Wire Whisk, Medium				5	20	4	7	8	5	10	5

	Item	Rizal	Rizal	Rizal	Rizal	Sta. Rosa	Tayabas City
		Antonio C. Esguerra Mem. NHS	Margarito A. Duavit MNHS	Tanay SHS	Taytay SHS	Sinalhan Integrated HS	Dapdap Integrated School
	Bread and Pastry Production						
1	Air Compressor with Airbrush Cake Decorating Set	3	2	2	2	2	1
2	Beater					3	5
3	Board, Chopping, 6 Color (set)	5	7	8	8	5	6
4	Boiler, Double	5	6	8	8	5	4
5	Bowl, Mixing (6 pcs/Set)	5	7	8	8	5	2
6	Cake Pans, Round 75, 92, 122, 206, 230, 270 (set)	6	6	8	8	5	5
7	Cake Stand, with Tier	6	7	7	7	5	4
8	Cake Turn Table	10	10	7	7	5	3
9	Coupler	6	7	7	7	5	5
10	Cup, Measuring (for Solid)					5	10
11	Cup, Measuring, 250 mL for Liquid					5	10
12	Cup, Measuring, 500 mL for Liquid					5	10
13	Cutter, Dough					5	5
14	Cutter, Pie					2	5
15	Flour Sifter, Hand Cranked					5	5
16	Grater					5	10
17	Knife, Kitchen					5	10
18	Knife, Pallet					5	10
19	Ladle, 3 OZ					5	10
20	Loaf Pan Big					5	10
21	Loaf Pan Medium					5	10
22	Loaf Pan Small					5	10
23	Muffin Pan Big					5	5
24	Muffin Pan Medium					5	5
25	Muffin Pan Small					6	5
26	Pie Pan, 10 Inches Diameter					5	5
27	Pie Pan, #6, #8, #10					5	5

	Item	Rizal	Rizal	Rizal	Rizal	Sta. Rosa	Tayabas City
		Antonio C. Esguerra Mem. NHS	Margarito A. Duavit MNHS	Tanay SHS	Taytay SHS	Sinalhan Integrated HS	Dapdap Integrated School
28	Pillars, Cake (Set 3", 5", 7")					5	5
29	Piping Bag					5	5
30	Rectangular Pan (8x8x1)					5	5
31	Rolling Pins					5	5
32	Rubber Scraper					15	5
33	Sauce Pan	5	5	4	4		4
34	Sheet Pan						4
35	Spoon, Measuring					5	10
36	Spoon, Wooden					5	10
37	Strainer					5	5
38	Tip, Decarative (Set)					5	5
39	Weighing Scale, 10kgs	5	5	5	5	2	5
40	Weighing Scale, 5kgs, Digital	5	5	5	5	5	5
41	Wire Whisk, Medium						5

		Batangas City	Batangas City	Cabuyao City	Calamba City	CAVITE	CAVITE	Dasmaringas City	Dasmaringas City	Laguna	Laguna	Lucena	Lucena
	Item	Batangas City South SHS	Natalia V. Ramos Memorial IS	Mamatid SHS	Integrated School of Lawa	Emilia Ambalada Poblete Integrated HS	Amaya School of Home Industries	Dr. Jose P. Rizal SHS	Paliparan II Integrated HS	Luis Obial SHS	Luisiana INHS	Gulang-Gulang NHS	Ibabang Talim Integrated HS
	Cookery												
1	Apple corer					2	2					5	1
2	Bain Marie, Table	2	1	3	2	1	1	5	3	2	2	2	2
3	Blender, Electric	5	2	3	5	3	3	2	6			4	1
4	Board, Chopping/Cutting, plastic			3	5	4	3	2				12	1
5	Boiler, Double	5	2	6	4	1	2	5	6			2	1
6	Braising Pan, Medium	5	1	6		4	3	5				2	1
7	Can Opener		5		10	8	5	5				10	1
8	Cart, Utility	6	2	3		1	1	1	6	4	4	2	1
9	Casserole, Medium	5	5	10	6	4	5	5				7	1
10	Casserole, Small	5	5	10	6	4	3	5				7	1
11	Colander, Medium		5		5	4	4	5				6	1
12	Colander, Small		5		5	4	3	5				6	1
13	Cup, Measuring (for Solid)		10	6		4	4	5				6	1
14	Dispenser, Paper Towel	5	2	6	5	6	6					6	1
15	Fan, Electric (H. Duty)	5	5	6	10	2	2	1	1			4	3
16	Fire Extinguisher (with contents)	5	2	3	3	4	4	2		1	1	1	1
17	Fish Poascher, Medium	5		5	1	1	1	2				1	1
18	Fork, Carving		10	6	2	4	4	2				6	1
19	Fork, Kitchen		10	6	2	10	10	2				6	1
20	Frying Pan, Large	10	5	6	2	4	5	5				6	1
21	Frying Pan, Medium	5	5	6	2	4	5	5				6	1
22	Frying Pan, Small	5	5	6	2	4	4	5				6	1
23	Funnel, S/S, Medium		5		5	2	2	5				10	1
24	Funnel, S/S, Small				5	2	2	5				10	1
25	Garbage Bin	5	5	3	4	4	4	2				6	1
26	Glass Rack	2	2	3	5	4	4	2				3	1
27	Knife, Boning		5	12	5	4	4	5				6	1
28	Knife, Chef	10	5	12	5	4	4	10				6	1
29	Knife, Cleaver	5	5	12	5	4	4	5				6	1
30	Knife, Oister			12	5	4	4	5				6	1
31	Light, Emergency (H. Duty)	3	2	3	3	4	4	2				1	1
	Meat Slicer, Small (H. Duty)												
32	Electric	1		1	1			1	2	1	1	1	1
33	Manual	5		1	1							1	1
34	Pan, Roasting	5	5	6	2	5	5	2				3	1
35	Peeler, Y-Type		5		10	10	10	5				10	1

		Batangas City	Batangas City	Cabuyao City	Calamba City	CAVITE	CAVITE	Dasmariñas City	Dasmariñas City	Laguna	Laguna	Lucena	Lucena
	Item	Batangas City South SHS	Natalia V. Ramos Memorial IS	Mamatid SHS	Integrated School of Lawa	Emilia Ambalada Poblete Integrated HS	Amaya School of Home Industries	Dr. Jose P. Rizal SHS	Paliparan II Integrated HS	Luis Obial SHS	Luisiana INHS	Gulang-Gulang NHS	Ibabang Talim Integrated HS
36	Pepper and Salt Mill (Set)			6	5	4	4	5				3	1
37	Piping Bag (per pack 100)		5		20	5	5	2				6	1
38	Plate Rack	3	2	3	1	2	2	2				2	1
39	Preparation Table with Sink	4	2		1	2	2	1	2	4	4	1	2
40	Pressure Cooker	3	2	3	3	2	2	1	6	1	1	2	1
41	Scissor, Kitchen		5	3	10	9	9	5				12	1
42	Scooper, Ice Cream		5		5	5	5	2				3	1
43	Siever, Small				5	2	2	1				12	1
44	Skimmer, Fine				5	2	2	1				3	1
45	Skimmer, Spider				5	2	2	1				2	1
46	Soup Cup Rack	3	2	3	1	2	2	2				2	1
47	Soup Ladle, 3 OZ		5		5	2	2	2				6	1
48	Soup Ladle, 6 OZ		5		5	2	2	2				6	1
49	Soup Ladle, 8 OZ		5		5	2	2	2				6	1
50	Soup Ladle, 12 OZ				5	2	2	2				6	1
51	Spatula		5		10	10	10	5				12	1
52	Spoon, Kitchen		10		36	18	18	1				12	1
53	Spoon, Kitchen (Slotted)		10		28	10	10	1				2	1
54	Spoon, Measuring		5		24	2	2	5				12	1
55	Spoon, Parisienne				24			5				6	1
56	Spoon, Serving		10		24	4	4	5				12	1
57	Spoon, Wooden		10		24	4	4	5				12	2
58	Stock Pot, Large	5	5	3	5	1	1	2	6			4	1
59	Strainer Chinois, Medium	3	5		5			3				1	1
60	Strainer Chinois, Small	2			5			3				1	1
61	Strainer Medium, Fine				5	3	3	3				6	1
62	Strainer Small, Fine				5			3				8	1
63	Table, Working (Work Preparation)	7	3	3	1	4	4	3	3	3	3	2	6
64	Tenderizer, Medium	5		6	3				2			2	1
65	Thermometer, Pocket / Pin	5			5	1	1	2				2	1
66	Tong, 12 Inches		10		4	10	10	2				6	1
67	Tong, 8 Inches		5		6			2	4			6	1
68	Tray, Baking, Small	5	5		6	1	1	5				3	1
69	Tray, Utility	2			1	10	5	5		9	9	12	1
70	Tube, Pastry		5		3							1	1

		Batangas City	Batangas City	Cabuyao City	Calamba City	CAVITE	CAVITE	Dasmaringas City	Dasmaringas City	Laguna	Laguna	Lucena	Lucena
	Item	Batangas City South SHS	Natalia V. Ramos Memorial IS	Mamatid SHS	Integrated School of Lawa	Emilia Ambalada Poblete Integrated HS	Amaya School of Home Industries	Dr. Jose P. Rizal SHS	Paliparan II Integrated HS	Luis Obial SHS	Luisiana INHS	Gulang-Gulang NHS	Ibabang Talim Integrated HS
71	Turner 3"x6"		5		3	5	5	2				6	1
72	Weighing Scale, 1kg, Digital		2	6	1			1				6	1
73	Weighing Scale, 5kg, Mechanical		1	1	1			1				1	1
74	Wire Skimmer, Small		5		2			2				3	1
75	Wire Whisk, (H. Duty)	6	5	12	1	1	1	4				2	1
76	Wire Whisk, Medium		5	7	11		1	2				12	1
77	Wire Whisk, Small			6	12			2				10	1
78	Wok, Medium	6	5	6	5			2				6	1
79	Wok, Small	6	5	6	5			2				6	1
80	Zester		5		5			2				5	1

	Item	Quezon	Quezon	Quezon	Quezon	Rizal	Rizal	Rizal	Rizal	Rizal	San Pablo City	Sta. Rosa	Tayabas City
		Apad NHS	Danlagan	Hagonghong Integrated HS	Lalig NHS	Antonio C. Esguerra Mem. NHS	Hulo NHS	Margarito A. Duavit MNHS	Tanay SHS	Taytay SHS	Crecencia Drucilla Lopez SHS	Sinalhan Integrated HS	Dapdap Integrated School
	Cookery												
1	Apple corer	2	5	3	5							1	5
2	Bain Marie, Table	1	1	4	2	3	2	2	2	2	2	2	2
3	Blender, Electric	4	2	2	3	5	4	8	8	8		5	3
4	Board, Chopping/Cutting, plastic	4	10		5								5
5	Boiler, Double	4	2	2	3	4	5	5	5	5		5	5
6	Braising Pan, Medium	5	5		5	4	5	5	5	5		5	4
7	Can Opener	5	5	3	5								5
8	Cart, Utility	6	5	1	3	5	5	4	5	5		2	2
9	Casserole, Medium	5	5	3	5	5	5	5	5	5			5
10	Casserole, Small	5	5	5	5	5	5	8	8	8			5
11	Colander, Medium	4	2	3	5								5
12	Colander, Small	4	2		5								5
13	Cup, Measuring (for Solid)	4	2		5								5
14	Dispenser, Paper Towel	4	2	2	5								5
15	Fan, Electric (H. Duty)	4	4	2	5	4	4	5	5	5	2	4	4
16	Fire Extinguisher (with contents)	2	4		3	4	4	5	5	5		2	4
17	Fish Poascher, Medium	2	2	1	5	4	4	5	5	5		5	4
18	Fork, Carving	4	5	3	5							6	10
19	Fork, Kitchen	6	5		5							6	10
20	Frying Pan, Large	6	10	3	5	5	5	8	8	8			4
21	Frying Pan, Medium	6	10	3	5	5	5	8	8	8			4
22	Frying Pan, Small	6	10	3	5	5	5	8	8	8			4
23	Funnel, S/S, Medium	3	2	4	5								6
24	Funnel, S/S, Small	4	2		5								6
25	Garbage Bin	4	2		5	5	5	5	5	5		1	6
26	Glass Rack	4	1	3	5	5	5	5	5	5		1	4
27	Knife, Boning	6	5	4	5								4
28	Knife, Chef	6	5		5	5	5	5	5	5			4
29	Knife, Cleaver	6	5		5	5	5	5	4	4			4
30	Knife, Oister	3	5		5								4
31	Light, Emergency (H. Duty)	3	4	3	3	5	5	5	5	5	6	1	2
	Meat Slicer, Small (H. Duty)												
32	Electric	3	1		1	2	3	2	2	2		1	4
33	Manual	1	1	2	2	5	5	5	4	4		3	4
34	Pan, Roasting	4	5	3	5							5	4
35	Peeler, Y-Type	4	5	3	5							10	4

	Item	Quezon	Quezon	Quezon	Quezon	Rizal	Rizal	Rizal	Rizal	Rizal	San Pablo City	Sta. Rosa	Tayabas City
		Apad NHS	Danlagan	Hagonghong Integrated HS	Lalig NHS	Antonio C. Esguerra Mem. NHS	Hulo NHS	Margarito A. Duavit MNHS	Tanay SHS	Taytay SHS	Crecencia Drucilla Lopez SHS	Sinalhan Integrated HS	Dapdap Integrated School
36	Pepper and Salt Mill (Set)	1	1		5							10	4
37	Piping Bag (per pack 100)	1	1		5								10
38	Plate Rack	3	2	3	5							5	4
39	Preparation Table with Sink	1	1	2	1	1	1	1	1	1	5	1	2
40	Pressure Cooker	2	1	2	3	5	5	7	7	7		5	2
41	Scissor, Kitchen	6	4	3	5							10	4
42	Scooper, Ice Cream	2	2	3	5							6	4
43	Siever, Small	2	2		5							10	4
44	Skimmer, Fine	2	2		5							6	4
45	Skimmer, Spider	4	2		5							10	4
46	Soup Cup Rack	3	1	3	2							2	2
47	Soup Ladle, 3 OZ	3	5		5							6	2
48	Soup Ladle, 6 OZ	3	5		5							5	2
49	Soup Ladle, 8 OZ	3	5		5							5	2
50	Soup Ladle, 12 OZ	3	5		5							5	2
51	Spatula	4	5	3	5							15	2
52	Spoon, Kitchen	6	10		5							10	2
53	Spoon, Kitchen (Slotted)	4	3		5							6	2
54	Spoon, Measuring	1	5		5							10	2
55	Spoon, Parisienne	2	5		5							10	2
56	Spoon, Serving	5	5		5							6	2
57	Spoon, Wooden	5	2		5							10	2
58	Stock Pot, Large	1	10	3	3							5	2
59	Strainer Chinois, Medium	1	2	1	3							2	2
60	Strainer Chinois, Small	1	2		5							5	2
61	Strainer Medium, Fine	1	5		5							5	2
62	Strainer Small, Fine	1	5		5							6	2
63	Table, Working (Work Preparation)	1	2	4	1	2	2	1	1	1	2	2	2
64	Tenderizer, Medium	3	1		5							5	2
65	Thermometer, Pocket / Pin	6	2	3	5							6	2
66	Tong, 12 Inches	3	5		5							10	2
67	Tong, 8 Inches	3	5		6							10	2
68	Tray, Baking, Small	2	5		5							10	2
69	Tray, Utility	4	5	3	5							5	2
70	Tube, Pastry	3	5		2	6	5	9	9	9		5	2

		Quezon	Quezon	Quezon	Quezon	Rizal	Rizal	Rizal	Rizal	Rizal	San Pablo City	Sta. Rosa	Tayabas City
	Item	Apad NHS	Danlagan	Hagonghong Integrated HS	Lalig NHS	Antonio C. Esguerra Mem. NHS	Hulo NHS	Margarito A. Duavit MNHS	Tanay SHS	Taytay SHS	Crecencia Drucilla Lopez SHS	Sinalhan Integrated HS	Dapdap Integrated School
71	Turner 3"x6"	4	10	3	5							5	2
72	Weighing Scale, 1kg, Digital	3	10		5							3	2
73	Weighing Scale, 5kg, Mechanical	1	5		5	6	4	9	9	9		2	2
74	Wire Skimmer, Small	4	5		5							5	2
75	Wire Whisk, (H. Duty)	4	5		5							5	2
76	Wire Whisk, Medium	4	5		5							6	2
77	Wire Whisk, Small	4	4		5							3	2
78	Wok, Medium	6	9	5	2							3	2
79	Wok, Small	6	10	3	2							3	2
80	Zester	4	3	3	5							6	2

	Item	Batangas	Batangas	Batangas	Batangas	Cabuyao City	Calamba City	Calamba City	Calamba City	CAVITE	CAVITE	CAVITE
		Agoncillo SHS	Alitagtag SHS	Placido T. Amo SHS	Sto. Tomas SHS	Mamatid SHS	Integrated School of Lawa	Majada Integrated School	Makiling Integrated School	Emilia Ambalada Poblete Integrated HS	Escuela Secundaria Senor de Salinas	Bagbag National High School
	Food and Beverage Services											
1	Chair, Dining											
2	Metal with Foam	5	12	12	20	36	10		30	6	16	
3	Wood (36x17x14 inches)	5			20		20				4	
4	HDPE Plastic	6	24		10	12		40	40	6	6	36
	Coffee Pot, 2 Pints											
5	Porcelaine	6	3			6	5	4	2	6	2	
6	Stainless	3	3	12		3	5	4	2		2	
7	Container, Creamer	6	5	12		6	5	4		5	6	
8	Cups and Saucers 5-6 OZ (set)	6	12	12		24	10	30		12	12	
9	Folder, Menu	6	4	12	10	12	5	4	5	6	12	
10	Fork, Cocktail	6	36	24	24	24	24	30	40	24	12	24
11	Fork, Dessert	6	36	36	24	24	24	30	40	24	12	24
12	Fork, Dinner	6	24	36	24	24	24	30	40	24	12	24
13	Fork, Fish	6	36	36	24	24	24	30	40	12	12	24
14	Fork, Oyster	6	36	36	24	24	24	30	40	12	12	24
15	Fork, Salad	6	36	36	24	24	24	30	40	24	12	24
16	Glass, Champagne Flute	6	24	24	24	24	24	30	40	24	18	
17	Glass, Collins	6	24	24	24	24	24	30	40	24	12	
18	Glass, Juice / Hi-Ball	6	24	24	24	24	24	30		24	13	
19	Glass, Pilsner (Ice Tea Glass)	6	24	24	24	24	24	4	40	24	12	
20	Glass, Red Wine	6	28	24	24	24	24	30	40	24	12	
21	Glass, White Wine	6	24	24	24	24	24	30	40	24	12	
22	Gravy Boats	6	8	12		12	12	8		6	10	
23	Ice Bucket, 2 liters with Tongs (set)	6	10	12	10	12	5	4		6	6	
24	Knife, Butter	6	36	24	12	24	24	30	40	24	12	24
25	Knife, Dinner	6	36	24	12	24	24	30	40	24	12	24
26	Knife, Fish	7	36	24	12	24	24	3	40	12	12	24
27	Knife, Salad	6	36	24	12	24	24	30	40	12	12	24
28	Knife, Steak	6	36	24	12	24	24	30	40	24	12	24
29	Napkin Holder	6	10	24	2		10	8		24	12	
30	Order Pads (per 10 Pads)	6	5	12				4		4	5	
31	Pepper and Salt Mill (set)	6	10	12		12	5	4		6	6	
32	Plate Covers	6	12	12		12		4		24	6	
33	Plate, Dessert, 7" to 8"	5	36	24	24	24	36	30		24	12	6
34	Plate, Dinner 10"	5	36	24	24	24	36	30		24	12	
35	Plate, Fish, 8" to 9"	5	36	24	24	24	36	30		24	12	

		Batangas	Batangas	Batangas	Batangas	Cabuyao City	Calamba City	Calamba City	Calamba City	CAVITE	CAVITE	CAVITE
	Item	Agoncillo SHS	Alitagtag SHS	Placido T. Amo SHS	Sto. Tomas SHS	Mamatid SHS	Integrated School of Lawa	Majada Integrated School	Makiling Integrated School	Emilia Ambalada Poblete Integrated HS	Escuela Secundaria Senor de Salinas	Bagbag National High School
36	Salad Plates, 7" to 8"	5	36	24	24	24	36	30		24	12	
37	Salt and Pepper Shakers (set)	5	12	12		12	5	4	10	12	6	
38	Sauce Ladles	5	12	12		12				12	6	
39	Server, Cake	5	12	12	10	12	5			12	6	6
40	Service Fork	5	36	6	12	12		30	10	12	12	6
41	Service Tray	5	12	6		12		3	10	12	6	6
42	Show/Service/Base Plates 11" to 14"	5	36	6	12	12		30	40	12	12	
43	Side Plates or Bread Plates 6"	5	36	8	12	24		30	40	24	12	
44	Side Towel	5	12	6			20			24	12	
45	Silver Platter	5	12	6	12	1		30		24	12	6
46	Soup Bowl	5	36	6	12	24		25	40	12	12	
47	Soup Ladle	5	12	6				8		6		
	Soup Tureen										12	
48	Porcelaine	6	3			3		4		12	12	
49	Stainless	6	3	6		3	2	4			12	
50	Spoon, Dessert	6	33	12	24		24	30	30	15	12	12
51	Spoon, Service	6	36	6	24		24	30	10	12	12	10
52	Spoons, Soups (Cream and Consume)	6	36	12	24		24	30	30	12	12	12
53	Sugar Container	6	12	8	5		4	4		6	6	
54	Table Cloth, 54x54 inches	6	3	7		4	2	4		4	6	6
55	Table Cloth, Rectangular	6	3	8		6	2	4	2	4	6	6
56	Table Napkins, Cloth, 16"x16"	8	36	32			80	30		50	50	
57	Table Skirting Cloth 90"x90"	6	5	6		6	2	4	2	5	6	6
	Table, Round (8's)											
58	HDPE Plastic (8-10 seaters, 152x74x54cm)	5	1	3	10	4	4		5	5	4	
59	Long (8-12 seater, 186x76cm)	6	1	3	2		2	4	2		2	3
	Table, Square/Rectangular (4's or 6's)											
60	Rectangle HDPE Plastic (4's, 120x60cm)	6	2			6	12	3		5	2	
61	(6's 180x70x74cm)	5	1		5		8			5	2	
62	Square Long (91x76cm)	5	1	1	5	1	2	2		5	4	
62	Tea Pot, 2 Pints	5	3	4		3		3	5	4	6	
63	Teaspoon	5	24	24	23		24	29	49	16	12	25
64	Tong, 8 inches	6	10	12			10			6	11	
65	Tooth Pick Holder	5	10	6			10			6	5	
66	Tray Stand	5	3	6		5			10	10	6	3
67	Tray, Bill Folder/Change	5	5	6	10			4	9	6	6	3
68	Tray, Round (Bar)	5	5	6	3	5		4	10	6	10	6
69	Water Goblet	5	24	24	24		30	25	30	12	24	
70	Water Pitcher	6	5	6	5	12		8		12	9	

		Dasmariñas City	Dasmariñas City	Laguna	Laguna	Laguna	Lucena	Quezon	Quezon	Quezon	Quezon	Quezon	Quezon	Quezon
	Item	Dr. Jose P. Rizal SHS	Paliparan II Integrated HS	BN Calara Senior High School	Luis Obial SHS	Sta Maria INHS	Gulang-Gulang NHS	Apad NHS	Danlagan	Hagonghong Integrated HS	Lalig NHS	Ungos Integrated NHS	Villa Perez NHS	Balesin IS
	Food and Beverage Services													
1	Chair, Dining													
2	Metal with Foam					6	4	7	10	24	5	20	10	1
3	Wood (36x17x14 inches)			6	6		4	7	10	24	5	20		1
4	HDPE Plastic	52		6	6		4	7	10	6	5	10	20	1
	Coffee Pot, 2 Pints													
5	Porcelaine	2					4	7	5	3	5	5		1
6	Stainless			5	5		4	7	5	4	5	5		1
7	Container, Creamer						4	7	5	3	5	5		1
8	Cups and Saucers 5-6 OZ (set)	20		24	24		5	7	5	12	5	10		5
9	Folder, Menu	5				1	5	7	10	3	5	6	3	1
10	Fork, Cocktail	20	50				20	7	5	6	12	20		10
11	Fork, Dessert	20	50				20	7	5	6	12	20		10
12	Fork, Dinner	20	50			80	20	7	5	6	12	10		10
13	Fork, Fish	20	50				20	8	5	6	12	10		10
14	Fork, Oyster	20	50				20	7	5	6	12	10		10
15	Fork, Salad	20	50				20	7	5	5	12	10		10
16	Glass, Champagne Flute	20	50	24	24	30	20	8	12	6	12	10		10
17	Glass, Collins	20		24	24	30	15	8	12	1	12	10		10
18	Glass, Juice / Hi-Ball	20		24	24	50	20	8	12	6	12	10		10
19	Glass, Pilsner (Ice Tea Glass)	20		24	24		20	8	12	6	12	10		10
20	Glass, Red Wine	20	41	24	24	50	20	7	12	6	12	5		10
21	Glass, White Wine	20	41	24	24	50	20	7	12		12	5		10
22	Gravy Boats	5	24	24	24		10	7	5	6	5	5		10
23	Ice Bucket, 2 liters with Tongs (set)	5		24	24	20	20	7	5	6	5	5		2
24	Knife, Butter	20	50	24	24		20	7	12	6	12	10		10
25	Knife, Dinner	20	50	24	24	50	20	7	12	6	12	5		10
26	Knife, Fish	20	50	24	24		20	7	12	6	12	5		10
27	Knife, Salad	20	50	24	24		20	7	12		12	5		10
28	Knife, Steak	20	50	24	24		20	7	12	6	12	5		10
29	Napkin Holder	5	50	24	24	20	10	7	15	6	5	20		10
30	Order Pads (per 10 Pads)	5		24	24	20	10	7	5	3	5	5	5	2
31	Pepper and Salt Mill (set)	6		24	24		10	7	5	3	5	5		2
32	Plate Covers	2	50	24	24	6	10	8	5	6	5	5		5
33	Plate, Dessert, 7" to 8"	20	50	24	24		20	7	12	12	12	10		6
34	Plate, Dinner 10"	20	50	24	24	80	20	7	24	12	12	10	50	6
35	Plate, Fish, 8" to 9"	20	50	24	24		20	8	12	12	12	10		6

		Dasmariñas City	Dasmariñas City	Laguna	Laguna	Laguna	Lucena	Quezon	Quezon	Quezon	Quezon	Quezon	Quezon	Quezon
	Item	Dr. Jose P. Rizal SHS	Paliparan II Integrated HS	BN Calara Senior High School	Luis Obial SHS	Sta Maria INHS	Gulang-Gulang NHS	Apad NHS	Danlagan	Hagonghong Integrated HS	Lalig NHS	Ungos Integrated NHS	Villa Perez NHS	Balesin IS
	Food and Nutrition Services													
36	Salad Plates, 7" to 8"	20	50	24	24		20	7	12	12	12	5		6
37	Salt and Pepper Shakers (set)	6	50	24	24		10	7	5	3	5	5		3
38	Sauce Ladles	4					10	7	10	6	12	5		6
39	Server, Cake	4					10	7	5	6	5	2		6
40	Service Fork	5					10	7	5	3	12	2		6
41	Service Tray	5				15	20	7	10	6	5	10	5	6
42	Show/Service/Base Plates 11" to 14"	20		12	12	15	20	7	5	5	12	5		6
43	Side Plates or Bread Plates 6"	20		12	12		10	7	10	6	12	5		6
44	Side Towel	10		12	12	30	10	7	24		12	10	10	10
45	Silver Platter	5		12	12		10	7	10	6	12	5		6
46	Soup Bowl	20		12	12	30	20	8	10	6	12	10		6
47	Soup Ladle	5		12	12		8	7	10	3	12	10		6
	Soup Tureen													
48	Porcelaine			12	12		5	7	5		5	4		1
49	Stainless	2					5	7	5	3	5	4		1
50	Spoon, Dessert	20					20	7	12	6	12	10		10
51	Spoon, Service	4					20	7	12	6	12	10		10
52	Spoons, Soups (Cream and Consume)	20		12	12		10	7	12	6	12	10		10
53	Sugar Container	6					8	7	3	3	5	10		3
54	Table Cloth, 54x54 inches	6	6	6	6	4	8	8	5		5	5	10	1
55	Table Cloth, Rectangular	6		6	6	8	8	8	5	8	5	5	10	1
56	Table Napkins, Cloth, 16"x16"	40	140	150	150	40	40	19	5	12	50	40	50	10
57	Table Skirting Cloth 90"x90"	4		12	12	5	8	9	2	8	5	4	20	2
	Table, Round (8's)													
58	HDPE Plastic (8-10 seaters, 152x74x54cm)	8	12	6	6		2	3	3		5	4	5	1
59	Long (8-12 seater, 186x76cm)					1	2	3	4	6	5	2	5	1
	Table, Square/Rectangular (4's or 6's)													
60	Rectangle HOPE Plastic (4's, 120x60cm)					1	3	4	5		5	2	10	1
61	(6's180x70x74cm)	6		6	6	1	3	4	5	6	5	2	10	1
62	Square Long (91x76cm)			1	1	1	2	4	6	6	5	2		1
62	Tea Pot, 2 Pints	5		1	1		8	7	4	2	5	5		2
63	Teaspoon	20					10	7	5		20	10		10
64	Tong, 8 inches	5					10	7	2		6	10		2
65	Tooth Pick Holder	5					10	7	5		5	10		2
66	Tray Stand	2					10	7	5	3	6	5		2
67	Tray, Bill Folder/Change	5				4	8	7	5	3	5	5	5	2
68	Tray, Round (Bar)	5				10	10	7	5	3	5	5		2
69	Water Goblet	20	50			50	17	7	5	12	12	20		10
70	Water Pitcher	3	36	5	5	5	10	7	6	3	5	10		2

	Item	Rizal	Rizal	Rizal	Rizal	Rizal	Rizal	Rizal	Rizal	San Pablo City	Sta. Rosa
		Don Jose M. Ynares, Sr. MNHS	Margarito A. Duavit MNHS	Quisao Integrated NHS	Sampaloc NHS	Silangan NHS	Tanay SHS	Taytay SHS	Tuna-Balibago NHS	Crecencia Drucilla Lopez SHS	Sinalhan Integrated HS
	Food and Beverage Services										
1	Chair, Dining										
2	Metal with Foam	10	8	8	8	8	8	8	8		
3	Wood (36x17x14 inches)	10	8	8	8	8	8	8	8		
4	HDPE Plastic	10	8	8	8	8	8	8	8	40	50
	Coffee Pot, 2 Pints										
5	Porcelaine	10	8	8	8	8	8	8	8	4	5
6	Stainless	10	8	8	8	8	8	8	8	4	5
7	Container, Creamer	10	8	8	8	8	8	8	8	4	5
8	Cups and Saucers 5-6 OZ (set)										5
9	Folder, Menu	10	8	8	8	8	8	8	8	10	5
10	Fork, Cocktail										20
11	Fork, Dessert										20
12	Fork, Dinner										20
13	Fork, Fish										20
14	Fork, Oyster										
15	Fork, Salad										20
16	Glass, Champagne Flute										
17	Glass, Collins										20
18	Glass, Juice / Hi-Ball										
19	Glass, Pilsner (Ice Tea Glass)										20
20	Glass, Red Wine										
21	Glass, White Wine										
22	Gravy Boats										31
23	Ice Bucket, 2 liters with Tongs (set)										
24	Knife, Butter										
25	Knife, Dinner										
26	Knife, Fish										30
27	Knife, Salad										30
28	Knife, Steak										
29	Napkin Holder										
30	Order Pads (per 10 Pads)										20
31	Pepper and Salt Mill (set)										20
32	Plate Covers	10	10	10	10	10	10	10	10	20	20
33	Plate, Dessert, 7" to 8"										30
34	Plate, Dinner 10"										30
35	Plate, Fish, 8" to 9"										30

		Rizal	Rizal	Rizal	Rizal	Rizal	Rizal	Rizal	Rizal	San Pablo City	Sta. Rosa
	Item	Don Jose M. Ynares, Sr. MNHS	Margarito A. Duavit MNHS	Quisao Integrated NHS	Sampaloc NHS	Silangan NHS	Tanay SHS	Taytay SHS	Tuna-Balibago NHS	Crecencia Drucilla Lopez SHS	Sinalhan Integrated HS
36	Salad Plates, 7" to 8"										30
37	Salt and Pepper Shakers (set)										
38	Sauce Ladles										30
39	Server, Cake										20
40	Service Fork										10
41	Service Tray										20
42	Show/Service/Base Plates 11" to 14"										20
43	Side Plates or Bread Plates 6"										10
44	Side Towel										10
45	Silver Platter										10
46	Soup Bowl										10
47	Soup Ladle										10
	Soup Tureen										
48	Porcelaine	10	10	10	10	10	10	10	10	3	10
49	Stainless	10	10	10	10	10	10	10	10	4	10
50	Spoon, Dessert										10
51	Spoon, Service										10
52	Spoons, Soups (Cream and Consume)										20
53	Sugar Container										10
54	Table Cloth, 54x54 inches	6	5	5	5	5	5	5	5	5	10
55	Table Cloth, Rectangular	6	5	5	5	5	5	5	5	10	5
56	Table Napkins, Cloth, 16"x16"										20
57	Table Skirting Cloth 90"x90"	6	6	6	6	6	6	6	6	10	5
	Table, Round (8's)										
58	HDPE Plastic (8-10 seaters, 152x74x54cm)	5	6	6	6	6	6	6	6	5	
59	Long (8-12 seater, 186x76cm)	5	6	6	6	6	6	6	6	5	1
	Table, Square/Rectangular (4's or 6's)										
60	Rectangle HOPE Plastic (4's, 120x60cm)	5	6	6	6	6	6	6	6	5	3
61	(6's 180x70x74cm)	5	5	5	5	5	5	5	5	5	2
62	Square Long (91x76cm)	5	6	6	6	6	6	6	6	4	
62	Tea Pot, 2 Pints	6	6	6	6	6	6	6	6	4	
63	Teaspoon										6
64	Tong, 8 inches										
65	Tooth Pick Holder										6
66	Tray Stand										
67	Tray, Bill Folder/Change										10
68	Tray, Round (Bar)										
69	Water Goblet										
70	Water Pitcher	5	4	4	4	4	4	4	4	1	

LOT 2

	Item	Batangas City	Rizal
		Batangas City South SHS	Tanay SHS
	Caregiving		
1	Airpot	1	
2	Apron (Bid)		
3	Baby Bath Tub	2	3
4	Baby Blanket		
5	Basin (Small)	5	
6	Bath Towel/Towellette		
7	Bedpan	2	3
8	Blanket	3	
9	Bottle Sterilizer, Electric	2	3
10	Bread Toaster	2	
11	Burping Cloth		
12	Cane	2	
13	Carpet (142 cm)	2	3
14	China Ware (16pcs Dinner Set- Set 4)	2	3
15	Clothes Brush		
16	Clothes Hamper	2	
17	Clothes Rack	5	3
18	Blanket	1	3
19	Commode	1	3
20	Cooking Utensils (Set)	5	
21	Crutches (adjustable)	2	
22	Cutlery (Set)	5	
23	Cutting Board, Plastic		
	Digital Thermometer		
24	Forehead and Eartype	2	3
25	Pencil Type	2	3
26	Dressing Trolley	2	
27	Electric Knife (H. Duty)	1	3
28	Face Towel / Towellete		
29	Feeding Bottle Brush (Cleaning Feeding Bottles)		
30	Feeding Utensils (Child) (Set)	5	
31	First Aid Kit	3	
32	Flat Sheet	2	3
33	Garbage Bin	5	
34	Gloves, Rubber (15 mils)		
35	Gloves, Surgical (Disposable)		
36	Gown (Hospital)	10	
37	Grooming Kit (Hairbrush comb, nail cutter, nail brush)	5	
38	Hand Towel		
39	High Chair / Booster Seat / Portable Seat	1	5
40	Hot Water Bag	3	
41	Kettle (Electric H. Duty)	1	
42	Measuring Cup, 1/4, 1/3, 1/2, 1 cup set	5	
43	Medical Tray (Stainless)	5	
44	Mixing Bowl, Stainless Steel, 6-piece set	5	
45	Pail, Plastic 10 liters (H. Duty)		
46	Pans	2	
47	Peeler		
48	Pick up Forcep	3	
49	Pillow	5	
50	Pillow Case	5	
51	Portable Mixer (H. Duty)	2	3
52	Potato Masher (H. Duty)	2	
53	Pots (Set)	1	3
54	Skillet		
55	Sphygmomanometer	3	
56	Stethoscope (H. Duty)	3	
57	Urinal	2	
58	Vacuum Cleaner (H. Duty)	1	5
59	Wheel Chair (H. Duty)	1	5

	Item	Antipolo	Binan City	Calamba City	Calamba City	Calamba City	Cavite	Cavite	Dasmariñas City
		Mayamot NHS	Binan City SHS-San Antonio Campus	Calamba Bayside Integrated School	Camp Vicente Lim Integrated School	Kapayapaan Integrated School	Gen. Mariano Alvarez Technology HS	Tanza National Trade School	Paliparan III SHS
	<i>Wellness Massage</i>								
1	Dummy, Anatomical		2	1		1	1	0	1
2	Massage Bed / Table (H. Duty)	3	2	2	5	3	4	7	5
3	Massage Chair	3	1	2	5	5	2	1	1
4	Sphygmomanometer (H. Duty)	5		5		5	2	5	3
5	Stethoscope (H. Duty)	5	1	5	2	5	1	5	3
6	Talking Sphygmomanometer	5	1	1	3	5	1	0	
7	Talking Thermometer	5		1		5	0	0	1
	Thermometer, Digital						0	0	0
9	Forehead and Ear Type			1		2	2	3	1
10	Penal Type			5		4		0	2
11	White Board with Stand		1	1		1		0	

	Item	Laguna	Laguna-San Pedro City	Laguna-San Pedro City	San Pablo City	Rizal	Rizal	Quezon	Sta Rosa
		Calumpang NHS	San Pedro Relocation NHS (Langgam)	San Pedro Relocation CNHS-Landayan (Dona Pilar M. Alberto Integrated High School)	Crecencia Drucilla Lopez SHS	San Mateo SHS	Taytay SHS	Godofredo M. Tan MISAT	Balibago Integrated HS
	<i>Wellness Massage</i>								
1	Dummy, Anatomical	2	1	2	1	3	3		1
2	Massage Bed / Table (H. Duty)	2	2	2	3	3	3	2	1
3	Massage Chair	1	2	2	2	3	3	1	3
4	Sphygmomanometer (H. Duty)	1	2		3			5	3
5	Stethoscope (H. Duty)		1	1	1			5	3
6	Talking Sphygmomanometer		2	1	1			5	1
7	Talking Thermometer		2		2				1
	Thermometer, Digital								
9	Forehead and Ear Type	1	2		1			5	1
10	Penal Type		3					5	5
11	White Board with Stand	1	1		1				2

	Item	Antipolo	Batangas	Calamba City	Calamba City	Calamba City	Cavite	Cavite	Dasmariñas City
		Mayamot NHS	Tipas Integrated NHS	Calamba Bayside Integrated School	Camp Vicente Lim Integrated School	Kapayapaan Integrated School	Gen. Mariano Alvarez Technology HS	Tanza National Trade School	Paliparan III SHS
	<i>Hairdressing</i>								
1	Body Brush, Prostetic			5		1	0	0	2
2	Bowl, Mixing, Plastic	20		10			4	0	
3	Bowl, Shampoo / Professional Shampoo Bowl	1		1			7	3	3
4	Brush, Applicator	10		10			0	0	
5	Brush, Hair			10	23		0	0	
6	Cap, Frosting with Hook / Professional Frosting Cap with			10			0	0	1
7	Cap Heating / Professional Heating (H. Duty)			3			0	0	3
8	Cape	10		10			0	0	1
9	Chair, High / Professional High Chair (H. Duty)		4	2			5	3	3
10	Chair, Hydraulic Professional (H. Duty)		3	2	5	4	2	0	3
11	Salm Clamp			10				0	
12	Clamp, Duck Bill			10				0	
13	Clipper, Hair Professional (H. Duty)		10	2			3	4	3
14	Comb, Afro			10				0	
15	Comb, All Purpose (Professional Set)	10		10				0	
16	Comb, Haircutting	10		10				0	
17	Comb, Large Toothed	10		10				0	
18	Comb, Tail	10		10				0	
19	Comb, Teasing	10		10				0	
20	Comb, Wide Tooth			20				0	
21	Crimpers Professional (H. Duty)		5	2	5		3	5	3
22	Curling Iron Professional (H. Duty)	5	3	2	5	4	3	10	3
23	Drip Pan (H. Duty)			10	6			0	
24	Dryer, Hair Professional (H. Duty)	10	5	5			5	10	3
25	Gloves, Disposable (for Hair Color)			10				0	3
26	Gloves, Rubber	20		10				0	
27	Gown, Smock			3		10	5	0	1
28	Hairclips, Meta Curl Clips		1	5				0	
29	Hairnet, Invisible			10				0	
30	Hairpin			10				0	
31	Headband			10				0	
32	Headband, Flannel			10				0	
33	Infrared Iron Professional (H. Duty)	5	1	1	6	4	3	10	3
34	Mirror, Hand Professional (H. Duty)			4				3	3
35	Mirror, Modular Professional White Body		2	1		1	1	0	2

	Item	Antipolo	Batangas	Calamba City	Calamba City	Calamba City	Cavite	Cavite	Dasmariñas City
		Mayamot NHS	Tipas Integrated NHS	Calamba Bayside Integrated School	Camp Vicente Lim Integrated School	Kapayapaan Integrated School	Gen. Mariano Alvarez Technology HS	Tanza National Trade School	Paliparan III SHS
36	Prong Clip, Double			10				0	
37	Prong Clip, Single							0	
38	Razor, Straight Manual Professional (H. Duty)	5		2	8		5	5	3
39	Roller Pins (Set)	5		10		1		0	
40	Rollers, Large Sized (Set)	5		2		1		0	
41	Rollers, Medium Sized (Set)	5		4		1		0	
42	Rollers, Jumbo (Set)			10				0	5
43	Scissors, Cutting Professional (H. Duty)	20	5	3		5	4	5	3
44	Scissors, Thinning Professional (H. Duty)	10	5	3	12	5	3	6	3
45	Scoop			4				0	
46	Shower Cap			14				0	
47	Spatula			10				0	
48	Spray Bottle	10		8		10		0	
49	Steamer, Hair Professional (H. Duty)		1	1	3		2	0	2
50	Stool Professional (H. Duty)		4	1	6	2		0	3

		Laguna-San Pedro City	Laguna-San Pedro City	Rizal	Quezon	Sta Rosa
	Item	San Pedro Relocation NHS (Langgam)	San Pedro Relocation CNHS- Landayan (Dona Pilar M. Alberto Integrated High School)	San Mateo SHS	Godofredo M. Tan MISAT	Balibago Integrated HS
	Hairdressing					
1	Body Brush, Prostetic	1				5
2	Bowl, Mixing, Plastic	1				5
3	Bowl, Shampoo / Professional Shampoo Bowl	3	3	5		5
4	Brush, Applicator	1			4	5
5	Brush, Hair	1			4	10
6	Cap, Frosting with Hook / Professional Frosting Cap with	1			5	5
7	Cap Heating / Professional Heating (H. Duty)	2	3	5	5	5
8	Cape	1				5
9	Chair, High / Professional High Chair (H. Duty)	2	1		2	2
10	Chair, Hydraulic Professional (H. Duty)	3	3	5	2	2
11	Salm Clamp	2			5	3
12	Clamp, Duck Bill	2			5	3
13	Clipper, Hair Professional (H. Duty)	3	1	3	10	2
14	Comb, Afro	1			3	5
15	Comb, All Purpose (Professional Set)	1	1		2	10
16	Comb, Haircutting	1	1		3	10
17	Comb, Large Toothed	1				5
18	Comb, Tail	1				5
19	Comb, Teasing	1			2	5
20	Comb, Wide Tooth	1				5
21	Crimpers Professional (H. Duty)	2	3	3	2	2
22	Curling Iron Professional (H. Duty)	2	3	3	5	2
23	Drip Pan (H. Duty)	1			2	5
24	Dryer, Hair Professional (H. Duty)	1	3	3	3	4
25	Gloves, Disposable (for Hair Color)	1				2
26	Gloves, Rubber	2				
27	Gown, Smock	3	3		2	3
28	Hairclips, Meta Curl Clips	1				10
29	Hairnet, Invisible	1			5	5
30	Hairpin	1				
31	Headband	2				
32	Headband, Flannel	2				
33	Infrared Iron Professional (H. Duty)	2	3	3		10
34	Mirror, Hand Professional (H. Duty)	1		3		2
35	Mirror, Modular Professional White Body	3	3	3		3

		Laguna-San Pedro City	Laguna-San Pedro City	Rizal	Quezon	Sta Rosa
	Item	San Pedro Relocation NHS (Laggam)	San Pedro Relocation CNHS- Landayan (Dona Pilar M. Alberto Integrated High School)	San Mateo SHS	Godofredo M. Tan MISAT	Balibago Integrated HS
36	Prong Clip, Double	2				1
37	Prong Clip, Single	3				5
38	Razor, Straight Manual Professional (H. Duty)	1	3	8	2	5
39	Roller Pins (Set)	2			5	3
40	Rollers, Large Sized (Set)	1	1			10
41	Rollers, Medium Sized (Set)	1	1			5
42	Rollers, Jumbo (Set)	1				5
43	Scissors, Cutting Professional (H. Duty)	1	3	8	5	5
44	Scissors, Thinning Professional (H. Duty)	1	3	8	5	5
45	Scoop	1				3
46	Shower Cap	2				5
47	Spatula	1				5
48	Spray Bottle	1				5
49	Steamer, Hair Professional (H. Duty)	3	3	3	3	5
50	Stool Professional (H. Duty)	3	3		4	1

LOT 3

		Antipolo City	Bacoor City	Batangas	Calamba City	Laguna	Laguna	Rizal
	Item	Antipolo City SHS	SHS in San Nicolas III	Sto. Tomas SHS	Lecheria Integrated School	Buenaventura F. Fandialan INHS	Sto Tomas IHS	Tanay SHS
		Vivian Prado	Ronald R. Drio	Mylene M. Natividad	Charito Bernas	DARRYL KAYE G. CADAMPOG	ERNILA B. BAGAYANA	KRISTINE JOY S. PEDROSO
	<i>Front Office Services</i>							
1	Calculator	1	6		1	10	10	
2	Cart, Bell Boy	1	1		1	1	1	
3	Cash Register with Drawer	1	1	1	1	1	1	
4	Credit Card Imprinter with Compact Light Weight Design			1				1
5	Credit Card Voucher Holder		3	1				
6	Detector, Fake Bills		3	1		1	1	10
7	Guest Folio Rack		2	1	1			
8	Key Card Maker with Verifier							
9	Key Rack (Key Card Electric Magnetic Contractor Set)	1			1			2
	Safety Deposit box/drop Vault							
10	Manual							
11	Digital							
12	Speaker, Lapel	2	2	5	1	5	5	2

	Item	Bacoor City	Batangas	Calamba City	Cavite	Laguna	Laguna-San Pedro City	Rizal
		SHS in San Nicolas III	Agoncillo SHS	Lecheria Integrated School	Emiliano Tria Tirona Memorial National High School	Mabitac INHS	n Pedro Relocation NHS (Langga	Antonio C. Esguerra Mem. NHS
	Housekeeping							
1	Alarm Clock	2	1		1		0	
2	Apron, Polyester-cotton		1		0		0	
3	Baskets, Laundry		1		1		2	
4	Bed, Queen		1	1	1	1	0	1
5	Bed, Single		1		1	1	1	1
6	Board, Ironing (H. Duty)	5	2		1	1	2	
7	Boots, Safety, Plastic (H. Duty)		1		4		0	
8	Brush, for Housekeeping		1		0		0	
9	Buckets, Water		5		0		5	
10	Caddy, Toilet (H. Duty)	1	3	1	0		4	
11	Carpet Sweeper (H. Duty)	1	1		0		1	1
12	Cart, for Housekeeping (H. Duty)	1	1		1	1	1	1
13	Caution Sign		1		1		5	
14	Cleaning Cloths, Lint Free	9	10		3		0	
15	Coffee Maker (H. Duty)	2	1		0		1	
16	Dust Pan (H. Duty)	1	2		0		0	
17	Duster, Anti-static	4	1		1		3	
18	Fan, Electric (H. Duty)	2	3		1		1	
19	Fire Extinguisher (with Contents)		1		1	1	2	
20	Flashlight (H. Duty)		1		1		5	
21	Flat Iron	5	1		1		2	
22	Scrubbing Pad		29		2		0	
23	Garbage Receptacle (H. Duty)		4		1		2	
24	Gloves, Rubber (H. Duty)	10	30		4		0	
25	Goggles, Safety	10	30		3		0	
26	Hairdryer		1		1		1	
27	Hose, Water		1		1		1	
28	Kettle, Electric	4	1		0		1	
29	Laundry Sorter		1		1		2	
30	Light, Emergency		1		0		2	
31	Mirror		1		1		0	
32	Mop	5	3	1	1		1	
33	Polisher, Floor, Electric, with Accessories	1		1	0	1	0	1
34	Shelving (H. Duty)		1	1	0		1	1
35	Sponges, Dish		30		0		0	
36	Spray Gun, Water		1		0		0	1
37	Squeegee (H. Duty)	2	5		0		5	
38	Squeezer, Mop	2	1		1		0	
39	Step Ladder	1	1	1	1		1	1
40	Vacuum Cleaner, Dry and Wet (H. Duty)	3	1	1	0	1	1	1
41	Washer, Laundry (H. Duty)			1	0	1	1	1
42	White Board with Stand		1	1	1		0	1

	Item	Antipolo City	Cavite	Laguna	Laguna	Laguna	Rizal
		Antipolo City SHS	Pedro Alegre Aure SHS	Buenaventura F. Fandialan INHS	Sto Tomas IHS	Mabitac INHS	Sto. Nino Integrated School
	<i>Local Guiding Services</i>						
1	First Aid Kit	3	5	40	40	40	1
2	Megaphone (H. Duty)			3	3	3	1
3	Whistle	10	1	41	41	41	
4	White Board with Stand	1	1	6	6	6	1

LOT 4

	Item		Binan City	Laguna
			Binan City SHS-San Antonio Campus	Binan Pagsanjan Senior High School
	<i>Automotive Servicing</i>			
1	Air Compressor with Complete Accessories		3	6
2	Apron		2	30
3	Ball Peen Hammer 8 oz (H. Duty)		1	6
4	Battery Tester		1	6
5	Bore Gauge Set (H. Duty)		2	6
6	Combination Pliers 8" (H. Duty)			6
	Combination Wrench			
7	Metric		2	6
8	English		2	6
9	Dial Indicator (H. Duty)		1	3
10	Feeler Gauge (H. Duty)			3
11	Hydraulic Jack (H. Duty)		5	5
12	Hydrometer (H. Duty)		3	5
13	Ignition Timing Light for Gasoline Engine (H. Duty)		2	3
14	Multimeter, Digital		1	6
15	Safety Goggles		3	6
16	Screw Driver, Flat, 6" Blade Length (H. Duty)			7
17	Screw Driver, Philips, 6" Blade Length (H. Duty)			7
18	Socket Wrench Set, Metric, 8 to 32 mm (H. Duty)		6	6
19	Soldering Iron, 200 Watts (H. Duty)		3	6
20	Tachometer		2	3
21	Torque Wrench, 1/2" Drive (H. Duty)		6	4
22	Vernier Caliper, 150mm (H. Duty)		6	4
23	Wire Stripper (H. Duty)			6

			Batangas	Binan City	Gen. Trias City	Laguna	Laguna	Laguna	San Pablo City
	Item		Pantalan SHS	BCSHS Timbao Campus	Luis Y. Ferrer Jr. SHS	Barangay Longos SHS	Binan Pagsanjan Senior High School	Victoria SHS	Crecencia Drucila Lopez SHS
1	Cutter, Bolt, 24"				0	2	2		1
2	Cutter, Pipe				0	2	2		4
3	Disc Grinder, Portable, Electric Set (H. Duty)				1	3	10	1	4
4	Drill, Portable, Electric Set with Drill Bits (H. Duty)				3	1	10	1	2
	Fire Alarm System				0				
5	Conventional Fire Alarm Type System		1		2	1			
6	Addressable Fire Alarm System				0		1	1	
7	Fire Extinguisher (with Contents)		1		0				
8	First Aid Kit		1		0	10	10		4
9	Gloves, Rubber (Insulating)				0				4
10	Goggles, Safety				0				4
11	Hacksaw, Hand with 32 TPI Blade (H. Duty)				10	2	2		
12	Hammer, Ball Peen, 16 oz (H. Duty)		1		0	2	2		2
13	Hammer, Claw, 16 oz (H. Duty)		1		0	2	2		2
14	Hand File, Flat Smooth 6" Set (H. Duty)		1		0	2	2		2
15	Hat, Hard HDPE				0	2	2		
16	Heat Gun (H. Duty)		1	5	5	2	2		4
17	Knife, Stripping, Electrical Cable (H. Duty)		1		10	2	1		
18	Level, Spirit (H. Duty)		1		0	2	2		1
19	Pipe Bender, Hydraulic (H. Duty)				0	1	1		1
20	Pipe Reamer (H. Duty)		1		0				1
21	Pipe Threader, Manual (H. Duty)		1		0	1	1		1
22	Pliers, Combination, 8", Insulated (H. Duty)		3		5	2	2	4	5
23	Plumb Bob (H. Duty)		1		0				
24	Screwdriver Set, Standard, Insulated 16pcs/Set (H. Duty)		1	5	2	1	2		6
25	Soldering Iron, 300 Watts, (H. Duty)			5	1	1	2		5
26	Steel Tape Measure, 5m (H. Duty)			10	14				
27	Stripper, Wire (H. Duty)		2	9	10				5
28	Tools Holster / Pouch, Electrician's		1		0				
29	Wire Splicer (H. Duty)		1	5	5	2		1	4
30	Wrench, Box (H. Duty)		1		0	2			4

	Item	Antipolo City	Antipolo City	Batangas	Batangas City	Binan City	Cabuyao City	Calamba City	Cavite	Cavite	Cavite	
		Muntindilaw NHS	San Isidro NHS	Pantalan SHS	Pinamukan Integrated School	BCSHS Timbao Campus	Mamatid SHS	Kapayapaan Integrated School	Tanza National Trade School	Noveleta Senior High School	Emiliano Tria Tirona Memorial National High School	
	Computer System Servicing											
1	Allen Wrench (Set H. Duty)			21	4		21	12		15	11	25
2	Anti Static Device (Anti-Static Wrist Strap)		50	25	15	55	25	30		15	15	25
3	Crimping Tool (H. Duty)		50	25	10	100	21	48		15	20	25
4	External Optical Drive		10	5	2		10	12		5	5	13
5	Flash Drive		50	20	9	30	15	48		11	20	25
6	Flashlight, Head-Mounted (H. Duty)		17	20	12	21		12		15	10	25
7	LAN Cable Tester		50	25	10	20	15	36		15	10	25
8	Long Nose Pliers, 8" (H. Duty)		15	25	10	20	2	12		15	10	25
9	PC Video Camera		10	6	5		10	36	18	15	0	25
10	Phillips Screwdriver, 8" Insulated (H. Duty)		50	25	10	14		24	40	15	10	25
11	Precision Screwdriver Set (H. Duty)		30	25	5	12		12	15	15	10	25
12	Soldering Iron, 60W (H. Duty)		30	16	8		9	35	15	15	0	25
13	Standard Screwdriver (Flat) 8" Insulated (H. Duty)		50	25	10	12		36	15	15	0	25
14	Working Table			12	15	9	10	2	20	15	15	0

	Item		Dasmariñas City	Gen. Trias City	Laguna	Laguna	Lipa City	Lipa City	Quezon
			Dasmariñas East Integrated HS	Luis Y. Ferrer Jr. SHS	Barangay Longos SHS	Masaya INHS	Lipa City SHS	Pinagkawitan Integrated NHS	Magallanes NHS
	Computer System Servicing								
1	Allen Wrench (Set H. Duty)		15		6	6	10	0	10
2	Anti Static Device (Anti-Static Wrist Strap)		29		6	6	15	69	25
3	Crimping Tool (H. Duty)		29		6	6	20	70	25
4	External Optical Drive		2				20	0	5
5	Flash Drive		30	19			20	61	50
6	Flashlight, Head-Mounted (H. Duty)		10				20	1	10
7	LAN Cable Tester		30		2	2	20	12	20
8	Long Nose Pliers, 8" (H. Duty)		15		6	6	11	0	25
9	PC Video Camera		16		3	3	10	0	10
10	Phillips Screwdriver, 8" Insulated (H. Duty)		40		6	6	11	0	50
11	Precision Screwdriver Set (H. Duty)		10		8	8	10	0	25
12	Soldering Iron, 60W (H. Duty)		9		6	6	10	0	10
13	Standard Screwdriver (Flat) 8" Insulated (H. Duty)		16		6	6	20	0	50
14	Working Table		10		24	24	10	12	8

c. DELIVERY AND RECEIVING INSTRUCTIONS:

The Supplier shall observe the following instructions:

1. Goods shall be packed, labeled, and delivered to their destination by the Supplier. Supplier shall bear costs of inland transportation, insurance, and other services required to convey the Goods to their final destinations.
2. The Supplier shall make delivery or deliveries to the Project Sites on regular working days, during Office hours from 8:00 A.M. to 5:00 P.M. The Receiving Personnel reserves the right to refuse to receive/accept delivered Goods made before 8:00 A.M. or after 5:00 P.M., and on non-working days.
3. The Supplier shall replace all rejected Goods, and complete under delivery within seven (7) calendar days from receipt of a Notice of Rejection and under delivery from the Receiving Personnel. Likewise, if stocks are available on site, the Supplier shall replace defective Goods or complete under delivery immediately. No payment shall be made for deficient delivery or defective Goods regardless of the IARs signed by the Receiving Personnel.
4. The Goods shall be properly packed/labeled (FRAGILE), if needed, based on the allocation/list per recipient and placed in unused corrugated box and sealed to withstand rough handling.
5. Each box shall contain the intended allocation, wrapped and sealed in plain plastic for adequate protection against moisture and water damage.
6. Each box shall be properly labeled to indicate the following: Title, Quantity, Name of recipient and Address and Supplier's name.
7. The maximum weight per box should not be more than 20 kilos.

STATEMENT OF COMPLIANCE

I/We have read and understood the requirements/scope of service/terms of reference and conditions stipulated herein and shall therefore comply to the conditions set forth in the Contract with respect to this Section VI. Schedule of Requirements, if our bid is considered for award.

Name and Signature of Bidder's Authorized Representative

Company Name

Date

Section VII. Technical Specifications

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words “*or at least equivalent.*” References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

Technical Specifications

[Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder’s statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]

DETAILED TECHNICAL SPECIFICATIONS:

LOT 1

TVL SPECIALIZATION	PARTICULARS	TECHNICAL SPECIFICATIONS	UNIT	QUANTITY	STATEMENT OF COMPLIANCE (State Comply or Not Comply)	BIDDER’S ACTUAL OFFER state the brand and model specifying the product offered with an attachment of official brochure or unamended sales literature as applicable
Bread and Pastry Production NC II	1. Air Compressor with Airbrush Cake Decorating Set	Type: Single Cylinder Piston Compressor; Body Shape: Cylindrical in shape; Material: Copper, Aluminum; Dimension: (L X W X H) 24 cm X 13 cm X 17 cm (minimum); Power Source: 220 Volts AC, 60 Hz with power cord 1.5 meters long minimum with attachment standard male plug type A or provide an adapter plug; Power Rating: 1/6 Hp motor;				

		<p>Capacity: Air pressure adjustment range 0 to 57 Psi;</p> <p>Automatic On/Off Shutoff;</p> <p>Compressor must have oil filter, water trap filter, pressure regulator with gauge, and with mounted airbrush holder and with built in cooling fans;</p> <p>Airbrush Specifications:</p> <p>a) airbrush material: Stainless steel body;</p> <p>b) Needle Dia.: 0.3 mm.</p> <p>c) Cup capacity: 2 cc;</p> <p>d) Airbrush with a 1/3 oz. gravity fluid cup;</p> <p>e) Nozzle that allow to spray from hairline up to 1 1/2 inches wide;</p> <p>f) Operating Pressure: 15-57 Psi.</p> <p>g) rubber hose length: 2 meter (minimum)</p> <p>h.) Air flow: 20 liters/min.</p> <p>Package contents: 1 pc Air compressor, 1 set Air brush kit with case, 5 ft- Rubber/Vinyl Hose, 5 pcs Cleaning Brushes in different width, tools and User's Manual that contains Operation guide, maintenance/ troubleshooting procedure and list of parts.</p>				
Bread and Pastry Production NC II	2. Beater	<p>Type: Manual Hand Beater</p> <p>Body Shape: Circular Handheld mixer</p> <p>Materials: Stainless Steel with plastic grip</p>				

		<p>Dimension: L-28 cm x Width-7 cm (minimum)</p> <p>Twin beater designed for mixing</p> <p>Preferably with packing case</p> <p>Dishwasher safe</p>				
Bread and Pastry Production NC II	3. Board, Chopping, 6 Color	<p>Type: Food Grade;</p> <p>Body Shape: Rectangular;</p> <p>Material: Plastic (Polypropylene), food grade;</p> <p>Board Size: Length: 38 cm (minimum);</p> <p>Width: 30 cm (minimum);</p> <p>Thickness: 1.27 cm (minimum);</p> <p>Color-coded for use with different types of food, Blue, Red, Yellow, Green, Brown and White;</p> <p>Preferably packed in set;</p> <p>No sharp edges;</p> <p>With hole for storage purposes.</p>				

Bread and Pastry Production NC II	4. Boiler, Double	<p>Material: Stainless steel;</p> <p>Thickness: 1/16 inch (1.5 mm) (minimum);</p> <p>Lid material: Glass;</p> <p>Riveted handle on both side;</p> <p>Diameter: 7.87 inches (minimum);</p> <p>Total Height: 7 inches (minimum);</p> <p>Inset Bottom Diameter: 7 inches (min);</p> <p>Inset Top Diameter: 7 inches (min);</p> <p>Capacity: 2 liters (minimum);</p> <p>Must be a set which includes one (1) saucepan, one (1) boiler, and one (1) lid;</p> <p>With Stainless steel handle;</p> <p>With smooth surfaces (no sharp edges);</p>				
Bread and Pastry Production NC II	5. Bowl, Mixing (6 Pcs/Set)	<p>Type: Mixing Bowl Set;</p> <p>Body Shape: Round;</p> <p>Material: Stainless Steel, 0.8 mm - 1.0 mm thick;</p> <p>Each set must consist of the following capacities:</p> <p>1 pc - 0.70 liter</p> <p>1 pc - 1.5 liters</p> <p>1 pc - 3 liters</p>				

		1pc - 4 liters 1pc - 5 liters 1pc - 8 liters Light weight and easy to use, flat base, curved lip Preferably with packing case Dishwasher Safe				
Bread and Pastry Production NC II	6. Cake Pans, Round #6, #8, #10, #12, #14, #16	Type: Round Pan 75 92 122 206 230 270 Body Shape: Round x6 x8 x10 x12 x14 x16 Material: Anodized Aluminum Thickness: 1.29 mm thick (minimum) Depth: 2 inches (50.8 mm) (minimum) Set must each contain the following diameter: 1 pc - 6 inches (152.4 mm) diameter (minimum) 1 pc - 8 inches (203.2 mm) diameter (minimum) 1 pc - 10 inches (254 mm) diameter (minimum) 1 pc - 12 inches (304.8 mm) diameter (minimum) 1 pc - 14 inches (355.6 mm) diameter (minimum) 1 pc - 16 inches (406.4 mm) diameter (minimum) Preferably packed (6 pcs per set) With rolled edge;				

		With smooth surface and no sharp edges				
Bread and Pastry Production NC II	7. Cake Stand, with Tier	<p>Type: Cake Stand with Tier, food grade</p> <p>Body shape: Circular with 3 tiers</p> <p>Material: Hard Plastic, Polypropylene, 4 mm thick</p> <p>The tier consists of the following sizes:</p> <p>Tier 1: 18 cm diameter (minimum)</p> <p>Tier 2: 25 cm diameter (minimum)</p> <p>Tier 3: 30 cm diameter (minimum)</p> <p>Column diameter: 20 to 30 mm (solid)</p> <p>Distance between tiers: 15 cm</p> <p>Over-all Length: 30 cm (minimum)</p> <p>Assembled column is used for maximum strength and stability of the stand</p> <p>Must be Packed in set Smooth and no sharp edges</p>				
Bread and Pastry Production NC II	8. Cake Turn Table	<p>Type: Turn table</p> <p>Body Shape: Circular</p> <p>Material: Cast Aluminum Plate and Cast-Iron Base</p> <p>Upper Plate: 30 cm diameter (minimum) and 1.4 cm thickness (minimum)</p> <p>Base dimensions: 18 cm (minimum); 1.4 cm thickness (minimum) Total height: 10 cm to 15 cm</p>				

		<p>Turntable with ball bearing to turn easier</p> <p>Preferably packed in any kind of packaging</p> <p>Comes with no sharp edges to rotate smoothly in 360 degrees clockwise or counter clockwise</p>				
Bread and Pastry Production NC II	9. Coupler	<p>Type: Food Grade</p> <p>Body Shape: Tubular</p> <p>Material: Hard plastic, Polypropylene, any bright color</p> <p>Height: 3cm (minimum)</p> <p>Top Diameter: 1.27 cm (minimum)</p> <p>Bottom Diameter: 2.54 cm (minimum)</p> <p>Preferably with storage case</p> <p>The materials used must be non-toxic and dishwasher safe</p>				
Bread and Pastry Production NC II	10. Cup, Measuring (for Solid)	<p>Type: Measuring Cup Set</p> <p>Body Shape: Round</p> <p>Material: Stainless steel, 0.7 mm thick (minimum)</p> <p>Each set contains the following:</p> <p>1 pc - 1 cup (237 mL)</p> <p>1 pc - 1/2 cup (118 mL)</p> <p>1 pc - 1/3 cup (79 mL)</p> <p>1 pc - 1/4 cup (59 mL)</p>				

		<p>Handle dimension: Length-12 cm x Width-1 cm (minimum)</p> <p>Measuring capacity engraved on the handle</p> <p>Strip Handles have provision for hanging</p> <p>Preferably with packing case</p> <p>Smooth and no sharp edges</p> <p>Dishwasher safe</p>				
Bread and Pastry Production NC II	11. Cup, Measuring, 250 ML for Liquid	<p>Type: Clear Glass Cup</p> <p>Body Shape: Round</p> <p>Material: Clear, non-porous tempered glass</p> <p>Capacity: 250 ml (with 10 ml or 50 ml increments)</p> <p>With permanent graduation markings</p> <p>Specified metric and English system of measurement</p> <p>With handle & spout for easy pouring</p> <p>Preferably with packing case</p> <p>Food grade and safe use for microwave, freezer and dishwasher</p>				
Bread and Pastry Production NC II	12. Cup, Measuring, 500ml for Liquid	<p>Type: Clear Glass Cup</p> <p>Body Shape: Round</p> <p>Material: Clear, non-porous tempered glass</p> <p>Capacity: 500 ml (with 10 ml or 50 ml increments)</p>				

		<p>With permanent graduation markings</p> <p>Specified metric and English system of measurement</p> <p>With handle & spout for easy pouring</p> <p>Preferably with packing case</p> <p>Food grade and safe use for microwave, freeze and dishwasher</p>				
Bread and Pastry Production NC II	13. Cutter, Dough	<p>Type: Scraper</p> <p>Body Shape: Straight Blade</p> <p>Material: Stainless Steel straight blade with stainless steel handle</p> <p>Blade dimension: Length: 15 cm x Width: 11 cm x Thickness: 1.2 mm(minimum)</p> <p>Handle Dimension: Length: 15 cm x diameter: 3 cm (minimum)</p> <p>Preferably with packing case Food grade and dishwasher safe</p> <p>Design allows item to be hung for storage</p>				
Bread and Pastry Production NC II	14. Cutter, Pie	<p>Type: Pie Cutter Wheel knife</p> <p>Body Shape: Round wheel roller</p> <p>Material: Stainless Steel</p> <p>Overall Length: 19.5 cm (minimum)</p> <p>Wheel Diameter: 6.5 cm (minimum)</p> <p>With hanging hook at the tip of the handle for hanging storage</p> <p>Preferably with packing case</p>				

		Comes with finger protection Dishwasher safe				
Bread and Pastry Production NC II	15. Flour Sifter, Hand Cranked	Type: Hand Cranked Body Shape: Round Shape Material: Stainless steel Dimension: Diameter: 133.3 mm (minimum) x Height: 165 mm (minimum) Thickness: 0.79 mm (minimum) (body) and constructed with stainless steel wire mesh # 30 bottom Volume markings should be seen inside and outside of the sifter Capacity: 5 cups (1.18 liter) Spring action squeeze handle stainless steel Preferably with a packing case Dishwasher safe Comes with a brand				
Bread and Pastry Production NC II	16. Grater	Type: Four-sided Box Grater Body Shape: Box in shape Material: Stainless steel blade and Plastic (Polypropylene handle) Grater Dimensions: Height- 25 cm x Width-13 cm x Depth-10 cm (minimum) Side 1: Large-hole shredder with 6 mm hole				

		<p>Side 2: Slicer</p> <p>Side 3: Small-hole shredder with 3 mm hole</p> <p>Side 4: Grater with strips about 1.27 cm to 2.54 cm length</p> <p>Preferably with packing case</p> <p>Food grade & dishwashing safe</p>				
Bread and Pastry Production NC II	17. Knife, Kitchen	<p>Type: Cook's knife or kitchen knife</p> <p>Body Shape: Flat and Straight Edge</p> <p>Material: Stainless steel blade</p> <p>Handle material: Hard Plastic (Polypropylene) with rivets</p> <p>Overall Length: 33 cm (minimum)</p> <p>Blade Length: 20 cm x Width: 3.2 cm (minimum)</p> <p>Handle Length: 12 cm (minimum)</p> <p>Thickness of Blade: 3 mm (minimum)</p> <p>Pointed Tip and slight curve</p> <p>Preferably with packing case</p> <p>Dishwasher safe</p> <p>Must be branded.</p>				

Bread and Pastry Production NC II	18. Knife, Pallet	Type: Pallet knife Body Shape: Offset Blade Blade material: Stainless steel Handle material: Hardwood (Smooth finish) with rivets Overall length: 30.5 cm - 35.6 cm Blade Dimension: Length- 17 cm x Width-3.8 cm (minimum) Thickness of Blade: 1.7 mm thick (minimum) Preferably with packing case Dishwasher safe Must be branded.				
Bread and Pastry Production NC II	19. Ladle, 3 Oz	Type: Soup ladle Body Shape: bowl shape Material: Stainless steel Overall Length: 12 inches (minimum) Bowl Depth: 1.5 inches Bowl Diameter: 3.5 inches (minimum) Capacity: 3 oz. (85 ml) minimum Handle with provision for hanging Preferably with packing case Food grade and dishwasher safe				

		Must be branded				
Bread and Pastry Production NC II	20. Loaf Pan Big	Type: Loaf pan Body Shape: Rectangular Material: Anodized Aluminum Thickness: 1.5 mm - 2 mm Length: 25.4 cm (minimum) Width: 12.7 cm (minimum) Depth: 7.62 cm (minimum) Preferably with packing case Extended sides for an easy grip With smooth surfaces and no sharp edges Food grade and oven safe Must be branded.				
Bread and Pastry Production NC II	21. Loaf Pan, Medium	Type: Loaf pan Body Shape: Rectangular Material: Anodized Aluminum Thickness: 1.5 mm - 2 mm Length: 22.86 cm (minimum) Width: 11.43 cm (minimum)				

		<p>Depth: 6.9 cm (minimum)</p> <p>Preferably with packing case</p> <p>Extended sides for an easy grip</p> <p>With smooth surfaces and no sharp edges</p> <p>Food grade and oven safe</p> <p>Must be branded.</p>				
Bread and Pastry Production NC II	22. Loaf Pan, Small	<p>Type: Loaf pan</p> <p>Body Shape: Rectangular</p> <p>Material: Anodized Aluminum</p> <p>Thickness: 1.5 mm - 2 mm</p> <p>Length: 17.78 cm (minimum)</p> <p>Width: 7.62 cm (minimum)</p> <p>Depth: 5.48 cm (minimum)</p> <p>Preferably with packing case</p> <p>Extended sides for an easy grip</p> <p>With smooth surfaces and no sharp edges</p> <p>Food grade and oven safe</p> <p>Must be branded.</p>				
Bread and Pastry Production NC II	23. Muffin Pan, Big	<p>Type: Muffin pan</p> <p>Body Shape: Rectangular</p>				

		<p>Material: Anodized Aluminum</p> <p>Thickness: 1.5 mm (minimum)</p> <p>Dimension: Length-36.6 cm x Width-22.9 cm x Height-7.6 cm (minimum)</p> <p>Cup Size: Height- 8.2 cm x Diameter 8.9 cm (minimum)</p> <p>Number of cups in a tray: 6 cups</p> <p>Preferably with packing case</p> <p>With extended sides for an easy grip</p> <p>With smooth surfaces and no sharp edges</p> <p>Food grade and oven safe</p> <p>Must be branded.</p>				
Bread and Pastry Production NC II	24. Muffin Pan, Medium	<p>Type: Muffin pan</p> <p>Body Shape: Rectangular</p> <p>Material: Anodized Aluminum</p> <p>Thickness: 1.5 mm (minimum)</p> <p>Dimension: Length-40 cm x Width-27.9 cm x Height-2.8 cm (minimum)</p> <p>Cup Size: Height-5.2 cm x Diameter 6.9 cm (minimum)</p> <p>Number of cups in a tray: 12 cups</p> <p>Preferably with packing case</p> <p>With extended sides for an easy grip</p>				

		<p>With smooth surfaces and no sharp edges</p> <p>Food grade and oven safe</p> <p>Must be branded.</p>				
Bread and Pastry Production NC II	25. Muffin Pan, Small	<p>Type: Muffin pan</p> <p>Body Shape: Rectangular</p> <p>Material: Anodized Aluminum</p> <p>Thickness: 1.5 mm (minimum)</p> <p>Dimension: Length 40.6 cm x Width-25.4 cm x Height 2.8 cm (minimum)</p> <p>Cup Size: Height-2.5 cm x Diameter 3.8 cm (minimum)</p> <p>Number of cups in a tray: 12 cups</p> <p>Preferably with packing case</p> <p>With extended sides for an easy grip</p> <p>With smooth surfaces and no sharp edges</p>				
Bread and Pastry Production NC II	26. Pie Pan, 10 Inches Diameter	<p>Type: Pie Pan</p> <p>Body Shape: Round</p> <p>Material: Aluminum, 0.81 mm thick (minimum)</p> <p>Diameter -10 inches (254 mm) minimum</p> <p>Depth: 1.25 inches (31.75 mm) minimum</p> <p>Coated with non-stick coating materials</p>				

		<p>Preferably with packing case</p> <p>Oven safe to 500°F / 260°C</p> <p>Food Grade</p> <p>With extended sides for an easy grip</p> <p>With smooth surfaces and no sharp edges</p> <p>Must be branded.</p>				
Bread and Pastry Production NC II	27. Pie Pan, # 6, #8, #10	<p>Type Pie Pan</p> <p>Body Shape: Round</p> <p>Material: Aluminum, 0.81 mm thick (minimum)</p> <p>1) # 10 diameter: 10 inches (254 mm) minimum</p> <p>2) # 8 diameter: 8 inches (203 mm) minimum)</p> <p>3) #6 diameter: 6 inches (152 mm) minimum</p> <p>Depth: 1.5 inches (38.1 mm) minimum</p> <p>Oven safe to 500°F / 260°C</p> <p>Coated with non-stick coating materials</p> <p>Preferably with packing case</p> <p>Food Grade</p> <p>With extended sides for an easy grip</p> <p>With smooth surfaces and no sharp edges</p>				

		Must be branded.				
Bread and Pastry Production NC II	28. Pillars, Cake (Set 3", 5" & 7")	Type: Cake Pillars, food grade Body Shape: Tubular Material: Crystal clear fiber plastic Tube diameter: 2.5 cm (minimum) Base and Top diameter: 3.5 cm (minimum) Height: 13 cm (minimum) Packed in Four (4) pcs per set The materials used must be non-toxic. Must be branded				
Bread and Pastry Production NC II	29. Piping Bag	Type: Piping Bag Body Shape: Triangular Material: Transparent Disposable Plastic for dispensing ingredients to pastries Length: 9 inches minimum Width: 3 inches (minimum) Volume: 500 ml (approximate) Preferably with packing case Food grade Must be branded.				

Bread and Pastry Production NC II	30. Rectangular Pan, (8x8x1)	<p>Type: Rectangular Pan</p> <p>Material: Anodized Aluminum</p> <p>Thickness: 1.63 mm thick, minimum</p> <p>Dimensions: Length- 8 inches x Width- 8 inches x Height- 1 inch (minimum)</p> <p>Oven safe to 500°F / 260°C</p> <p>Preferably with packing case</p> <p>Food grade and dishwasher safe</p> <p>Must be branded.</p>				
Bread and Pastry Production NC II	31. Rolling Pins	<p>Type: Rolling Pins</p> <p>Body Shape: Tubular in shape</p> <p>Material: Hardwood (Solid Wood in natural color)</p> <p>Roller Dimensions: 2.5 inches diameter x 9.5 inches length (minimum)</p> <p>Handle dimension: 1-inch diameter x 4 inches length (minimum)</p> <p>Overall length: 17.5 inches (minimum)</p> <p>With rust proof nylon bearings for smooth rolling action</p> <p>Preferably with packing case</p> <p>Smooth surface finish with no sharp edges</p> <p>Materials used must be food grade</p>				

		Must be branded				
Bread and Pastry Production NC II	32. Rubber Scraper	Type: Rubber scraper Body Shape: Flat Material: Silicone blade (head) & Plastic Handle (Polypropylene) Head length: 11.5 cm (minimum) Head width: 7.0 cm (minimum) Handle length: 24 cm to 30 cm Preferably with packing case Safe working temperature: -40°F to 446°F The materials used must be non-toxic Must be branded				
Bread and Pastry Production NC II	33. Sauce Pan	Type: Sauce Pan Body Shape: Round in shape Material: Stainless Steel with aluminum core Dimension: Diameter- 16 cm x Height-8 cm (minimum) Thickness: 1.8 mm thick (minimum) Riveted Stainless steel Handle Length: 15 cm (minimum) Capacity: 1 quart (minimum)				

		<p>Preferably with packing case</p> <p>With stainless steel cover,</p> <p>Safe for use with stove, oven, broiler and dishwasher</p> <p>The materials used must be non-toxic</p> <p>Must be branded</p>				
Bread and Pastry Production NC II	34. Sheet Pan	<p>Type: Sheet Pan</p> <p>Body Type: Rectangular</p> <p>Material: Aluminum</p> <p>Thickness: 0.91 mm Thick (minimum)</p> <p>Dimension: Length-22 inches x Width-16 inches x Height-1 inch (minimum)</p> <p>Preferably with packing case</p> <p>Smooth finish surfaces without sharp edges</p> <p>Corrosion resistant</p> <p>Superior heat conduction</p> <p>Oven safe to 500°F / 260°C (maximum)</p> <p>Food grade</p> <p>Must be branded.</p>				
Bread and Pastry Production NC II	35. Spoon, Measuring	<p>Type: Measuring Spoon</p> <p>Body Shape: Bowl in shape</p>				

		<p>Material: Stainless Steel, 0.7 mm thick (minimum)</p> <p>The set consists of the following sizes:</p> <p>1 pc - 1 tbsp. (15 ml)</p> <p>1 pc - 1/2 tbsp. (7.5 ml)</p> <p>1 pc - 1 tsp. (5 ml)</p> <p>1 pc - 1/2 tsp. (2.5 ml)</p> <p>1 pc - 1/4 tsp. (1.25 ml)</p> <p>Handle dimension: Length-12 cm x 1 cm (minimum)</p> <p>Measuring capacity engraved on the handle</p> <p>Strip Handles have provision for hanging</p> <p>Preferably with packing case</p> <p>Smooth finish surfaces without sharp edges</p> <p>Dishwasher safe</p> <p>Must be branded.</p>				
Bread and Pastry Production NC II	36. Spoon, Wooden	<p>Type: Wooden Spoon</p> <p>Body Shape: Oval</p> <p>Material: Hardwood</p> <p>Dimensions: Length- 10 inches x Width- 2 inches (minimum)</p> <p>Bowl dimension: Length -3 inches X Width 2 inches X Depth -3/4 inches (minimum)</p>				

		<p>Total Length: 10 inches (minimum)</p> <p>Preferably with a packing case</p> <p>Smooth surface finish and no sharp edges</p> <p>Handle with provision for hanging storage purposes</p> <p>Must be branded</p>				
Bread and Pastry Production NC II	37. Strainer	<p>Type: Basket</p> <p>Body Shape: Round</p> <p>Material: Stainless steel frame & stainless-steel wire mesh</p> <p>Strainer diameter: 20 cm (minimum)</p> <p>Thickness of frame: 1.59 mm thick (minimum)</p> <p>Durable tough Wooden Handle with stainless steel rod rim</p> <p>Basket material: stainless steel wire mesh, very fine mesh</p> <p>Half-rounded mesh</p> <p>Preferably with packing case</p> <p>Smooth surfaces and no sharp edges</p> <p>The materials used must be non-toxic</p> <p>Must be branded.</p>				
Bread and Pastry Production NC II	38. Tip, Decorative Set	<p>Type: Tube Tips</p> <p>Body Shape: Nozzles with different shape</p> <p>Material: Stainless Steel</p>				

		<p>Tube Height: 3.5 cm to 5 cm</p> <p>Tube Diameter: 2 cm to 3.5 cm</p> <p>Thickness: 0.5 mm (minimum)</p> <p>Tube Tip: Assorted Designs (create swirls, rosettes, flowers, roping, stars, leaves and other designs)</p> <p>Comes with 24 different shapes of nozzles packed in plastic storage box</p> <p>Smooth and deformities free</p> <p>Must be branded</p>				
Bread and Pastry Production NC II	39. Weighing Scale, 10 kgs	<p>Type: Top loading Dial Weighing Scale</p> <p>Body Shape: Flat Pan</p> <p>Material: Aluminum pan and metal body (enamel painted)</p> <p>Dimension: (L X W X H) 26 cm x 21 cm x 26 cm (minimum)</p> <p>Platform L-22 cm x W-22 cm (minimum)</p> <p>Capacity: 10 kg / 22 lb.</p> <p>Sensitivity/Graduated by 10 grams</p> <p>Measurement units: Gram/Kilogram</p> <p>Manual Setting on Zero, must be accurate and durable</p> <p>Mechanism type: Spring Lever</p> <p>Preferably with packing case</p> <p>No sharp edges and rough surfaces</p>				

		<p>Comes with English User's manual that contains Operation guide, maintenance and troubleshooting procedure</p> <p>Must be branded</p>				
Bread and Pastry Production NC II	40. Weighing Scale, 5 kgs, Digital	<p>Type: Digital Weighing Scale</p> <p>Material: Hard Plastic body, Stainless Steel Weighing Pan</p> <p>Overall Dimension: (L x W x H) 24 cm x 16 cm x 7 cm (minimum)</p> <p>Stainless Steel Weighing Pan size: (L x W) 13 cm x 13 cm (minimum)</p> <p>Power Source: Battery Operated (Batteries are included) or Optional with AC/DC Adaptor</p> <p>Power Rating: 3 Volts DC - 9 Volts DC (Battery)</p> <p>Capacity: 2 kg -5 kg</p> <p>Weighs in 0.1 (1/10th) grams increments</p> <p>LCD display: 16 mm height with backlights</p> <p>Preferably with packing case</p> <p>Safety Features: Auto Power off function and Tare features</p> <p>Accessories: Weighing pan and batteries</p> <p>Comes with English User's manual that contains: Operation guide, maintenance and troubleshooting procedure</p> <p>Must be branded.</p>				

Bread and Pastry Production NC II	41. Wire Whisk, Medium	<p>Type Wire Whisk, medium</p> <p>Material: Stainless steel wire</p> <p>Dimensions (L x W): 25.4 cm x 7 cm (minimum)</p> <p>Handle length: 10 cm (minimum) with hanging loop</p> <p>No. of wires: 6 wires</p> <p>Wire Diameter: 1.8 mm (minimum)</p> <p>Preferably with a packing case</p> <p>Dishwasher safe</p> <p>Must be branded.</p>				
Cookery NC II	42. Apple corer	<p>Type: Apple Corer</p> <p>Body Shape: Tubular</p> <p>Material: Stainless Steel</p> <p>Total Length: 18 cm (minimum)</p> <p>Handle material: hard plastic, Polypropylene</p> <p>Handle Dimension: Length-10 cm x diameter-2 cm (minimum)</p> <p>Blade size: Length-8cm x Diameter-2 cm (minimum)</p> <p>Preferably with packing case</p> <p>Dishwasher Safe</p>				
Cookery NC II	43. Bain Marie, Table	<p>Type: Bain Marie Table (food warmer)</p> <p>Body Shape: Rectangular</p>				

		<p>Material: 304 Stainless steel, 0.8 mm thick (minimum)</p> <p>Dimensions: Length-1500 mm x Width-700mm x Height-800 mm (minimum)</p> <p>Power Source: Voltage: 220 Volts - 230 Volts, 50 Hz/ 60 hz with royal cord 1.5-meter-long with attachment Standard Type A male plug or provide plug Adapter 10A/220V</p> <p>Power: 1500 Watts (minimum)</p> <p>Heater: U shaped heat pipes, high efficient</p> <p>Capacity 4 – 6 Pans W/Lid: L x W x D: (530 mm x 325 mm x 150 mm (minimum) and lids</p> <p>Temperature Range: 20-110 degrees Centigrade</p> <p>Precise temperature control switch and pilot bulb</p> <p>Drain valve with attached gate valve 1/2 inch No rough surfaces and rough edges</p> <p>Accessories: 4 pcs Pans with lid</p> <p>Preferably with packing case</p> <p>Comes with an English manual that contain: Operation guide, Safety guide, maintenance / troubleshooting procedure.</p> <p>The offered brand of the item must be an international brand with at least 5years presence at the local market and global presence in the USA, Europe or Japan market.</p> <p>Warranty period of 1 year (parts) and 3 years (service)</p> <p>With Service centers located in major cities in the Philippines</p>				
--	--	--	--	--	--	--

Cookery NC II	44. Blender, Electric	<p>Type: Blender Machine</p> <p>Body Shape: Round Jar</p> <p>Material Housing: Plastic (Polypropylene)</p> <p>Jar Height: 25 cm to 28 cm</p> <p>Jar Thickness: 4 mm to 8 mm</p> <p>Heat resistant Glass Jar with cover</p> <p>Source Voltage: 220 Volts / 240 Volts, 50 Hz / 60 Hz with power cord 1.5-meter-long with attachment of standard Type A male plug or provide plug Adapter 10A/220V.</p> <p>Power Wattage: 300 to 700 watts</p> <p>Blade: Stainless steel, 3 to 4 metal blades</p> <p>Capacity: 1.5 liters to 2 liters</p> <p>With 5 to 10 push button speed setting with pulse control switch</p> <p>Preferably with packing case</p> <p>With English Manual that contain: Operation guide, maintenance and troubleshooting procedure</p> <p>With Service centers located in major cities in the Philippines.</p> <p>The offered brand of the item must be an international brand with at least 5 years presence at the local market and global presence in the USA, Europe or Japan market.</p> <p>Warranty period of 1 year (parts and service)</p>				
---------------	-----------------------	--	--	--	--	--

Cookery NC II	45. Board, Chopping/Cutting, plastic	<p>Type: Cutting Board</p> <p>Body Shape: Rectangular</p> <p>Material: Plastic (Polypropylene), food grade</p> <p>Board Size: Length: 15 inches (minimum)</p> <p>Width: 12 inches (minimum)</p> <p>Thickness: 0.5 inch (minimum)</p> <p>With hole for storage purposes</p> <p>Preferably with packing case</p> <p>Food Grade and Dishwasher Safe</p>				
Cookery NC II	46. Boiler, Double	<p>Material: Stainless steel</p> <p>Thickness: 1/16-inch (1.5 mm) (minimum)</p> <p>Lid material: Glass</p> <p>Riveted handle on both side</p> <p>Diameter: 9 1/2 inches (minimum) 8.6inch (22cm)</p> <p>Total Height: 9.4 inches (minimum)</p> <p>Inset Bottom Diameter: 9 inches (minimum)</p> <p>Inset Top Diameter: 9 inches (minimum)</p> <p>Capacity: 2 liters (minimum)</p> <p>Must be a set which includes one (1) saucepan, one (1) boiler, and one (1) lid</p>				

		With Stainless steel handle and smooth surfaces with no sharp edges				
Cookery NC II	47. Braising Pan, Medium	<p>Type: Braising Pan</p> <p>Body Shape: Round</p> <p>Material: Enameled cast iron and stainless-steel</p> <p>Size: Diameter: 22 cm x Height: 10 cm (minimum)</p> <p>Capacity: 4 Liters (Approximate)</p> <p>With stainless steel cover, solid cast Stainless Steel side handles and riveted</p> <p>Handle on both side: Length: 10 cm (minimum)</p> <p>Handle diameter: 8 mm to 10 mm</p> <p>Preferably with packing case</p> <p>Oven-safe up to 500 ° F; broiler, freezer, and Dishwasher-safe</p> <p>Warranty period of 1 year (parts and service)</p>				
Cookery NC II	48. Can Opener	<p>Type: Can Opener</p> <p>Body Shape:</p> <p>Materials: Stainless Steel</p> <p>Dimension: Length-21 cm x Width 10 cm x Depth:2.5cm (minimum)</p> <p>Multi-use: 3 in 1 Can Opener also opens bottle tops- Can lids and tabs</p>				

		<p>Includes hanging loops on the end of each handle</p> <p>Double Round handles that are comfortable and easy to grip</p> <p>With rotating wheel and counter rotating serrated wheel</p> <p>Preferably with packing case</p> <p>Cutting Mechanism leaves a smooth edge on the can for your safety</p>				
Cookery NC II	49. Cart, Utility	<p>Type: Utility Cart</p> <p>Body Shape: Rectangular</p> <p>Material: Plastic, Polypropylene (PP)</p> <p>Dimension: (L x W x H) 84 cm x 43 cm x 95 cm (minimum)</p> <p>Capacity: 330 lbs (150 kg) loads (minimum)</p> <p>Three (3) Shelving with at least 25 cm distance between shelves</p> <p>Tub shelf measure (L x W x D) 84 cm x 43 cm x 7 cm (minimum)</p> <p>With four (4) Swivel Caster, 10 cm diameter, two which have locking brakes</p> <p>Preferably with a packing case</p> <p>Easy grip handles on each end of cart</p> <p>No sharp edges and rough surfaces</p>				
Cookery NC II	50. Casserole, Medium	<p>Type: Casserole Pot</p> <p>Body Shape: Round</p>				

		Material: Stainless steel, 0.7 mm thick Dimension: Diameter- 22-24 cm x Height -14 cm (minimum) Tempered glass lid Welded handle on both sides, size: 7.5 cm (minimum) Handle diameter: 8 mm to 10 mm Preferably with packing case Dishwasher safe				
Cookery NC II	51. Casserole, Small	Type: Casserole Pot Body Shape: Round Material: Stainless steel, 0.7 mm thick Dimension: Diameter- 18-20 cm x Height -12 cm (minimum) Tempered glass lid Welded handle on both sides, size: 7.5 cm (minimum) Handle diameter: 8 mm to 10 mm Preferably with packing case Dishwasher safe				

Cookery NC II	52. Colander, Medium	<p>Type: Colander, Medium</p> <p>Body Type: Round</p> <p>Material: 304 Stainless steel</p> <p>Diameter: 28.5-30 cm (minimum)</p> <p>Welded handle on both sides, size: 7.5 cm (minimum)</p> <p>Handle diameter: 8 to 10 mm</p> <p>Body Thickness: 0.8 mm (minimum)</p> <p>Full-ring support base, 15 cm diameter</p> <p>Preferably with a packing case</p> <p>Food grade and Dishwasher safe</p>				
Cookery NC II	53. Colander, Small	<p>Type: Colander (Small)</p> <p>Body Shape: Round</p> <p>Material: 304 Stainless steel</p> <p>Diameter: 22.5 cm (minimum)</p> <p>Welded handle on both sides, size: 7.5 cm (minimum)</p> <p>Handle diameter: 8 mm to 10 mm</p> <p>Body Thickness: 0.8 mm (minimum)</p> <p>Full-ring support base, 15 cm diameter</p> <p>Preferably with packing case</p> <p>Food grade and Dishwasher safe</p>				

Cookery NC II	54. Cup, Measuring (for Solid)	<p>Type: Measuring Cup Set</p> <p>Body Shape: Round</p> <p>Material: Stainless steel, 0.7 mm thick (minimum)</p> <p>Each set contains the following:</p> <p>1 pc - 1 cup (237 mL)</p> <p>1 pc - 1/2 cup (118 mL)</p> <p>1 pc - 1/3 cup (79 mL)</p> <p>1 pc - 1/4 cup (59 mL)</p> <p>Handle dimension: Length-12 cm x Width-1 cm (minimum)</p> <p>Measuring capacity engraved on the handle Strip Handles have provision for hanging</p> <p>Preferably with packing case</p> <p>Smooth surfaces and dishwasher safe</p>				
Cookery NC II	55. Dispenser, Paper Towel	<p>Type Paper Towel Dispenser</p> <p>Body Shape: Rectangular / Circular</p> <p>Material: ABS plastic / Stainless Steel</p> <p>Dimensions: Length =260 mm x Width =100 mm x Height = 211 mm (minimum)</p> <p>Capacity: 200 paper</p> <p>Paper size: Length-20 cm x Width- 8 cm (Approximate)</p> <p>Mounting style: wall mounted tissue box</p>				

		<p>Comes with 4 pcs screw, 4 pcs Tox for mounting and 1 pc Key to prevent random opening</p> <p>Preferably with a packing case</p> <p>The plastic material used must be non-toxic</p>				
Cookery NC II	56. Fan, Electric (H. Duty)	<p>Stand fan, electric</p> <p>Material: Metal, plastic</p> <p>Size/Diameter: 16-18 inches</p> <p>Power rating: 70 watts (minimum), 220 / 240 VAC, 50 / 60 Hz, Single Phase</p> <p>Rotation Angle: 90 degrees</p> <p>Base: Stable, 16 inches diameter (approx.)</p> <p>Removable metal guard on front and rear 3-speed settings</p> <p>Comes with 1.5 meters power cord and with molded male plug to adapt Type A outlet (or providing 3A minimum plug adapter is an option)</p> <p>Smooth surface, no sharp edges Includes User's Manual in English which contains:</p> <ul style="list-style-type: none"> a. A Diagram of the Parts with their Names, b. Operating Procedures on how to use the Equipment, c. Safety Precautions when using the Equipment, d. Basic Troubleshooting and Maintenance Procedures <p>With DTI-BPS certification, Brand and electrical ratings clearly and permanently mark on the item</p>				

		1-year warranty parts and service				
Cookery NC II	57. Fire Extinguisher (with contents)	<p>For Type A, B, C Fire: Dry Chemicals (Monoammonium Phosphate)</p> <p>Portable type</p> <p>Capacity: 5 - 10 lbs.</p> <p>Rechargeable Cylinder Metal</p> <p>Working pressure of Cylinder: 400 psi</p> <p>Brass Valve with Pressure Gage</p> <p>With Rubberized Hose and Aluminum Nozzle Attached</p> <p>With Squeeze lever to discharge and safety pin</p> <p>Painted with Metal Primer and Red Enamel Paint</p> <p>Includes with User's Guide in English that contains:</p> <ul style="list-style-type: none"> a. Operating procedure on how to use the equipment b. Safety precaution when using the equipment <p>1-year warranty parts and service</p> <p>The item must be branded and have good quality</p>				
Cookery NC II	58. Fish Poacher, Medium	<p>Type: Fish Poacher</p> <p>Body Shape: Oval Pot for Poaching</p> <p>Material: Stainless Steel, 0.64 mm thick</p> <p>Dimensions (L x W x D): 45 cm x 15 cm x 12 cm (minimum)</p>				

		<p>Handle Material: Stainless Steel</p> <p>Riveted looped handles on both side, 7 cm (minimum)</p> <p>Handle diameter: 8 mm to 10 mm</p> <p>Includes stainless steel lid with handle and removable insert</p> <p>Dimensions of the insert (L X w x D): 42 cm x 13 cm x 1.5 cm (minimum) with handle</p> <p>Preferably with a packing case</p> <p>Easy care, dishwasher safe</p>				
Cookery NC II	59. Fork, Carving	<p>Type: Carving Fork</p> <p>Body Shape: Square shape prong</p> <p>Prong Material: High Carbon Stainless steel</p> <p>Overall Length: 30 cm (minimum)</p> <p>Blade dimension: Length- 15 cm x Width- 0.5 cm x thickness- 0.3 cm (minimum)</p> <p>Number of Prongs: 2 prong Comes with square- shaped prongs and pointed tips</p> <p>ABS Plastic Triple-riveted handle</p> <p>Preferably with packing case</p> <p>Dishwasher safe</p>				
Cookery NC II	60. Fork, Kitchen	<p>Type: Kitchen Fork</p> <p>Body Shape: Standard</p>				

		<p>Material: Stainless steel</p> <p>Dimension: Length - 32 cm x Width- 3.5 cm (minimum)</p> <p>Fork Size: Length: 8 cm x Width -3.5 cm (minimum)</p> <p>Handle: ABS Plastic</p> <p>Number of Tines: 2 Tines with tapered end</p> <p>Preferably with a packing case</p> <p>Heat resistant up to 220 ° C</p> <p>Dishwasher safe</p>				
Cookery NC II	61. Frying Pan, Large	<p>Type: Frying Pan (large)</p> <p>Body Shape: Round</p> <p>Pan Material: Aluminum with non-stick coating</p> <p>Thickness: 3 mm thick (minimum)</p> <p>Dimension: Diameter-28 cm (minimum) x Height- 5.5 cm (minimum)</p> <p>Handle Material: Stainless steel with Silicone</p> <p>Riveted Handle: 20 cm long (minimum)</p> <p>Preferably with a packing case</p> <p>Oven safe up to 250°F</p>				
Cookery NC II	62. Frying Pan, Medium	<p>Type: Frying Pan (medium)</p> <p>Body Shape: Round</p>				

		<p>Pan Material: Aluminum with non-stick coating</p> <p>Thickness: 3 mm thick (minimum)</p> <p>Dimension: Diameter-26 cm (minimum) x Height- 4.5 cm (minimum)</p> <p>Handle Material: Stainless steel with Silicone</p> <p>Riveted Handle: 19 cm long (minimum)</p> <p>Preferably with a packing case</p> <p>Oven safe up to 250°F</p>				
Cookery NC II	63. Frying Pan, Small	<p>Type: Frying Pan (small)</p> <p>Body Shape: Round</p> <p>Pan Material: Aluminum with non-stick coating</p> <p>Thickness: 3 mm thick (minimum)</p> <p>Dimension: Diameter-24 cm (minimum) x Height- 3.8 cm (minimum)</p> <p>Handle Material: Stainless steel with Silicone</p> <p>Riveted Handle: 12 cm long (minimum)</p> <p>Preferably with a packing case</p> <p>Oven safe up to 250°F</p>				
Cookery NC II	64. Funnel, S/S, Medium	<p>Type: Stainless Steel Funnel</p> <p>Body Shape: Round</p> <p>Material: 304 Stainless Steel</p>				

		<p>Dimension: Diameter-16 cm (minimum) x Height- 15.8 cm (minimum)</p> <p>Tube diameter: 2 cm x Length: 7.3 cm (minimum)</p> <p>Comes with handle for easy hanging</p> <p>Preferably with packing case</p> <p>Dishwasher safe</p>				
Cookery NC II	65. Funnel, S/S, Small	<p>Type: Stainless Steel Funnel</p> <p>Body Shape: Round</p> <p>Material: 304 Stainless Steel</p> <p>Dimension: Diameter-11 cm (minimum) x Height- 12 cm (minimum)</p> <p>Tube diameter: 1.5 cm x Length: 5 cm (minimum)</p> <p>Comes with handle for easy hanging</p> <p>Preferably with a packing case</p> <p>Dishwasher safe</p>				
Cookery NC II	66. Garbage Bin	<p>Type: Swivel Lid Garbage Bin</p> <p>Body Shape: Round</p> <p>Material: Hard Plastic, Polypropylene</p> <p>Dimension: Diameter-26 cm x Height-47 cm (minimum)</p> <p>Capacity: 50 liters (minimum)</p> <p>Removable dome shape Lid with spring return swivel</p>				

		<p>Preferably with a packing case</p> <p>Color: Any color</p> <p>Smooth and no rough surfaces</p>				
Cookery NC II	67. Glass Rack	<p>Type: Glass Rack</p> <p>Body Shape: Square</p> <p>Material: Polypropylene Plastic</p> <p>Overall Dimensions: Length - 19 1/2 inches x Width - 19 1/2 inches x Height - 4 inches (minimum)</p> <p>Compartments: Full-size 24 individual compartment glass rack</p> <p>Compartment Dimensions: Length - 3 1/2 inches x Width - 3 1/2 inches x Height – 4 inches (minimum)</p> <p>Easy grip handles molded into all four sides</p> <p>Preferably with a packing Case</p> <p>The plastic material used must be non-toxic</p>				
Cookery NC II	68. Knife, Boning	<p>Type: Flexible Boning Knife</p> <p>Body Shape: Ergonomic</p> <p>Material: Stainless Steel</p> <p>Overall Length: 28 cm (minimum)</p> <p>Blade: Length-15 cm x Width- 3 cm (minimum), Pointed tip</p> <p>Cutting edge angle from tip to the heel is 13 to 14 degrees</p> <p>Handle Length: 12 cm (minimum)</p>				

		Handle Material: Hard plastic handle with rivets Preferably with packing case Dishwasher safe				
Cookery NC II	69. Knife, Chef	Type: Chef's Knife Body Shape: Flat Materials: Stainless steel Overall length: 30 cm (minimum) Blade Size: Length - 20 cm x Width-4 cm (minimum) Blade thickness: 2.5 mm (minimum) Cutting Edge: Straight, pointed end Handle: Triple Riveted Plastic (Polypropylene) Preferably with packing case The plastic material used must be non-toxic Dishwasher safe Must be branded.				

Cookery NC II	70. Knife, Cleaver	<p>Type: Cleaver Knife</p> <p>Body Shape: Flat</p> <p>Blade Material: Forged Stainless-steel Heavy duty</p> <p>Blade length: 17 cm (minimum)</p> <p>Overall length: 30 cm (minimum)</p> <p>Cutting Edge: Straight</p> <p>Handle Material: Ergonomic Wood Handle with triple rivets</p> <p>Blade thickness: 3 mm (minimum)</p> <p>Blade width: 12 cm (minimum)</p> <p>Preferably with packing case</p> <p>The plastic material used must be non-toxic</p> <p>Dishwasher safe</p> <p>Must be branded</p>				
Cookery NC II	71. Knife, Oyster	<p>Type: Oyster Knife</p> <p>Body Shape: Ergonomic</p> <p>Blade material: Stainless steel</p> <p>Blade dimension: length - 7 cm (minimum) x Width - 2 cm (minimum)</p> <p>Blade thickness: 2 mm (minimum)</p> <p>Handle Material: Smooth wooded handle</p>				

		<p>Rounded Handle size: Length-10 cm x Diameter- 3.5 cm (minimum)</p> <p>Total length (from the tip of the handle up to tip of the blade) :17 cm (minimum)</p> <p>Preferably with a packing case</p> <p>Dishwasher Safe</p> <p>Must be branded</p>				
Cookery NC II	72. Light, Emergency (H. Duty)	<p>Emergency light, 2 heads LED</p> <p>Materials: metal, anti-rust coated</p> <p>Duration Time (2 heads): 5 hours (minimum) Automatically Light Up during Power Outage Overcharge and Over-discharge Protection Built - In AC Charger, power cord plugs to adapt Type A outlet (or providing 5A minimum plug adapter is an option)</p> <p>Battery Test Switch - External Safety Fuse</p> <p>Head: White LED 1W (minimum) 3.5 " Dome Reflector</p> <p>Power rating: 220 -240 VAC, 50/60 Hz 20-24 Hours Charge Time</p> <p>Dimensions: Rectangular 27 x 7 x 27 cm (approx.)</p> <p>Smooth surface, no sharp edges</p> <p>Includes User's Manual in English which contains:</p> <p>a. A Diagram of the Parts with their Names,</p> <p>b. Operating Procedures on how to use the Equipment,</p>				

		<p>c. Safety Precautions when using the Equipment,</p> <p>d. Basic Troubleshooting and Maintenance Procedures</p> <p>The item must be branded, Brand name and electrical ratings permanently mark on the item.</p>				
Cookery NC II	<p>73. Meat Slicer, Small (H. Duty)</p> <p>(ELECTRIC)</p> <p>(MANUAL)</p>	<p>Type: Meat Slicer</p> <p>Body Shape: Circular</p> <p>Housing Material: Die Cast Aluminum Alloy and body painted</p> <p>Dimensions: Width-40.5 cm x Depth- 45.7 cm x Height- 38 cm (minimum)</p> <p>Stainless Steel Rotary Blade Diameter: 190 mm (minimum)</p> <p>Power Source: 220 Volts-230 Volts, 60 Hz with power cord 1.5-meter-long with attachment of standard Type A male plug or provide plug Adapter 10A/220V</p> <p>Power Rated: 150 Watts (minimum)</p> <p>Adjustment slicing /Cutting Thickness: 0 - 20 mm thick</p> <p>Complete with push button switch, pilot light and adjustable control knob for slice thickness Equipped with food carrier, slide bracket, locking plate, blade, knife sharpener, handle bar and fixed ring guard for safety</p> <p>Preferably with a packing case</p> <p>Comes with an English manual that contain:</p> <p>Operation guide, Safety guide, maintenance / troubleshooting procedure and list of parts.</p> <p>With Service centers located in major cities in the Philippines.</p>				

		Warranty period of 1 year (parts and service) Must be branded				
Cookery NC II	74. Pan, Roasting	Type: Roasting Pan Body Shape: Rectangular Material: Stainless steel Dimension: Length: 40 cm x Width-35 cm x Height -7 1/2cm (minimum) Thickness: 1.5 mm thick (minimum) Welded handles on both sides Removable Stainless-steel wire rack Rack dimension: Length: 38 cm x Width 23 cm (minimum) Rack wire diameter: 0.5 cm (minimum) Preferably with a packing case Dishwasher Safe Must be branded				
Cookery NC II	75. Peeler, Y-Type	Type: Y-Type Peelers Body Shape: Ergonomic Material: Stainless Steel Overall dimensions (L x W x H): 7 inches x 2 1/4 inches x 1 inch (minimum) Blade Material: 304 Stainless steel, 0.7 mm				

		<p>Head dimension: (L x W x H) 2 1/4 inches x 2 1/4 inches x 1-inch (minimum)</p> <p>Handle Material: Stainless steel</p> <p>Handle length: 4 3/4 inches x 1-inch diameter (minimum)</p> <p>2 in 1 design with 2 blade reels, built in potato eye remover and hole for hanger</p> <p>Preferably with a packing case</p> <p>Food grade and non-toxic material.</p> <p>Must be branded</p>				
Cookery NC II	76. Pepper and Salt Mill	<p>Type: Pepper & Salt Mill</p> <p>Body Shape: Round</p> <p>Body Material: Wood</p> <p>Size: Diameter: 5 cm x Height: 20 cm (minimum)</p> <p>Carved of wood with stainless steel grinding mechanism</p> <p>Color: Natural</p> <p>Screw Cap at the top of the mill to adjust the thickness of peeper or spices</p> <p>Preferably with a packing case</p> <p>Food grade and nontoxic</p> <p>Must be branded</p>				

Cookery NC II	77. Piping Bag	<p>Type: Piping Bag</p> <p>Body Shape: Triangular</p> <p>Material: Transparent Disposable Plastic for dispensing ingredients to pastries</p> <p>Length: 9 inches minimum</p> <p>Width: 3 inches (minimum)</p> <p>Volume: 500 ml (approximate)</p> <p>Preferably with packing case</p> <p>Food grade</p> <p>Must be branded.</p>				
Cookery NC II	78. Plate Rack	<p>Type: Plate Rack</p> <p>Body Shape: Rectangular</p> <p>Material: 304 Stainless Steel</p> <p>Dimension: Length-475 mm x Width- 290 mm x Height- 380 mm (minimum)</p> <p>Heavy duty wire shelving, 2.6 mm diameter (minimum)</p> <p>Tubular Post Diameter: 20 mm thick (minimum)</p> <p>Drawer type drainer tray: (L x W x H) 430 mm x 250 mm x 20 mm (minimum)</p> <p>Preferably with a packing case</p> <p>With 2 tier dish drying rack with non-slip rubber footing</p>				

		Must be branded				
Cookery NC II	79. Preparation Table with Sink	<p>Type: Preparation Table with sink & Shelves</p> <p>Body Shape: Rectangular</p> <p>Material: Stainless steel, 1 mm thick (minimum)</p> <p>Dimensions: L-4ft x W – 2ft x H – 80 cm (minimum)</p> <p>Stainless Steel table top and stainless steel under shelf fully welded construction</p> <p>Sink: Left Side Single bowl sink with drainer 4 inches & faucet provision</p> <p>Sink dimension (L x W x D) 18 x 17 x 1 inches (minimum)</p> <p>With Backsplash 100 mm (minimum)</p> <p>Measured 600 mm between table top to under shelf</p> <p>Welded Tubular Stainless-Steel legs: Diameter 35 mm x 1mm thick (minimum) (1.5 round tube legs x 1 to 1.1 mm thickness)</p> <p>Preferably with a packing Case</p> <p>Comes with screw-type adjustable bullet feet</p> <p>Smooth surfaces and no sharp edges</p> <p>Warranty period of 1 year (parts and service)</p> <p>Must be branded.</p>				

Cookery NC II	80. Pressure Cooker	<p>Type: Pressure Cooker</p> <p>Body Shape: Round</p> <p>Material: Polished aluminum</p> <p>Dimension: Diameter: 32 cm x Height: 25 cm (minimum)</p> <p>Capacity: 10 quarts (11.3 liters)</p> <p>Side handles for secure carrying</p> <p>Equipped with safety opening mechanism, spring safety valve, rubber seal ring</p> <p>Dishwasher safe</p> <p>Comes with an English manual that contain:</p> <p>Operation guide, safety guide, maintenance / troubleshooting procedure.</p> <p>With Service centers located in major cities in the Philippines.</p> <p>Warranty period of 1 year (parts and service)</p> <p>Must be branded.</p>				
Cookery NC II	81. Scissor, Kitchen	<p>Type: Kitchen Scissor</p> <p>Body Shape: Ergonomic Blade</p> <p>Material: Stainless Steel, 2 mm thick</p> <p>Handle Material heavy duty Acrylonitrile</p> <p>Butadiene Styrene (ABS) plastic</p> <p>Overall Length: 20 cm (minimum)</p>				

		<p>Width: 7.5 cm (minimum)</p> <p>Blade size: Length- 9 cm x Width-1.5 cm (minimum)</p> <p>Preferably with a packing case</p> <p>The plastic material used must be non-toxic</p> <p>Must be branded.</p>				
Cookery NC II	82. Scooper, Ice Cream	<p>Type: Ice Cream Scooper</p> <p>Body Shape: Round</p> <p>Material: Stainless Steel</p> <p>Scoop: Diameter- 5 cm x Deep-2.5 cm (minimum)</p> <p>Handle length: 10 to 12 cm</p> <p>With trigger spring handle and scoop scraper mechanism</p> <p>Easy grip and durable</p> <p>Preferably with a packing case</p> <p>The materials used must be food grade and non-toxic.</p> <p>Dishwasher Safe and Rust Free</p> <p>Must be branded.</p>				
Cookery NC II	83. Sievers, Small	<p>Type: Fine Mesh Sievers</p> <p>Body Shape: Round</p> <p>Material: Stainless steel</p>				

		Diameter: 20 cm (minimum) Depth: 7 cm (minimum) Twin wire handle: Length 20 cm x 5 mm diameter (minimum) Fine Mesh: 0.7 mm (1/32 inch) (minimum) Preferably with a packing case Dishwashing safe Must be branded				
Cookery NC II	84. Skimmer, Fine	Type: Medium fine Mesh Skimmer Body Shape: Round Material: Stainless steel, polished Overall Length: 34 cm (minimum) 32cm Skimmer Head: Diameter -10 cm x Depth- 4 cm (minimum) Diameter of holes: 2 mm (approx.) Handle: Length- 12 cm x Diameter- 2 cm (minimum) Handle has hole for hanging Preferably with a packing case Dishwashing safe Must be branded.				
Cookery NC II	85. Skimmer, Spider	Type: Skimmer, spider Body Shape: Round				

		<p>Material: Stainless steel, polished</p> <p>Overall Length: 35 cm (minimum) 32cm</p> <p>Skimmer Head Diameter: 15 cm x Depth 4 cm (minimum)</p> <p>Handle length: 12 cm x 2 cm diameter (minimum)</p> <p>Preferably with a packing case</p> <p>Dishwasher safe Heat resistant Handle, non-slip</p> <p>Handle has hole for hanging</p> <p>Must be branded</p>				
Cookery NC II	86. Soup Cup Rack	<p>Type: Soup Cup Rack</p> <p>Body Shape: Square</p> <p>Material: Polypropylene Plastic</p> <p>Dimension: Length: 50 cm x Width: 50 cm x Height: 10 cm (minimum)</p> <p>Compartment Length: 11 cm</p> <p>Compartment Width: 11 cm</p> <p>Compartment /Inside Height: 6.7 cm</p> <p>No. of Compartment: 16 Compartments</p> <p>Rounded handles on all four sides, 1.5 cm overlap and smooth sides</p> <p>Preferably with a packing case</p> <p>The material used must be non-toxic</p>				

		Must be branded				
Cookery NC II	87. Soup Ladle, 3 OZ	Type: Soup Ladle Body Shape: Round Material: Stainless steel Thickness: 1 mm thick (minimum) Handle Length: 28 cm (minimum) Capacity: 3 oz. (85 ml) Ladle type: Round bottom Hooked handle design allows it to easily sit on the edge of pots. Preferably with a packing case Dishwasher safe Must be branded				
Cookery NC II	88. Soup Ladle, 6 OZ	Type: Soup Ladle Body Shape: Round Material: Stainless steel Thickness: 1 mm thick (minimum) Handle Length: 30 cm (minimum) Capacity: 6 oz. (170 ml) Ladle type: Round bottom Hooked handle design allows it to easily sit on the edge of pots.				

		<p>Preferably with a packing case</p> <p>Dishwasher safe Must be branded</p>				
Cookery NC II	89. Soup Ladle, 8 OZ	<p>Type: Soup Ladle</p> <p>Body Shape: Round</p> <p>Material: Stainless steel</p> <p>Thickness: 1 mm thick (minimum)</p> <p>Handle Length: 30 cm (minimum)</p> <p>Capacity: 8 oz. (236 ml)</p> <p>Ladle type: Round bottom</p> <p>Hooked handle design allows it to easily sit on the edge of pots.</p> <p>Preferably with a packing case</p> <p>Dishwasher safe</p> <p>Must be branded</p>				
Cookery NC II	90. Soup Ladle, 12 OZ	<p>Type: Soup Ladle</p> <p>Body Shape: Round</p> <p>Material: Stainless steel</p> <p>Thickness: 1 mm thick (minimum)</p> <p>Handle Length: 34 cm (minimum)</p> <p>Capacity: 12 oz. (341 ml)</p>				

		<p>Ladle type: Round bottom Hooked handle design allows it to easily sit on the edge of pots.</p> <p>Preferably with a packing case</p> <p>Dishwasher safe</p> <p>Must be branded</p>				
Cookery NC II	91. Spatula	<p>type: Offset Spatula</p> <p>Body Shape: Flat</p> <p>Blade material: Stainless steel 316</p> <p>Handle material: Hardwood (Smooth finish) with rivets</p> <p>Blade Dimension: Length= 8 inches x Width-1.5 inches (minimum)</p> <p>Thickness of Blade: 1.7 mm thick (minimum)</p> <p>Total length = 12 to 14 inches</p> <p>Preferably with a packing case</p> <p>Dishwasher Safe</p> <p>Must be branded.</p>				
Cookery NC II	92. Spoon, Kitchen	<p>Type: Kitchen Spoon</p> <p>Body Shape: Oval</p> <p>Material: Stainless Steel, 1.5 mm thick</p> <p>Overall length: 30.5 cm x Width-7.5 cm (minimum)</p> <p>Spoon Head Dimension (L x W) 9 cm x 7.5 cm (minimum)</p>				

		<p>Handle: ABS Plastic</p> <p>Spoon Head: Oval Type</p> <p>Preferably with a packing case Heat resistant up to 220 ° C</p> <p>Dishwasher safe</p> <p>Must be branded.</p>				
Cookery NC II	93. Spoon, Kitchen (Slotted)	<p>Type: Kitchen Spoon Slotted</p> <p>Body Shape: Oval with slot</p> <p>Material: Stainless Steel, 1.5 mm thick</p> <p>Overall length: 30.5 cm x Width-7.5 cm (minimum)</p> <p>Spoon Head Dimension (L x W) 9 cm x 7.5 cm (minimum)</p> <p>Handle: ABS Plastic</p> <p>Spoon Head: Oval Type with slot at least 6 rectangular slots</p> <p>Preferably with a packing case</p> <p>Heat resistant up to 220 ° C</p> <p>Dishwasher safe</p> <p>Must be branded.</p>				
Cookery NC II	94. Spoon, Measuring	<p>Type: Measuring Spoon</p> <p>Body Shape: Bowl in shape</p> <p>Material: Stainless Steel, 0.7 mm thick (minimum)</p> <p>The set consists of the following sizes:</p>				

		<p>1 pc - 1 tbsp. (15 ml)</p> <p>1 pc - 1/2 tbsp. (7.5 ml)</p> <p>1 pc - 1 tsp. (5 ml)</p> <p>1 pc - 1/2 tsp. (2.5 ml)</p> <p>1 pc - 1/4 tsp. (1.25 ml)</p> <p>Handle dimension: Length-12 cm x 1 cm (minimum)</p> <p>Measuring capacity engraved on the handle</p> <p>Strip Handles have provision for hanging</p> <p>Preferably with packing case</p> <p>Smooth surfaces and dishwasher safe</p> <p>Must be branded.</p>				
Cookery NC II	95. Spoon, Parisienne	<p>Type: Parisiennes Spoon</p> <p>Body Shape: Round</p> <p>Double headed Parisiennes scoop bar tool</p> <p>Material: Stainless steel, polished</p> <p>Overall length: 240 mm (minimum)</p> <p>Scoop Diameter: 30 mm and 24mm (minimum)</p> <p>With plastic handle (Polypropylene), Size: 130 mm x Width-20 mm (minimum)</p> <p>Draining small hole in the scoop</p>				

		<p>Preferably with a packing case</p> <p>Food grade and dishwasher safe</p> <p>Must be branded.</p>				
Cookery NC II	96. Spoon, Serving	<p>Type: Serving Spoon</p> <p>Body Shape: Oval</p> <p>Materials: Stainless Steel</p> <p>Dimension: length: 23 cm x Width: 5 cm (minimum)</p> <p>Scoop dimension (L x W x D): 7 cm x 5 cm x 0.9 cm (minimum)</p> <p>Spoon thickness: 1.6 mm (minimum)</p> <p>Preferably with a packing case</p> <p>Dishwasher Safe</p> <p>Must be branded.</p>				
Cookery NC II	97. Spoon, Wooden	<p>Type: Wooden Spoon</p> <p>Body Shape: Oval</p> <p>Material: Hardwood</p> <p>Dimensions: Length- 10 inches x Width- 2 inches (minimum)</p> <p>Bowl dimension: Length -3 inches X Width 2 inches X Depth -3/4 inches (minimum)</p> <p>Total Length: 10 inches (minimum)</p> <p>Preferably with a packing case</p>				

		<p>Smooth surface finished and no sharp edges</p> <p>Handle with provision for hanging storage purposes</p> <p>Must be branded</p>				
Cookery NC II	98. Stock Pot, Large	<p>Type: Stock Pot, large</p> <p>Body Shape: Round</p> <p>Material: Stainless Steel, 0.8 mm thick (minimum)</p> <p>Top Diameter: 30 cm (minimum)</p> <p>Height: 31 cm (minimum)</p> <p>Capacity: 20 quarts (22.7 liters)</p> <p>Oven safe to 350°F and Dishwasher safe.</p> <p>With aluminum disc layer in bottom for even heat (5 mm aluminum core)</p> <p>Comes with a cover and two reinforced stainless-steel handles on both sides</p> <p>Preferably with a packing case</p> <p>Dishwasher safe</p> <p>Must be branded.</p>				
Cookery NC II	99. Strainer Chinois, Medium	<p>Type: Strainer Chinois, medium</p> <p>Body Shape: Conical</p> <p>Material: Stainless steel</p> <p>Strainer diameter: 20 cm (minimum)</p>				

		Strainer depth: 21.5 cm (minimum) Handle length: 20 cm (minimum) With 2 mm. (approx.) fine mesh Handle has provision for hanging Preferably with a packing case Dishwasher Safe Must be branded				
Cookery NC II	100. Strainer Chinois, Small	Strainer Chinois, small Body Shape: Conical Material: Stainless steel Strainer diameter: 14 cm (minimum) Strainer depth: 13 cm (minimum) Handle length: 15 cm (minimum) With 1 mm (approx.) fine mesh Handle has provision for hanging Preferably with a packing case Dishwasher Safe Must be branded				
Cookery NC II	101. Strainer Medium, Fine	Type: Strainer, medium fine / 2 Ears Body Shape: Round				

		<p>Material: Stainless steel</p> <p>Strainer diameter: 20 cm (minimum)</p> <p>Strainer depth: 7 cm (minimum)</p> <p>Handle length: 18 cm (minimum)</p> <p>With 2 mm. (approx.) fine mesh</p> <p>Strainer's two layers of tightly woven mesh catches</p> <p>Handle has provision for hanging</p> <p>Preferably with a packing case</p> <p>Dishwasher safe</p> <p>Must be branded.</p>				
Cookery NC II	102. Strainer Small, Fine	<p>Type: Strainer, small fine</p> <p>Body Shape: Round</p> <p>Material: Stainless steel</p> <p>Strainer diameter: 13 cm (minimum)</p> <p>Strainer depth: 5 cm (minimum)</p> <p>Handle length: 16cm (minimum)</p> <p>With 1 mm. (approx.) fine mesh</p> <p>Handle has provision for hanging</p> <p>Preferably with a packing case</p> <p>Dishwasher safe</p>				

		Must be branded.				
Cookery NC II	103. Table, Working Work Preparation	<p>Type: Working Table, stainless Steel</p> <p>Body Shape: Rectangular</p> <p>Material: 304 Stainless Steel, 1.29 mm thick (Gauge 16) minimum</p> <p>Length: 4ft</p> <p>Width: 2ft</p> <p>Height: 80cm</p> <p>Tubular Stainless-Steel legs, 1.5 x 1 to 1.1 mm thickness with 4 adjustable bullet feet</p> <p>Fully welded construction</p> <p>Thickness: Gauge 1.5 mm thick minimum</p> <p>Stainless steel table top with stainless steel undershelf</p> <p>Distance between table top and undershelf is 650 mm (minimum)</p> <p>Preferably with a packing case or crate</p> <p>No sharp edges and rough surfaces</p> <p>Must be branded.</p>				
Cookery NC II	104. Tenderizer, Medium	<p>Type: Tenderizer</p> <p>Body Shape: Ergonomic</p> <p>Material: Cast aluminum / Stainless Steel</p>				

		<p>Overall Length: 26 cm (minimum)</p> <p>Dual-sided hammer, square head: 6 cm x 6 cm (minimum)</p> <p>Ridged surface with rows of dull, pyramid-shaped spikes</p> <p>Weight: 250 grams to 500 grams</p> <p>Preferably with a packing case</p> <p>Dishwasher safe</p> <p>Must be branded</p>				
Cookery NC II	105. Thermometer, Pocket /Pin	<p>Type: Pocket/Pen Thermometer</p> <p>Body Shape: Tubular</p> <p>Pen Style Digital thermometer</p> <p>Product size: 100 mm x 40 mm x 14 mm (minimum)</p> <p>Display size: 40 mm x 20 mm (minimum)</p> <p>Probe length: 200 mm (minimum)</p> <p>Measuring range: -50 °C to 300 °C (-58 °F to 372 °F)</p> <p>Resolution: 0.1 °C / 0.2 °F</p> <p>Accuracy: (+/-) 1°C</p> <p>With °C/°F selectable readout</p> <p>Auto power off</p> <p>Power Supply :1.5Volts, LR44 button battery (included)</p> <p>Comes with tubular plastic casing</p>				

		<p>Preferably with cartoon packing</p> <p>Warranty period of 1 year (parts and service)</p> <p>Must be branded.</p>				
Cookery NC II	106. Tong, 12 Inches	<p>Type: Tong, 12 inches</p> <p>Body Shape: Standard</p> <p>Material: Stainless Steel</p> <p>Size: 12 inches</p> <p>Stainless-steel arms with soft, comfortable grips</p> <p>Nylon heads safe for nonstick cookware</p> <p>Heat-resistant up to 400 degrees Fahrenheit</p> <p>Tongs lock closed for storage</p> <p>Preferably with a packing case</p> <p>Food Grade and Dishwasher-safe</p> <p>Must be branded</p>				
Cookery NC II	107. Tong, 8 Inches	<p>Type: Tong, 8 inches</p> <p>Body Shape: Standard</p> <p>Material: Stainless Steel</p> <p>Size: 8 inches</p> <p>Stainless-steel arms with soft, comfortable grips</p> <p>Nylon heads safe for nonstick cookware</p>				

		Heat-resistant up to 400 degrees Fahrenheit Tongs lock closed for storage Preferably with a packing case Food Grade and Dishwasher-safe Must be branded				
Cookery NC II	108. Tray, Baking, Small	Type: Baking Tray Body Shape: Rectangular Material: Stainless Steel Dimension: 20 cm x 30 cm x 3.7 cm (minimum) Body thickness: 0.7- 1.0 mm Preferably with packing case Dishwasher safe Must be branded.				
Cookery NC II	109. Tray, Utility	Type: Utility Tray Body Shape: Rectangular Material: Stainless Steel Dimension: Length-50 x Width – 35 x Height - 48 cm (minimum) Reinforced edges Finish: Polished				

		<p>Preferably with a packing case</p> <p>Washable and oven safe</p> <p>Must be branded.</p>				
Cookery NC II	110. Tube, Pastry	<p>Type: Pastry Tubes</p> <p>Body Shape: Tube in different shape of nozzles</p> <p>Material: Stainless Steel</p> <p>Set contain: 24 different shapes of nozzles (minimum)</p> <p>Tube Height: 3.5 cm to 5 cm</p> <p>Tube Diameter: 2 cm to 3.5 cm</p> <p>Thickness: 0.5 mm (minimum)</p> <p>Tube Tip: Assorted Designs (create swirls, rosettes, flowers, stars, leaves and other designs)</p> <p>Include storage box</p> <p>Food grade and non-toxic</p> <p>Must be branded</p>				
Cookery NC II	111. Turner 3" X 6"	<p>Type: Slotted Turner, 3" x 6"</p> <p>Body Shape: Straight</p> <p>Material: Stainless steel</p> <p>Blade Size (Lx W): 6 inches x 3 inches (minimum)</p> <p>Handle length: 5 inches (minimum)</p>				

		<p>Overall length: 13 inches (minimum)</p> <p>Solid Turner with straight slotted blade</p> <p>Wooden Handle with triple rivets</p> <p>Preferably with a packing case</p> <p>Dishwasher safe</p> <p>Must be branded</p>				
Cookery NC II	112. Weighing Scale, 1 kg, Digital	<p>Type: Digital weighing scale</p> <p>Body Shape: Rectangular</p> <p>Materials: Engineering Plastic and Stainless</p> <p>Steel weighing plate</p> <p>Capacity: 1 kg</p> <p>Accuracy: 1 gram</p> <p>Back light LCD display with 15 mm minimum high digits</p> <p>Weighing Units: gram, ounce, pound</p> <p>Size: (L x W x H mm) 163 mm x 245 mm x 79 mm (minimum)</p> <p>Battery Operated, (batteries included)</p> <p>Auto power "OFF" after 3 minutes without a change of load</p> <p>Preferably with a packing case</p> <p>With Service centers located in major cities in the Philippines.</p>				

		<p>Warranty period of 1 year (parts and service)</p> <p>Must be branded.</p>				
Cookery NC II	113. Weighing Scale, 5 Kilograms, Mechanical	<p>Type: Mechanical Weighing Scale</p> <p>Body Type: Circular Bowl</p> <p>Material: Stainless Steel bowl and metal body (coated)</p> <p>Mechanism Type: Spring Lever</p> <p>Capacity: 5 kg /11 lb.</p> <p>Sensitivity/Graduated by 10 gm</p> <p>Measurement units: Gram/Kilogram</p> <p>Manual Setting on Zero, must be accurate and durable</p> <p>Calibrate the scale using the adjustment knob</p> <p>Preferably with a packing case</p> <p>Delivery must include instruction manual written in good English</p> <p>With Service centers located in the major cities in the Philippines</p> <p>Warranty period of 1 year (parts and service)</p> <p>Must be branded</p>				
Cookery NC II	114. Wire Skimmer, Small	<p>Type: Skimmer, wire mesh</p> <p>Body Shape: Round</p> <p>Material: Stainless steel, polished</p>				

		<p>Overall Length: 20 cm (minimum)</p> <p>Skimmer Head Diameter: 12 cm (minimum)</p> <p>Diameter of holes: 2 mm (approx.)</p> <p>Handle has hole for hanging</p> <p>Preferably with a packing case</p> <p>Dishwashing safe</p> <p>Must be branded.</p>				
Cookery NC II	115. Wire Whisk, Heavy Duty	<p>Type: Wire Whisk, heavy duty</p> <p>Body Shape: Ballon</p> <p>Material: Heavy Duty Stainless steel</p> <p>Dimensions (L x W): 31.8 cm x 7.6 cm (minimum)</p> <p>Handle length: 12 cm (minimum) with hanging loop</p> <p>No. of wires: 8 wires</p> <p>Wire Diameter: 2 mm (minimum)</p> <p>Preferably with a packing case</p> <p>Dishwasher safe</p> <p>Must be branded.</p>				
Cookery NC II	116. Wire Whisk, Medium	<p>Type Wire Whisk, medium</p> <p>Body Shape: Ballon</p> <p>Material: Stainless steel wire whisk medium</p>				

		<p>Dimensions (L x W): 12cm 25.4 cm x 7 cm (min)</p> <p>Handle length: 10 cm (minimum) with hanging loop</p> <p>No. of wires: 6 wires</p> <p>Wire Diameter: 1.8 mm (minimum)</p> <p>Preferably with a packing case</p> <p>Dishwasher safe</p> <p>Must be branded.</p>				
Cookery NC II	117. Wire Whisk, Small	<p>Type: Wire Whisk, small</p> <p>Body Shape: Balloon</p> <p>Material: Stainless steel wire whisk medium</p> <p>Dimensions (L x W): 10cm x 6 cm (minimum)</p> <p>Handle length: 10 cm (minimum) with hanging loop</p> <p>No. of wires: 6 wires</p> <p>Wire Diameter: 1.8 mm (minimum)</p> <p>Preferably with a packing case</p> <p>Dishwasher safe</p> <p>Must be branded.</p>				
Cookery NC II	118. Wok, Medium	<p>Type: Wok, medium</p> <p>Body Shape: Round</p> <p>Material: Carbon steel</p>				

		<p>Thickness: 1.8 mm thick (minimum)</p> <p>Dimensions (Dia. x H): 32 cm x 14 cm (minimum)</p> <p>Handle Material: Steel Riveted / one handle</p> <p>Convenient both side handle 10 cm (minimum)</p> <p>With flat bottom</p> <p>Preferably with a packing case</p> <p>Dishwashing safe</p> <p>Must be branded</p>				
Cookery NC II	119. Wok, Small	<p>Type: Wok, small</p> <p>Body Shape: Round</p> <p>Material: Carbon steel</p> <p>Thickness: 1.5 mm thick (minimum)</p> <p>Dimensions (Dia. x H): 30cm x 10 cm (minimum)</p> <p>Handle Material: Steel Riveted / one handle</p> <p>Convenient both side handle 8 cm (minimum)</p> <p>With flat bottom</p> <p>Preferably with a packing</p> <p>Case Dishwashing safe</p> <p>Must be branded</p>				

Cookery NC II	120. Zester	<p>Type: Cheese Zester</p> <p>Body Shape: Standard</p> <p>Material: Stainless Steel</p> <p>Grating surface dimensions (L x W): 20.3 cm x 4 cm (minimum)</p> <p>Overall length: 32.5 cm (minimum)</p> <p>Handle material: plastic (Polypropylene)</p> <p>Ergonomic Handle</p> <p>Preferably with a packing case</p> <p>Dishwasher safe</p> <p>The plastic material used must be non-toxic</p> <p>Must be branded.</p>				
Food and Beverage Services NC II	121. Chair, Dining	<p>Type: Dining Side Chair</p> <p>Body shape: Square</p> <p>Material: Metal (Round or Square)</p> <p>Dimension: Total height - 35.5" x 14"x14" (minimum) n</p> <p>Capacity: 150 kg.</p> <p>Black Colored Powder Coated Frame with Foam on Seat</p> <p>Packed in carton box</p> <p>The item must have good quality</p>				

		Option 1: Metal w/Foam ₱ 2,500 Option 2: Wood 36x17x14 inch ₱ 3,450 Option 3: HDPE Plastic ₱ 3,000				
Food and Beverage Services NC II	122. Coffee Pot, 2 Pints	Type: Manual drip Body shape: Round Material: Stainless Steel with cover (Porcelain) Capacity: 2 pints Outside Diameter: 90 -110 mm Over-all Height: 200 - 230 mm Thickness: 0.5 - 1 mm With handle and spout Packed in carton box The item must have good quality Option 1: Porcelain ₱ 1,200 Option 2: Stainless ₱ 3,000				
Food and Beverage Services NC II	123. Container, Creamer	Design: Type: Porcelain with spout Body shape: Circular Material: Porcelain Diameter: 50 - 65 mm				

		<p>Height: 80 - 105 mm</p> <p>Color: White</p> <p>Appearance: Glossy White</p> <p>Packed in carton box</p> <p>The item must have good quality</p>				
Food and Beverage Services NC II	124. Cups and Saucers 5-6 oz.	<p>Material: Porcelain</p> <p>Capacity: 5 oz./140 ml</p> <p>Heatproof up to 300 deg. C</p> <p>Color: White</p> <p>The item must be of good quality</p> <p>Packed in carton box</p>				
Food and Beverage Services NC II	125. Folder, Menu	<p>Type: Leather Menu</p> <p>Folder Body shape: Rectangular</p> <p>Material: Leather With 2 Partitions and 6 Inserts</p> <p>Size: 31.5cm X 24.5cm</p> <p>Color: Brown/Black</p> <p>Applicable paper size: A4</p>				
Food and Beverage Services NC II	126. Fork, Cocktail	<p>Material/Appearance: Stainless Steel, Highly Polished, w/ plain Design</p> <p>Type: Rounded Tip Handle</p>				

		<p>Over-all Length: 110 - 165 mm</p> <p>Width: 20 - 30 mm (minimum)</p> <p>Handle Thickness: 2 mm to 4 mm</p> <p>Handle Length: 75 - 90 mm</p> <p>Small</p> <p>Color: Silver</p> <p>The item must be branded and have good quality.</p> <p>Packed in plastic pouch</p>				
Food and Beverage Services NC II	127. Fork, Dessert	<p>Type: Dessert Fork</p> <p>Body shape: Fork shape, round tip</p> <p>Material/Appearance: Stainless Steel, highly Polished with plain Design, Rounded tip Handle</p> <p>Length: 150 mm - 175 mm</p> <p>Width: 20 - 30 mm</p> <p>Handle Thickness: 1.5 mm - 3 mm</p> <p>Number of Tines: 4</p> <p>Handle: 130 mm (minimum)</p> <p>Color: Silver</p> <p>Packed in plastic pouch</p> <p>The item must be of good quality</p>				

Food and Beverage Services NC II	128. Fork, Dinner	<p>Type: Dinner Fork</p> <p>Body shape: Fork shape</p> <p>Material / Appearance: Stainless Steel, highly Polished, with 4 tines</p> <p>Over - All Length: 120 - 175 mm</p> <p>Thickness of Handle: 2 - 3 mm</p> <p>Color: Silver Packed in plastic pouch</p> <p>The item must be of good quality</p>				
Food and Beverage Services NC II	129. Fork, Fish	<p>Type: Fish Fork</p> <p>Body shape: Fork shape with round tip</p> <p>Material / Appearance: Stainless Steel, highly Polished, With plain Design</p> <p>Over-all Length: 180 - 215 mm</p> <p>Fork Width: 1.5 mm - 3 mm</p> <p>Fork Thickness: 1 mm - 2 mm</p> <p>Number of Tines: 4</p> <p>Length Handle: 120 - 130 mm</p> <p>Handle Thickness: 2 mm - 3 mm</p> <p>Color: Silver</p> <p>Packed in plastic pouch</p> <p>The item must be of good quality</p>				

Food and Beverage Services NC II	130. Fork, Oyster	<p>Type: Oyster Fork</p> <p>Body shape: Fork shape</p> <p>Material: Stainless Steel, with high polish appearance, and with plain design</p> <p>Length: 90 - 120 mm</p> <p>Thickness: 1 mm - 3 mm</p> <p>Silver Color with three short wide curved tines</p> <p>Packed in plastic pouch</p> <p>The item must be of good quality</p>				
Food and Beverage Services NC II	131. Fork, Salad	<p>Type: Salad Fork</p> <p>Body shape: Fork shape</p> <p>Material/Appearance: Stainless Steel, highly polished, with 4 tines</p> <p>Length: 150 mm - 175 mm</p> <p>Thickness of Handle: 2 mm - 3 mm</p> <p>Color: Silver</p> <p>Packed in plastic pouch</p> <p>The item must be of good quality</p>				
Food and Beverage Services NC II	132. Glass, Champagne Flute	<p>Type: Flute Glass</p> <p>Body shape: Round</p> <p>Material: Clear Crystal Glass</p>				

		<p>Dimension: Height: 20 -24 cm,</p> <p>Top diameter: 50 -70 mm,</p> <p>Bottom diameter: 60 - 80 mm</p> <p>Capacity: 250 ml. (minimum)</p> <p>Thickness: 1.5 - 3 mm</p> <p>Packed in carton box</p> <p>The item must have good quality</p>				
Food and Beverage Services NC II	133. Glass, Collins	<p>Type: Tumbler</p> <p>Body shape: Round</p> <p>Material: Clear Glass</p> <p>Capacity: 10 oz to 14 oz</p> <p>Thickness: 1.5 -3 mm (minimum)</p> <p>Packed in carton box</p> <p>The item must have good quality</p>				
Food and Beverage Services NC II	134. Glass, Juice / Hi- Ball	<p>Material: Clear Glass</p> <p>Type: Hi-ball</p> <p>Height: 140 - 160 mm</p> <p>Bottom Diameter: 50 -70 mm</p> <p>Top Diameter: 50 - 70 mm</p> <p>Thickness: 2 - 4 (minimum)</p>				

		Capacity: 8 oz. To 10 oz. Diswasher Safe The item must be branded and good quality Packed in carton box				
Food and Beverage Services NC II	135. Glass, Pilsner (Ice Tea Glass)	Type: Flaired Rim Body shape: Round slender Material: Clear Glass Capacity: 20 oz. to 23 oz. Over-all Length: 22 -25 cm Thickness of Glass: 1 -3 mm With flaired rim and slender shape Packed in carton box The item must have good quality				
Food and Beverage Services NC II	136. Glass, Red Wine	Type: Royalty Body shape: Balloon shaped bowl Material: Crystal Clear Glass Rim diameter: 55 - 60 mm Thickness: 1.5 mm - 3 mm Over - all Length: 200 -220 mm Capacity: 250 -300 ml				

		<p>Stem diameter: 6 - 8 mm</p> <p>Stem Length: 85 - 90 mm</p> <p>Base diameter: 75 - 85 mm</p> <p>Base Thickness: 2 - 4 mm</p> <p>Packed in carton box</p> <p>The item must have good quality</p>				
Food and Beverage Services NC II	137. Glass, White Wine	<p>Type: Royalty</p> <p>Body shape: Balloon shaped bowl</p> <p>Material: Crystal Clear Glass</p> <p>Rim diameter: 55 - 60 mm</p> <p>Thickness: 1.5 - 3 mm</p> <p>Over -all Length: 200 -220 mm</p> <p>Capacity: 270 - 300 ml</p> <p>Stem diameter: 6 - 8 mm</p> <p>Stem length: 75 - 85 mm</p> <p>Base diameter: 70 - 80 mm</p> <p>Base thickness: 2 - 5 mm</p> <p>Packed in carton box</p> <p>The item must have good quality</p>				

Food and Beverage Services NC II	138. Gravy Boats	<p>Type: Steel Type</p> <p>Body shape: Boat shape with handle</p> <p>Material: Stainless Steel</p> <p>Capacity: 5 oz.</p> <p>Appearance: Mirror Polish Finish</p> <p>Size :17cm x 7.3cm x 8.2 cm / 6.7 x 2.9 x 3.2 inches (minimum)</p> <p>The item must have good quality</p> <p>Packed in plastic pouch</p>				
Food and Beverage Services NC II	139. Ice Bucket ,2 liters with Tongs	<p>Type: Steel Type</p> <p>Body shape: Circular</p> <p>Set includes:</p> <p>A. Ice bucket</p> <p>Material: Stainless Steel</p> <p>Diameter: 140 - 180 mm</p> <p>Height: 140 - 170 mm</p> <p>Thickness of bucket: 0.7 - 2 mm</p> <p>Capacity: 2 liters (minimum)</p> <p>The item must have good quality</p> <p>B. Ice Tongs</p> <p>Material: Stainless Steel</p> <p>Dimension: Over-All Length: 150 -170 mm</p> <p>Thickness: 0.5 mm – 0.7 mm</p> <p>The item must be of good quality</p> <p>Packed in carton box</p>				

Food and Beverage Services NC II	140. Knife, Butter	Material: Stainless Steel w/ highly Polished Appearance Over-all Length: 140 mm - 150 mm Handle Thickness: 3 mm - 5 mm With Dull Edge and Rounded Tip The item must have good quality. Packed in carton box				
Food and Beverage Services NC II	141. Knife, Dinner	Type: Dinner Knife Body shape: Flat with round tip Material / Appearance: Stainless Steel Blade Highly Polished Handle Material: Stainless Steel Overall Length: 160 - 190 mm Blade Thickness: 2 - 4 mm Handle Thickness: 3 - 6 mm Serrated Blade with Rounded Tip Packed in carton box The item must have good quality				

Food and Beverage Services NC II	142. Knife, Fish	<p>Type: Fish Knife</p> <p>Body shape: Flat with pointed tip</p> <p>Material / Appearance: Stainless Steel, highly Polished w/ plain design</p> <p>Overall Length: 200 - 220 mm</p> <p>Width Blade: 20 - 25 mm</p> <p>Thickness of Blade: 2 mm - 4 mm</p> <p>Thickness of Handle: 3 mm - 6 mm</p> <p>Wide blade, dull edge, tip made with a notched point</p> <p>Color: Silver</p> <p>Packed in carton box</p> <p>The item must have good quality</p>				
Food and Beverage Services NC II	143. Knife, Salad	<p>Type: Salad Knife</p> <p>Body shape: Semi rectangular blade with pointed tip</p> <p>Material/Appearance: Stainless Steel, highly polished, w/ plain design</p> <p>Overall Length: 145 -160 mm</p> <p>Blade Thickness: 2 mm to 4 mm</p> <p>Handle Thickness: 4 mm to 6 mm</p> <p>Handle Material: Stainless Steel Rounded tip handle</p> <p>Packed in carton box</p>				

		The item must have good quality				
Food and Beverage Services NC II	144. Knife, Steak	Type: Steak knife Body shape: Flat with serrated edge Material: Stainless Steel steel blade with wooden handle Length: 170 mm to 203 mm Handle wood Thickness: 10 - 14 mm With serrated blade Packed in carton box The item must have good quality				
Food and Beverage Services NC II	145. Napkin Holder	Type: Steel Type Body shape: Rectangular Material: Stainless Steel with Highly Polished Appearance Dimension: Width: 70 - 90 mm x Length: 150 - 170 mm, Thickness: 0.7 mm -2 mm Packed in plastic pouch The item must have good quality				

Food and Beverage Services NC II	146. Order pads	<p>Type: Numbered pads</p> <p>Body shape: Rectangular</p> <p>Material: 80 gsm offset paper</p> <p>Each pad comes with a 100 sheets and corresponding copy page</p> <p>Each pad has sequentially numbered orders to make it easy to keep track</p> <p>With 100 sheets per pad and 10 pads included</p> <p>Can take 1000 orders before you run out</p> <p>Packed in a plastic pouch</p>				
Food and Beverage Services NC II	147. Pepper and Salt Mill	<p>Type: Pepper & Salt Mill</p> <p>Body Shape: Round</p> <p>Body Material: Wood</p> <p>Size: Diameter: 5 cm x Height: 20 cm (minimum)</p> <p>Carved of wood with stainless steel grinding mechanism</p> <p>Color: Natural</p> <p>Screw Cap at the top of the mill to adjust the thickness of peeper or spices</p> <p>Preferably with a packing case</p> <p>Food grade and nontoxic</p> <p>Must be branded</p>				

Food and Beverage Services NC II	148. Plate Covers	Type: Steel Type Body shape: Circular Material: Stainless Steel, mirror polished Diameter: 10 1/4 inches (minimum) Height: 2 7/8 inches (minimum) Thickness: 1/16 inch. (minimum) With handle Packed in plastic pouch The item must have good quality				
Food and Beverage Services NC II	149. Plate, Dessert, 7”to 8”	Type: Plain Type Body shape: Circular Material: Porcelain Supply must be a set, consisting of one (1) of each: 7 inches and 8 inches plates Color: White Inner Diameter: 145 to 165 mm Thickness: 3 to 6 mm Smooth and Glossy Surfaces Packed in carton box The item must have good quality				

Food and Beverage Services NC II	150. Plate, Dinner, 10"	Type: Plain Type Body shape: Circular Material: Porcelain with no Design Color: White Inner Diameter: 200 mm - 215 mm Outer Diameter: 250 - 260 mm Thickness: 3 mm - 6 mm Smooth and Glossy Surfaces Packed in carton box The item must have good quality				
Food and Beverage Services NC II	151. Plate, Fish, 8" to 9"	Type: Plain Type Body shape: Circular Material: Porcelain with no Design Supply shall be a set consisting of: one (1) each 8 inches and one (1) each, 9 inches Color: White Inner Diameter: 165 mm - 190 mm (minimum) Thickness: 3 mm - 6 mm Smooth and Glossy Surfaces Packed in carton box				

		The item must have good quality				
Food and Beverage Services NC II	152. Salad Plates 7” to 8”	Type: Plain Type Body shape: Circular Material: Porcelain with no design Supply must be a set consisting of one (1) each: 7 inches and 8 inches plates Color: White Diameter (Inner): 150 mm - 165 mm Thickness: 3 mm - 6 mm Smooth and Glossy Surfaces Packed in carton box The item must have good quality				
Food and Beverage Services NC II	153. Salt and Pepper Shakers	Type: Glass Type Body shape: Square / round Material: Glass and Aluminum/Acrylic Plastic / Stainless Steel Over-all Height: 75 -90 mm Length: 50 -60 mm Width: 50 -60 mm Aluminum cover Packed in carton box				

		The item must have good quality				
Food and Beverage Services NC II	154. Sauce Ladles	Type: Spouted bowl Body shape: Circular Material: Stainless Steel, highly polished appearance Over-all Length: 220 -230 mm Ladle Bowl Length: 60 -65 mm long Ladle Bowl Diameter: 65 -70 mm Depth: 10 -15 mm Handle details: 150-155 mm long x 20 -30 mm wide x 2 - 4 mm thick Color: Silver With hang hole for hanging and easy access Dishwasher safe Packed in plastic pouch The item must have good quality				
Food and Beverage Services NC II	155. Server, Cake	Material: Stainless Steel Blade, Highly Polished Appearance Over-all Length: 220 to 270 mm Width: 60 - 80 mm Thickness: 1.5 mm to 2 mm Handle: 120 -140 mm long, non-toxic plastic				

		Shape: Shovel-shaped Color: Silver The item must have good quality Packed in carton box				
Food and Beverage Services NC II	156. Service Forks	Type: Service Fork Body shape: Fork shape Material/Appearance: Stainless steel, highly polished, w/ plain design Over-all Length: 220 mm - 260 mm Width: 20 - 25 mm Handle Thickness: 1.5 mm - 4 mm Handle length - 165 mm - 185 mm 4 tines Color: Silver Packed in plastic pouch The item must have good quality.				
Food and Beverage Services NC II	157. Service Tray	Type: Plastic Body shape: Rectangular Material: Plastic (PP) Size: 14 inches x 18 inches X 1 inch (minimum) Color: Any				

		Packed in plastic pouch The item must have good quality				
Food and Beverage Services NC II	158. Show/Service/ Base Plates 11” to 14”	Type: Plain Type Body shape: Round Material: Electroplating Supply must be a set consisting (1) of each: - 11 inches, - 12 inches, - 13 inches, and - 14 inches plates Color: White, Gold, Silver, Bronze Diameter, Inner: 225 mm - 250 mm Thickness: 3 mm - 6 mm Smooth and Glossy Surfaces Packed in carton box The item must have good quality				

Food and Beverage Services NC II	159. Side Plates or Bread Plates 6”	Type: Plain Type Body shape: Round Material: Porcelain with no design Color: White Inner Diameter: 95 mm to 120 mm Outer Diameter: 145 mm to 170 mm Thickness: 3 mm - 6mm Smooth and Glossy Surfaces Packed in carton box The item must have good quality				
Food and Beverage Services NC II	160. Side Towels	Type: Chef's towel Body shape: Rectangular Material: Cotton Over-all Length: 640 - 680 mm Over-all Width: 420 -460 mm Color: Plain White Packed in plastic pouch The item must have good quality				

Food and Beverage Services NC II	161. Silver Platter	Type: Steel Type Body shape: Round Material: Stainless Steel Diameter: 300 -330 mm Thickness: 1 - 2 mm Packed in plastic pouch The item must have good quality				
Food and Beverage Services NC II	162. Soup Bowl	Type: Plain with two handles Body shape: Circular Material: Porcelain Capacity: 24 oz. (minimum) Packed in carton box The item must have good quality Packed in a carton box				
Food and Beverage Services NC II	163. Soup Ladle	Type: Steel Type Body shape: Circular Material: Stainless Steel, highly polished appearance Over-all Length: 220 -235 mm Ladle Bowl Details: 60 -65 mm long, 60 -75 mm diameter, 10 -15 mm deep				

		<p>Handle Details: 145 - 155 mm long x 12 - 25 mm wide x 1.5 - 3 mm thick</p> <p>Color: Silver</p> <p>With hang hole for hanging and easy access</p> <p>Packed in plastic pouch</p> <p>The item must have good quality</p>				
Food and Beverage Services NC II	164. Soup Tureen	<p>Type: Steel</p> <p>Body shape: Round</p> <p>Material: Stainless Steel (Porcelain)</p> <p>Capacity: 7 - 11 quart</p> <p>Size: 60 x 35 x 32 cm (minimum)</p> <p>Packed in plastic pouch</p> <p>The item must have good quality</p> <p>Option 1: Porcelain</p> <p>Option 2: Stainless</p>				

Food and Beverage Services NC II	165. Spoon, Dessert	<p>Type: Dessert Spoon</p> <p>Body shape: Oval</p> <p>Material/Appearance: Stainless Steel, highly Polished with plain design</p> <p>Over-all Length: 175 to 190 mm</p> <p>Thickness: 2 mm - 3 mm</p> <p>Shorter handle: 120 -130 mm</p> <p>Color: Silver Packed in plastic pouch</p> <p>The item must have good quality</p>				
Food and Beverage Services NC II	166. Spoons, Service	<p>Type: Service Spoon</p> <p>Body shape: Oval</p> <p>Material: Stainless steel, highly polished, w/ plain design</p> <p>Over-all Length: 220 mm - 250 mm</p> <p>Width: 30 - 38 mm</p> <p>Handle Thickness: 1.5 mm - 4 mm</p> <p>Handle length - 165 mm - 185 mm</p> <p>Color: Silver</p> <p>Packed in plastic pouch</p> <p>The item must have good quality</p>				

Food and Beverage Services NC II	167. Spoons, Soup (Cream and Consume)	<p>Type: Soup Spoon</p> <p>Body shape: Round</p> <p>Material/Appearance: Stainless Steel, highly polished, w/ plain design, rounded tip handle</p> <p>Over-all Length: 165 mm - 200 mm</p> <p>Smaller oval shaped spoon bowl and tapers slightly to the tip</p> <p>Shorter handle: 110 mm - 170 mm</p> <p>Thickness: 1.5 mm - 3 mm</p> <p>Color: Silver Packed in plastic pouch</p> <p>The item must have good quality</p>				
Food and Beverage Services NC II	168. Sugar Container	<p>Type: Glass Type (Porcelain, Acrylic)</p> <p>Body shape: Round</p> <p>Material: Glass with brass lid (or equivalent)</p> <p>Diameter: 70 -80 mm</p> <p>Height: 130 -140 mm</p> <p>Capacity: 12 oz.</p> <p>Packed in carton box</p> <p>The item must have good quality</p>				

Food and Beverage Services NC II	169. Table Cloth, 54 x 54 inches	Type: Plain Cloth Body shape: Square Material: Oxford Polyester Cloth Color: Plain White (Assorted Color) Dimension: L 54 inches x W 54 inches (minimum) Packed in plastic pouch The item must have good quality				
Food and Beverage Services NC II	170. Table cloth, Rectangular	Type: Plain Cloth Body shape: Rectangle Material: Oxford Polyester Cloth Size: 120cm x160cm (minimum) Color: Any Color but not black Feature: Washable Packed in a plastic pouch				
Food and Beverage Services NC II	171. Table Napkins, Cloth, 16" x 16"	Type: Plain Cloth Body shape: Square Material: Oxford Polyester Cloth or its equivalent Size: L 16 inches x W 16 inches (minimum) Color: Plain White (Assorted Color) Packed in plastic pouch				

		The item must have good quality				
Food and Beverage Services NC II	172. Table Skirting Cloth 90"x90"	Type: Plain Cloth Body shape: Square Material: Oxford Polyester Cloth Color: Any Color except black Dimension: 90 inches x 90 inches (minimum) Packed in plastic pouch The item must have good quality				
Food and Beverage Services NC II	173. Table, Round (8's)	Type: Foldable Body shape: Round Material: High density polyethylene table top Powder coated steel frame (HDPE Plastic Finished Metal Steel Frame) Size: 154cm x 74cm x4.5cm (minimum) Good for 8 to 10-seater capacity Tube Size: 28 mm diameter x 1 mm thickness Packed in a carton box The item must have good quality Option 1: HDPE Plastic 8-10 sealers Size: 152x74x45cm				

		Option 1: Lond 8-12 sealers Size: 186x76cm				
Food and Beverage Services NC II	174. Table, Square/Rectangular (4's or 6's)	Type: Foldable Plastic Body shape: Square/Rectangle Material: High density polyethylene table top Powder coated steel frame Dimension: 37 - 39 x 37 - 39 inches Color: White Good for 4 persons Packed in carton box The item must have good quality Option 1: Rectangle HOPE Plastic 4's Size: 120x60cm (58-74cm) 47 x 23inch x 22-29inch 6's Size: 180x70x74cm 70 x 27 x 29inch Option 2: Square Lond Size: 91x76cm 36x30inch				
Food and Beverage Services NC II	175. Tea Pot, 2 Pints	Type: Porcelain Type Body shape: Round with handle and pouring spout Material: Porcelain				

		Capacity: (2 pint) Color: White Packed in carton box The item must be of good quality				
Food and Beverage Services NC II	176. Teaspoon	Type: Tea Spoon Body shape: Oval tip Material/Appearance: Stainless Steel, highly polished, w/ plain design Over-all Length: 120 mm to 140 mm Handle Thickness: 2 mm to 4 mm Short handle Length - 100 mm (minimum) Color: Silver Packed in plastic pouch The item must have good quality				
Food and Beverage Services NC II	177. Tong, 8 Inches	Type: Tong, 8 inches Body Shape: Standard Material: Stainless Steel Size: 8 inches Stainless-steel arms with soft, comfortable grips Nylon heads safe for nonstick cookware Heat-resistant up to 400 degrees Fahrenheit				

		<p>Tongs lock closed for storage</p> <p>Preferably with a packing case</p> <p>Food Grade and Dishwasher-safe</p> <p>Must be branded</p>				
Food and Beverage Services NC II	178. Tooth Pick Holder	<p>Type: Steel Type</p> <p>Body shape: Round</p> <p>Material: Stainless Steel, highly polished in appearance / Acrylic Plastic /</p> <p>Porcelain Diameter: 30 -35 mm diameter (minimum)</p> <p>Height: 65 -75 mm</p> <p>Capacity: 1.24 oz. (minimum)</p> <p>Packed in plastic pouch</p> <p>The item must have good quality</p>				
Food and Beverage Services NC II	179. Tray Stand	<p>Type: Foldable</p> <p>Body shape: Rectangular</p> <p>Material: Chrome Plated Metal folding tray stand /Stainless Steel</p> <p>Length: 470 -490 mm</p> <p>Width: 400 -440 mm</p> <p>Height: 770 -790 mm</p> <p>Packed in plastic pouch</p>				

		The item must have good quality				
Food and Beverage Services NC II	180. Tray, Bill Folders/ Change	Material: Heavy Duty Plastic (ABS) or its Equivalent Height: 190 - 220 mm Width: 120 -140 mm Thickness: 2 mm to 3 mm (minimum) Color: Black With Check and pen holder The item must have good quality Packed in plastic pouch				
Food and Beverage Services NC II	181. Tray, Round (Bar)	Type: Plastic Body shape: Round Material: (PE/ABS) Plastic rubberized surface, non-slip/grip tight Over-all Diameter: 345 -360 mm (minimum) Thickness: 2 - 4 mm (minimum) Color: Black Packed in plastic pouch The item must have good quality				
Food and Beverage Services NC II	182. Water Goblet	Type: Water Goblet Body shape: Balloon-shaped bowl				

		Material: Crystal Clear Glass Over-all Length: 200 -220 mm Capacity: 270 ml to 300 ml Rim diameter - 55 -65 mm Thickness: 1 mm to 3 mm Stem length: 75 -85 mm Stem diameter: 6 -8 mm Base thickness: 3 -4 mm Base diameter: 7 -80 mm Packed in carton box The item must have good quality				
Food and Beverage Services NC II	183. Water Pitcher	Type: Steel Type Body shape: Circular Material: Stainless Steel, highly polished appearance Height: 170 mm to 220 mm Top Diameter: 110 -120 mm (approximate) Capacity: 1 - 1.5 liter With pour spout Dishwasher safe Packed in plastic pouch				

		The item must have good quality				
Food and Beverage Services NC II	184. Calculator	<p>Type: Simple calculator, Non-scientific</p> <p>Body material: Hard plastic</p> <p>Minimum Size: 110mm Width x 140mm Long</p> <p>LCD display: at least font size is 8mm x 5mm</p> <p>With Dual power; Solar cell and battery</p> <p>With at least 8 digits display</p> <p>Includes spare battery</p> <p>Packed with protective carton box</p> <p>User's Manual in English which includes:</p> <ul style="list-style-type: none"> a. parts manual with labels, b. assembly instructions c. operating procedures on how to use the equipment, <p>Branded</p>				
Food and Beverage Services NC II	185. Cart, Bell Boy	<p>Type: Hotel luggage trolley</p> <p>Capacity: at least 450 kilograms</p> <p>Minimum dimensions: Length - 1000mm x Width - 600mm x Height - 1700mm</p> <p>Frame material: Stainless Steel Tubing</p> <p>Stainless Tube Diameter: at least 35mm Black Powder Coated Steel Platform</p>				

		<p>With carpeted surface and Rubber Bumper at the edge</p> <p>With 4 pieces x 200mm Diameter Black</p> <p>Pneumatic Swivel</p> <p>Wheels Packed with shipping carton box</p> <p>Branded</p>				
Food and Beverage Services NC II	186. Cash Register with Drawer	<p>Printer: Width: 57mm (minimum)</p> <p>Speed: 2 lines/sec (minimum)</p> <p>LCD Display Size: 5cm Width x 10cm Long(minimum)</p> <p>With drawer at least 4 bills and 5 coins compartments</p> <p>With drawer dimension at least 410mm Width x 450mm Depth</p> <p>Input Method: Numeric 10-key</p> <p>Interface with at least 2 ports</p> <p>Power Source: 220-240Volts AC, 50/60Hz;</p> <p>With AC/DC Adapter</p> <p>Can be Operated with battery</p> <p>Programmable</p> <p>User's Manual in English which includes:</p> <ul style="list-style-type: none"> a. parts manual with labels, b. assembly instructions c. operating procedures on how to use the equipment, 				

		Packed with carton box with Styrofoam protection				
Food and Beverage Services NC II	187. Credit Card Imprinter w/ compact light weight design	<p>Color: (White & Gray)</p> <p>With User's Manual in English which includes:</p> <ul style="list-style-type: none"> a. parts manual with labels, b. assembly instructions, c. operating procedures <p>- Color dye sublimation & monochrome thermal resin transfer technology</p> <p>- Sing side, edge to edge direct card printing</p> <p>- Manual Hand-fed for on-demand card personalization</p> <p>- Card size: CR80 (2.13" x 3.38") or 54mm x 86mm</p> <p>- card thickness: 30 mil (0.76 mm)</p> <p>- Card types: PVC & composite PVC cards, PET</p> <p>- Fast print speed of 150 cards per hour for full color single side, 600 cards per hour single sided for monochrome</p> <p>- Free IDesigner software</p> <p>- Auto ribbon search function</p> <p>- single sided only</p> <p>- optional magnetic stripes encoding</p>				

Food and Beverage Services NC II	188. Credit Card Voucher holder	<p>Material: Leather</p> <p>Dimensions:11 x 23 cm</p> <p>High Density Board</p> <p>Simple & High-end Fashionable rounded cover design internal strong magnetic attraction design</p> <p>Material is skin friendly & comfortable</p>				
Food and Beverage Services NC II	189. Detector, Fake Bills	<p>LED Display;</p> <p>LED Display Size: at least 5 cm Width x 10 cm Long;</p> <p>Hard plastic casing;</p> <p>Ultraviolet (UV) and Magnetic (MG) sensors;</p> <p>Power Source: Built in Rechargeable</p> <p>Battery,12V output and AC 100-240V Adapter;</p> <p>With complete detection;</p> <p>Accessories includes:</p> <p>Tough Plastic Carrying Case, Power Cord, Cleaning Brush, and Power Charger;</p> <p>User's Manual in English which includes:</p> <ul style="list-style-type: none"> a. parts manual with labels, b. assembly instructions, c. operating procedures on how to use the equipment 				

Food and Beverage Services NC II	190. Guest folio rack	Material: Hard plastic; Accommodates at least 50 room divider indexes; With divider boards with metal tabs; A4 size divider; With metal sidings				
Food and Beverage Services NC II	191. Hypercom	Memory: 1 MB RAM (Minimum) LCD Display; 160 x 80-pixel graphics (minimum) With Card Reader Magnetic stripe PIN pad port: 4-wire, RS485; With Peripheral Ports for PC connection; Electronic cash register or journal printer; With at least 2400bps modem; Support Synchronous (SDLC) and asynchronous, LAN operation; With PIN Encryption; With Thermal Printer at least 576 dots per line; Thermal Paper – 2 inches wide x 3 inches roll diameter (min.); Keypad: Membrane, 12 keys, water-resistant; Dimension: Length: 10 inches; Width: 5 inches;				

		<p>Height: 2 inches (minimum);</p> <p>Power: 220-250 Volts AC, 50/60 Hz; DC: 24 V, 1A;</p> <p>User's Manual in English which includes:</p> <ul style="list-style-type: none"> (a) parts manual with labels, (b) assembly instructions, (c) operating procedures on how to use the equipment; 				
Food and Beverage Services NC II	192. Key card marker with Verifier	<p>Set of Hotel Door Lock System with Management software;</p> <ul style="list-style-type: none"> a) 1 unit - Card Type Door Lock with Inductive distance at least 4cm b) 1 unit - Card Encoder Unit with 25 pieces Door Room Key Cards <p>Computer software system for Door Lock and making cards</p> <p>With complete accessories including the USB Type A cable interface to the computer</p> <p>User's Manual in English which includes:</p> <ul style="list-style-type: none"> a. parts manual with labels, b. assembly instructions c. operating procedures on how to use the equipment / online training <p>1 set lockset type door (left & right) w/ alkaline battery</p> <p>1 unit lockset rfid card encoder</p>				

		1 unit lockset date collector/handsim 25 pcs rfid key cards 2 pcs mechanical keys w/complete accessories				
Food and Beverage Services NC II	193. Key rack (Key card electric magnetic contractor set)	Rack material: wood (plastic) Number of Racks: Can accommodate at least 40 Key Cards Minimum rack size: 70mm Width x 110mm Height Depth of the rack at least 50mm Any color paint Type:Wall mounted rack Pack with shipping carton box				
Food and Beverage Services NC II	194. Safety deposit box/ drop vault	Material: Metal, powder coated, Solid steel door thickness: 4mm(minimum) Body thickness: 2mm(minimum) Minimum outer dimension: L: 30cm x H: 20cm x W: 20cm User's Manual in English which includes: a. parts manual with labels, b. assembly instructions, c. operating procedures on how to use the equipment, Branded				

		Under Counter Option 1: Manual 12mm door & 3mm body 30.5cm x 20.3cm x 26.2cm Option 2: digital L: 68.6 x H: 35.6 x W: 39.6 cm				
Food and Beverage Services NC II	195. Speaker, Lapel	Frequency at least 500MHz With audio input connector With operation range at least 50meters Receiver/70mA Earphone output level: 32ohm, 65mW Operates with energizer battery With minimum power consumption of transmitter at least 3V/70mA Receiver: 3V/70mA				
Hairdressing NC II	196. Body Brush, Prosthetic	Material: Stiff nylon Bristle Size: at least 41.8 cm x 6.5 cm (over-all size) Brush height: 8mm(minimum) With wooden handle				
Hairdressing NC II	197. Bowl, Mixing, plastic	Material: Plastic Inner Diameter: 10.5 cm (minimum)				

		Height: 6cm (minimum) Thickness is 2mm (minimum) Any Color Non-toxic				
Hairdressing NC II	198. Bowl, Shampoo / Professional Shampoo Bowl	Bowl material: ABS plastic H-Duty With Adjustable stand (Height: 39 inches to 54 inches) Minimum Bowl Dimensions: 19 inches(L) x 20 inches(W) x 10 inches(H); With Sealed foam rubber neck rest for shampoo bowls With Hose attachment of 7 ft. long(minimum) Stainless steel frame Portable type Packed with shipping carton box Branded				
Hairdressing NC II	199. Brush, Applicator	Material: Plastic Non-toxic Size: Small=190mm length Medium=270mm Large=300mm Handle width:70mm (minimum)				

		Width of tip: 80mm (minimum) With Hair Coloring Dyeing Board Packed with plastic pouch				
Hairdressing NC II	200. Brush, Hair	Material: Plastic Bristle Paddle brush type Wooden handle Minimum width: 2 inches Non-toxic Packed with protective carton box				
Hairdressing NC II	201. Cap, Frosting, with hook / Professional Frosting cap w/hook H. Duty	Cap material: Silicone Type: Reusable, perforated cap One size fits all or at least 31cm x 22cm With Pre-cut Tipping Guides With Bleed proof inner liner With a rounded metal hook to pull hair through the ready-made perforations Packed with plastic pouch				
Hairdressing NC II	202. Cap, Heating /Professional Heating H-Duty	Waterproof cloth material. Cordless type To fit an average size head (21-24 inches)				

		<p>Stretch up to 29 inches</p> <p>Unisex</p> <p>Hair care treatment styling</p> <p>Reversible and reusable,</p> <p>Non-toxic</p> <p>Includes with User's Guide in English that contains:</p> <ul style="list-style-type: none"> a. Diagram of the parts with their names b. Operating procedure on how to use the equipment c. Safety precaution when using the equipment d. Basic troubleshooting and maintenance procedure <p>Packed with protective carton box</p>				
Hairdressing NC II	203. Cape / Professional Cape	<p>Polyester cloth</p> <p>Size: at least 125 cm x 140 cm</p> <p>Hairstyling type</p> <p>Non-toxic</p> <p>Packed with plastic pouch</p>				
Hairdressing NC II	204. Chair, High / Professional High Chair H-Duty	<p>Bar stool material: metal, painted with anti-rust</p> <p>Width of the chair :15 inches minimum</p> <p>Height :33 inches (minimum)</p> <p>Synthetic Leather seat material</p>				

		<p>Barstool crown back type</p> <p>With rubber ring of barstool for anti-skidding</p>				
Hairdressing NC II	205. Chair, Hydraulic Professional H-Duty	<p>Material: Metal base</p> <p>Size: Length59 cm, width54 cm, height from 51-78cm</p> <p>Hydraulic pump can be up and down by pedaling</p> <p>Load capacity:180kg Hydraulic styling chair type</p> <p>Heavy duty hydraulic pump for height adjustable and 360' rotation</p> <p>Hydraulic Pump Build in for Adjusting the Seating Height.</p> <p>With foot rest</p> <p>Lockable hydraulic pump for safety feature</p> <p>With User's Manual in English which includes:</p> <ul style="list-style-type: none"> a. parts manual with labels, b. assembly instructions, c. operating procedures, <p>Packed with transport protective carton box</p>				
Hairdressing NC II	206. Clamp Clamp Salm Clamp	<p>Material: Plastic</p> <p>Overall length: 9.5cm</p> <p>Thickness:10mm(minimum)</p> <p>Hairstyling clamp type</p>				

Hairdressing NC II	207. Clamp, Duck bill	Material: Metal Length: 11 cm (minimum) High elasticity stainless steel spring. Non-slip handle Packed with plastic pouch Branded				
Hairdressing NC II	208. Clipper, Hair (Professional H-Duty)	Body material: Hard Plastic Blade material: Carbon Steel Capacity:6 watts (minimum) Complete with blade guard and 4 comb attachments (#1, #2, #3, #4) Motor: Magnetic type, Corded,12V AC/DC adaptor Delivers 1,400 Strokes per Minute, With complete accessories including the cleaning brush With cord 2 meters length minimum With User's Manual in English which includes: a. parts manual with labels, b. assembly instructions, c. operating procedures, Packed with protective carton box Branded				

Hairdressing NC II	209. Comb, Afro	Material: Plastic Size: Overall length at least 7 inches Width: 3.25 inches(minimum) Number of teeth: 12 teeth (minimum); Teeth height: 2.5 inches long (minimum) Non-toxic Packed with plastic pouch				
Hairdressing NC II	210. Comb, All Purpose (Professional Set)	Material: Plastic Size#3 or at least 18 cm long (minimum) Has both fine and medium teeth position on one side only Height of the teeth: 2 cm (minimum) Non-toxic Packed with plastic pouch set of 10 pack				
Hairdressing NC II	211. Comb, Haircutting	Material: Hard plastic Length including the handle:180mm (minimum) Width: 30mm (minimum) With detachable steel blades and blade holder With two sides for different cuts With extra blades				

		Packed with protective carton box				
Hairdressing NC II	212. Comb, Large Toothed	Material: Plastic Size: at least 15 cm Number of teeth: 10 teeth (minimum) Gap between Comb's teeth: 0.4 to 0.5 cm gap from one another Teeth size: at least 0.3 cm in width x 4cm in length Non-toxic Packed with plastic pouch				
Hairdressing NC II	213. Comb, Tail	Material: Plastic Size: 8 inches(L)minimum x 1 inches (W) minimum Tail length: 4 inches(minimum) Tooth length: 3/4 inch(minimum) Packed with plastic pouch				
Hairdressing NC II	214. Comb, Teasing	Material: Plastic With 2 rows of teeth 1st row: Large teeth with at least 25 mm long 2nd row: Small Teeth with at least 19 mm long Over-all Comb Size: 20 cm (L) minimum x 3.8 cm (W) minimum Non-toxic				

		Packed with plastic pouch				
Hairdressing NC II	215. Comb, Wide tooth	Material: Plastic Size: at least 15 cm Number of teeth: 10 teeth (minimum) Gap between Comb's teeth: 0.4 to 0.5 cm gap from one another Teeth size: at least 0.3 cm in width x 4cm in length				
Hairdressing NC II	216. Crimpers (Professional H-Duty)	Power: 25 watts(minimum) Size: at least 38 cm x 15.5 cm x 9 cm Maximum temperature: 200 degrees Centigrade With variable heat setting. With On/off switch button Rated voltage: 110 -230Volts AC with power cord With plastic handle				
Hairdressing NC II	217. Curling Iron (Professional H-Duty)	Ceramic Curling iron Capacity: 65watts Voltage: 210-240Volts AC with power cord Barrel size: 1 inch (minimum) Adjustable heat setting with maximum temperature of 200 degrees Centigrade Swivel cord up to 360-degree Cylindrical shape Plastic handle for safety purpose Packed with protective carton box Branded				

Hairdressing NC II	218. Drip Pan (H-Duty)	Material: Hard plastic Size: at least 17.5 x 25.8 x 1 inches Thickness: 1/8 inch (minimum) Shallow rectangular type Packed with carton box				
Hairdressing NC II	219. Dryer, Hair (Professional H-Duty)	Power: 1000W Rated Voltage: 220VAC At least (L x W x H): 18.5cm x 16cm x 6.5cm With plastic handle design Packed with carton box with Styrofoam holder With User's Manual in English which includes: a. parts manual with labels, b. assembly instructions, c. operating procedures, Branded				
Hairdressing NC II	220. Gloves, Disposable (For Hair Color)	Material: Plastic Size: at least 25cm x 23cm Packaging is 100 pcs per box Color: Black				
Hairdressing NC II	221. Gloves, Rubber	Size: Medium / Small / Large Thickness: 4 mil Acid resistant Packed with plastic pouch in pairs.				
Hairdressing NC II	222. Gown, Smock	Material: Polyester Sizes: 1 piece = Small size, at least (50 inches x 56 inches); 1 piece= Medium size, at least (52 inches x 58 inches); 1 piece= Large size, at least (54 inches x 60 inches); Packed with plastic pouch per size				
Hairdressing NC II	223. Hairclips Metal Curl Clips	Material: metal Size: at least 67mm x 19mm Non-corrosive Packed with plastic pouch 12pcs / Backed				
Hairdressing NC II	224. Hairnet, Invisible Per Pack 12pcs	Material: Nylon Size: 55mm (minimum) Stretchable and unisex type Color: Black Non-toxic Packed with plastic pouch				

Hairdressing NC II	225. Hairpin	Material: metal Size: at least 3.5 x 4.5 x 0.5 inches With ball tips Packaging: 100 pcs per box Color: Black Non-corrosive				
Hairdressing NC II	226. Headband	Size: 6 inches (minimum) Woven crochet tube top headband Very stretchy, Soft material, comfortable and breathable				
Hairdressing NC II	227. Headband, Flannel	Flannel Cloth Size: at least 45 cm (Unstretched Circumference) Width: 8 cm (minimum)				
Hairdressing NC II	228. Infrared Iron (Professional H. Duty)	Material: Ionic ceramic tourmaline-infused plates and ABS Plastic body Power: 70 watts (minimum) Power Rating: 220-240 Volts AC; Over-all Size: 24 cm long (minimum) Heating plate size up to 50 mm Heating time: within 30 seconds; Variable Heat settings: From 250 to 450 Degrees Fahrenheit With digital temperature control Safety Mode: Auto shut off after 60 minutes; With swivel cord Comes with storage pouch Branded				
Hairdressing NC II	229. Mirror, Hand (Professional H-Duty)	Mirror size 15 cm diameter (minimum) Frame thickness including mirror glass: 6.5mm(minimum) Over-all length with the handle is 20 cm (minimum) Clear Mirror with no distortion Frame and handle are made of plastic Plane mirror type Packed with carton box with Styrofoam protection				

Hairdressing NC II	230. Mirror, Modular Professional White Body Modular Mirror H. Duty	Mirror type: plain mirror Mirror Material: Glass Frame material: Aluminum (cut to fit) Dimensions (H x W): 120x70cm (minimum) Mirror thickness: 6mm (minimum) Smooth surface, no sharp edges and cracks Packed with protective carton box				
Hairdressing NC II	231. Prong Clip, double	Material: steel Nickel or chrome base plated Size: 45 mm minimum Hairstyling clip type Packed with plastic handle				
Hairdressing NC II	232. Prong clip, Single	Material: steel, plated Size: 55 mm (minimum) Type: Single-prong Clip Packed with plastic pouch				
Hairdressing NC II	233. Razor, straight (Manual Professional H-Duty)	Blade material: High carbon steel Type: Foldable Straight Razor, replaceable blade; Dimensions (LxW): 14 cm x 2 cm (minimum) when folded; Compatible with double-edged razor blades; Package includes 10 pieces blade/box Non-corrosive Branded				
Hairdressing NC II	234. Roller pins (Set)	Material: Metal Size: 60mm long (minimum) Application: Hair roller pins Quantity by dozen (12 pieces) Non-corrosive Packed with plastic pouch				
Hairdressing NC II	235. Rollers, Large Sized (Set)	Material: Plastic Size: at least 40mm Diameter x 60mm Long Hairstyling type Packed with plastic pouch				

Hairdressing NC II	236. Rollers, Medium sized (Set)	Material: Plastic; Diameter: 38 mm(minimum) Length: 58mm (minimum) Hairstyling type Packed with plastic pouch				
Hairdressing NC II	237. Rollers, Jumbo (Set)	Material: Plastic approximately 44mm in Diameter x 64mm long				
Hairdressing NC II	238. Scissor, Cutting (Professional H-Duty)	Material: Stainless steel Total Length: 17cm (minimum) Blade width at least 10 cm Non-corrosive Packed with plastic pouch Branded				
Hairdressing NC II	239. Scissor, Thinning (Professional H-Duty)	Blade material: High carbon steel Blade Length at least 6cm With straight blade type Style: Right handed scissor Total Length at least 17cm One side comb cutter Non-corrosive Packed with plastic pouch Branded				
Hairdressing NC II	240. Scoop	Material: Plastic Capacity:1/2 cup (minimum) Rounded edges with handle Thickness: 1.5 mm (minimum)				
Hairdressing NC II	241. Shower Cap	Material: Plastic Size: one size fits all or 30cm Reusable and Waterproof Packed with plastic pouch				
Hairdressing NC II	242. Spatula	Material: Plastic Dimension: Over-all length of 7.5 cm long, x 1.5 cm wide (minimum) Application: Hair waxing removal Packed with plastic pouch				

Hairdressing NC II	243. Spray Bottle	Material: Transparent Plastic Capacity: 300ml (minimum) Trigger type Sprayer Dimension: at least Diameter of Bottom is 7 cm and the height is 17cm				
Hairdressing NC II	244. Steamer, Hair (Professional H-Duty)	Power 450 watts (minimum) Rating is 220 Volts/50-60Hz Hood material: Polycarbonate Hood has at least 30 cm diameter opening x 25 cm deep Timer setting is up to 60 minutes With at least 32-ounce water reservoir Adjustable height from 100 to 150cm With at least 5 swivel casters With User's Manual in English which includes: a. parts manual with labels, b. assembly instructions, c. operating procedures, Branded				
Hairdressing NC II	245. Stool (Professional Stool Chair H-Duty)	Material: Metal, electroplated Load capacity: 150kg Design: Swivel stool with backrest With Hydraulic lift to adjust height freely. With Thick sponge cushion. With at least four caster wheels. With Thick sponge cushion. Swivel stool with backrest No sharp edges Branded				
Housekeeping NC II	246. Alarm Clock	Alarm clock, digital, Overall Dimensions: 13.5 x 8 x 4.5 cm (approx.) Material: Plastic (PE/ABS) Illuminated LCD Digital Display: Time (12/24), calendar (MM/DD), temperature, alarm status (ON/OFF), snooze Display Size: 10 x 5 cm (minimum), time can be read 30 ft day time. Runs on AAA battery which come together with the item Smooth surface, no sharp edges, Includes User's manual which contains operation procedure, name of parts, safety precautions, trouble shooting.				

Housekeeping NC II	247. Apron, polyester-cotton	Bib Apron, sleeveless adjustable neck loop Material: Polyester - Cotton Fabric Dimension: 70 to 60 cm (minimum) With 2 or 3 pockets Uni-color, dark No sharp edges and loose threads				
Housekeeping NC II	248. Baskets, Laundry	3 - bag Laundry Sorter, with Stand Bag: Polyester, Rectangular shape, detachable Metal Frame H. Duty Bag Dimensions: Rectangular 22 x 15 x 8 inch (minimum) Frame Material: Corrosion resistant Steel, sturdy no wobble Frame Overall Dimensions: Rectangular, 31 x 30 x15 inch (minimum) With four casters, 2-inch diameter (minimum) Smooth surface, no sharp edges				
Housekeeping NC II	249. Bed, Queen (set)	Bed Set, Queen Size (60 x 75 inch) rectangular 1) Frame: Knock-down type, all steel, powder coated including Head board, Bare weight: 20 kg (minimum) No wobble and noise 4 inches 2) Comes with fabric covered foam 4 inches thick Foam Density: 29 -33 kg/cu.m. 3) No sharp edges				
Housekeeping NC II	250. Bed, Single (Set H-Duty)	Bed, Single Size (W36 x L75 inch) rectangular 1) Frame: Knock-down type, all steel, powder coated including Head board, Bare weight: 13 kg (minimum) No wobble and noise 2) Comes with fabric covered foam 6 inches thick Foam Density: 29 -33 kg/cu.m. 3) No sharp edges				

Housekeeping NC II	251. Board, Ironing (H-Duty)	Type: Foldable Type Ironing Board Body Shape: Standard Material: 25 Mm Tubing Approx., 0.8 Mm Thickness Board Size: 32 Inches (Minimum) Body Size: 120 Cm X 30 Cm X 5 Cm Color: Any Comes with Box No Sharp Edges				
Housekeeping NC II	252. Boots, Safety, Plastic (H.Duty)	Upper material: Elastic PVC Sizes: 7 inches - 5pcs 8 inches - 5pcs 9 inches - 5pcs 10 inches - 5pcs 11 inches - 5pcs Height: 13 to 14 inches Plain toe Type of boots: Unisex rain boots with rugged tractor lug outsole Packed with carton box per size				
Housekeeping NC II	253. Brush, for Housekeeping (H. Duty)	Brush, floor scrubbing, angled long handle Bristle Material: Plastic, stiff Handle Material: metal tubular corrosion resistant, Overall Length: 120 cm. (minimum) Bristle Length: 5 cm (=/- 1cm) Scrubbing Surface: 25 x 6 cm (+/- 1 cm) No sharp edges				
Housekeeping NC II	254. Buckets, Water	Water bucket Bucket Material: Hard Plastic, round body Capacity: 10 to 12 Liters Handle Material: Steel Smooth and glossy surface, no sharp edges				
Housekeeping NC II	255. Caddy, Toilet (H. Duty)	Carrying caddy for toilet cleaning supplies Holds spray bottles and other cleaning supplies, No. of Compartments: 3 (minimum) Material: Plastic Tray Depth: 11 cm (approx.) Overall Dimension: 36 x 26 cm (approx.) Smooth surface, no sharp edges				

Housekeeping NC II	256. Carpet Sweeper (H. Duty)	<p>Carpet sweeper, cordless electric</p> <p>Motorized single brush roll (removable)</p> <p>Body Material: Hard plastic, (ABS) or its equivalent, any color</p> <p>Equipped with Rechargeable Battery (16 minutes run time on carpet), removable dirt box</p> <p>Sweep Width: 8 inches (minimum)</p> <p>Capacity (volume): 0.35 Lit.(minimum)</p> <p>Handle: Metal, Powder- Coated,</p> <p>With plastic/rubber grip, Swivel Steering</p> <p>Assembled Height: 44 inches (minimum)</p> <p>Comes with Battery Charger 220/240VAC, 50/60Hz with plug to adapt Type A outlet (or providing 3A minimum plug adapter is an option)</p> <p>No sharp edges</p> <p>Includes User's Manual which contains operation procedure, name of parts, safety precautions, trouble shooting.</p>				
Housekeeping NC II	257. Cart, for Housekeeping NC II (H. Duty)	<p>Housekeeping Cart trolley</p> <p>Equipped with Three-shelves with steel/laminated panels single door, top layer with divider, bag holder, and 4 wheels</p> <p>Cart Frame: steel, powder coated</p> <p>Wheels: 2non-swivel 2 swivel, 6-inch diameter, non-markings</p> <p>Overall Dimensions: rectangular 90 x 48 x 1010 cm (minimum)</p> <p>Comes with accessory linen bag</p> <p>Smooth surface, No sharp edges</p>				
Housekeeping NC II	258. Caution Sign	<p>Caution Sign, A shape-2 panel self-standing, with D-handle, collapsible for easy storage</p> <p>Material: High impact plastic,</p> <p>Panel Dimension: Rectangular (LxW) 55-65 cm x 25 x 61 0m (minimum),</p> <p>Panel Depth: 2 cm (minimum)</p> <p>Color: Yellow</p> <p>Print Description: "CAUTION: WET FLOOR" on one side "CLEANING IN PROGRESS on the other side, both messages provided with graphics printed in black.</p> <p>Font Size: 100 -120 mm x 50 -70 mm,</p> <p>Arial Smooth surface,</p> <p>no sharp edges</p>				

Housekeeping NC II	259. Cleaning Cloths, Lint-Free	Lint Free Cleaning Cloths Material: Cotton Dimensions: Rectangular 16 x 26 inch				
Housekeeping NC II	260. Coffee maker (H-Duty)	Coffee Maker, electric Material: metal, plastic, glass Capacity: 6 cups (minimum) Detachable Tank, with Water Level Indicator Non-Stick Warming Plate: Removable and Washable Filter Non-Drip Valve: Lighted ON/OFF Switch Power Supply: 220 V -240 V AC 50/60 Hz , 500W minimum Comes with a heat resistant glass pitcher With a 1-meter (minimum) power cord, molded male plug to adapt Type A outlet (or providing 5A minimum plug adapter is an option) Smooth surface, no sharp edges With DTI-BPS certification, Brand and electrical ratings clearly and permanently mark on the item Comes with English manual that contains: users guide, list of parts, maintenance guide, safety guide. 1-year warranty parts and service With Service centers located in major cities in the Philippines.				
Housekeeping NC II	261. Dust Pan (H-Duty)	Dust Pan, upright standing Material: Plastic Overall Length: 65 cm (minimum) Pan: Round back, 24 x 26 x 9 cm (minimum) Smooth surface, no sharp edges				
Housekeeping NC II	262. Duster, Anti-static	Anti-static Duster Duster Material: Polypropylene Micro Fiber Duster: Length: 30 cm (minimum), Overall Length: 50 cm (minimum) Handle Material: Hard Plastic, no sharp edges				

Housekeeping NC II	263. Fan, Electric (H-Duty)	<p>Stand fan, electric Material: Metal, plastic Size/Diameter: 18 inches Power rating: 70 watts (minimum), 220 / 240 VAC, 50 / 60 Hz, Single Phase Rotation Angle: 90 degrees Base: Stable, 16 inches diameter (approx.) Removable metal guard on front and rear 3-speed settings Comes with 1.5 meters power cord and with molded male plug to adapt Type A outlet (or providing 3A minimum plug adapter is an option) Smooth surface, no sharp edges Includes User's Manual in English which contains:</p> <ol style="list-style-type: none"> A Diagram of the Parts with their Names, Operating Procedures on how to use the Equipment, Safety Precautions when using the Equipment, Basic Troubleshooting and Maintenance <p>Procedures With DTI-BPS certification, Brand and electrical ratings clearly and permanently mark on the item 1-year warranty parts and service</p>				
Housekeeping NC II	264. Fire Extinguisher (with contents)	<p>For Type A, B, C Fire: Dry Chemicals (Monoammonium Phosphate) Portable type Capacity: 5 - 6 kgs Rechargeable Cylinder Metal Working pressure of Cylinder: 400 psi Brass Valve with Pressure Gage With Rubberized Hose and Aluminum Nozzle Attached With Squeeze lever to discharge and safety pin Painted with Metal Primer and Red Enamel Paint Includes with User's Guide in English that contains:</p> <ol style="list-style-type: none"> Operating procedure on how to use the equipment Safety precaution when using the equipment <p>1-year warranty parts and service The item must be branded and have good quality</p>				

Housekeeping NC II	265. Flashlight (H-Duty)	Flashlight LED 1,000 Lumens (minimum), Color: White, Battery: Rechargeable, at least 3,500 mAh, Can be used also with 3 x AAA batteries; Body: Aluminum Alloy, no sharp edges Dimensions: 5 inches x 1-inch diameter (minimum) Operating Duration of Battery when fully Charged: at least 2 hours; Includes 220/240VAC, 50/60Hz Power Adapter /Charger and User's Manual in English which includes: a. A Diagram of the Parts with their Names, b. Operating Procedures on how to use the Equipment, c. Safety Precautions when using the Equipment, d. Basic Troubleshooting and Maintenance Procedures Branded, With 1-year Warranty				
Housekeeping NC II	266. Flat Iron (H-Duty)	Clothes Flat iron, electric Material: Metal /plastic body, Heat-Resistant Plastic Handle, Aluminum sole Overall Dimension: (L x W x H) 25 cm x 12 cm x 12 cm (minimum) Power rating: 220/240 VAC, 50/60 Hz; 1000 Watts (minimum) Equipped with Light Indicator, variable temperature control, Overheat Protection, Power Cord and plug to adapt Type A outlet (or providing 10A plug adapter is an option) Smooth surface, no sharp edges, Comes with English Manual that Contains: Users Guide, List of Parts, Maintenance Guide, Safety Guide. The item must be branded, with DTI-BPS certification 1-year Warranty Parts and Service With Service Centers Located in major Cities in the Philippines.				
Housekeeping NC II	267. Scrubbing Pad	Material: Cellulose and a Scouring Pad on one Side Dimension: Length: 140 - 180 mm; Width: 80 - 100 mm; Thickness: 12 - 20 mm The item must be of good quality				

Housekeeping NC II	268. Garbage Receptacles H-Duty	Bucket / Tub Material: Hard Plastic, (PS) Polystyrene Bucket / Tub Color: Any Color Capacity (gallons): 3 gal. (minimum) comes with a cover The item must have good quality				
Housekeeping NC II	269. Gloves, rubber H-Duty	Heavy-duty Latex-free vinyl rubber gloves Thickness: 4 mil Color: Any Color Size: Medium Other features: Acid/solvent resistant. The item must be of good quality				
Housekeeping NC II	270. Goggles, Safety	Safety goggles, Clear Polycarbonate - one-piece lens with 180° panoramic view, non-fog Size/Dimension: L 17 - 18.5 cm x W 8 cm x D 5-7.5 cm High impact resistant, ANSI "Z87" compliant Firm and comfortable seal around forehead, cheeks, nose and temples protects against splash, chemicals, dust Adjustable head strap Shall bear mark Z87 embossed or engraved or etched on the item. Smooth surface, no sharp edges				
Housekeeping NC II	271. Hairdryer (Professional H-Duty)	Electric hairdryer, with concentrator nozzle Two heat setting and 1 speed (minimum) Rating: 220/240 VAC, 1200 W (minimum) Body Length including nozzle: 20 cm Folding handle design, with hanging ring Smooth surface, no sharp edges Branded, Brand name and electric rating permanently mark on the item, with DTI-BPS certification With user's manual written in English that contains operating procedure, parts with description, safety procedure, and maintenance. With Service centers located in major cities in the Philippines. 1-year warranty (parts & service)				
Housekeeping NC II	272. Hose, Water (H-Duty)	Water hose Material: PVC fiber reinforced, three (3) layers; Any color; Hose Length: 50 feet; Hose Diameter: 5/8 inches; Pressure capacity: 200 pounds per square inch (minimum);				

		Fitted with male and female brass couplers (NH, 11.5 TPI) for spray nozzle No sharp edges				
Housekeeping NC II	273. Kettle, Electric (H-Duty)	Electric kettle cordless (with pouring spout), hinged lid, detachable from and can rotate on its corded base Material: Round Stainless body, plastic handle, lid and base Capacity: 1.5 to 2-liter Automatic Shut - Off, with power indicator light Power rating: 220//240VAC, 50/60Hz, 1000 -1600 Watts Base with a 50 cm (minimum) power cord, molded male plug to adapt Type A outlet (or providing 10A plug adapter is an option) Smooth surface, no sharp edges; DTI-BPS certified Comes with English manual that contains: operation procedure, maintenance and safety guide. The item must be branded, Brand name and electrical ratings permanently mark on the item.				
Housekeeping NC II	274. Laundry Sorter	3 - bag Laundry Sorter, with stand Bag: Polyester, Rectangular shape, detachable from frame with metal handle H. Duty Bag Dimensions: Rectangular 22 x 15 x 8 inch (minimum) Frame Material: Corrosion resistant Steel, sturdy no wobble Frame Overall Dimensions: Rectangular, 31 x 30 x15 inch (minimum) With Metal Stand Smooth surface, no sharp edges				
Housekeeping NC II	275. Light, Emergency (H-Duty)	Emergency light, 2 heads LED Materials: metal, anti-rust coated Duration Time (2 heads): 5 hours (minimum) Automatically Light Up during Power Outage Overcharge and Over- discharge Protection Built - In AC Charger, power cord plugs to adapt Type A outlet (or providing 5A minimum plug adapter is an option) Battery Test Switch - External Safety Fuse Head: White LED 1W (minimum) 3.5 " Dome Reflector Power rating: 220 -240 VAC, 50/60 Hz 20-24 Hours Charge Time Dimensions: Rectangular 27 x 7 x 27 cm (approx.) Smooth surface, no sharp edges				

		<p>Includes User's Manual in English which contains:</p> <ul style="list-style-type: none"> a. A Diagram of the Parts with their Names, b. Operating Procedures on how to use the Equipment, c. Safety Precautions when using the Equipment, d. Basic Troubleshooting and Maintenance Procedures <p>The item must be branded, Brand name and electrical ratings permanently mark on the item.</p>				
Housekeeping NC II	276. Mirror	<p>Wall mirror with frame Flat Glass mirror, 2 mm thick (minimum), Clear with no distortion Frame: Wood or Plastic commercial finish Rectangular shape, 3600 sq.cm (minimum) Includes mounting accessories Smooth surface, no sharp edges</p>				
Housekeeping NC II	277. Mop (Set)	<p>Mop, handle and mop head set, refillable head Handle: Aluminum or anti-rust coated steel, with hard/stiff plastic mop head holder, clip type with tightening knob Overall Handle Dimension: 130 x 19 cm (minimum) Mop head: Cotton thread/yarn, sewn tailband, L 34 x 16 x 4 cm (minimum), White Handle: Plated Steel Tube or Wood, Length: 40 (minimum), No sharp edges</p>				

Housekeeping NC II	278. Polisher, Floor, Electric, With Accessories	<p>Electric floor polisher with accessories Material: Stainless steel, Aluminum Alloy Handle: Stainless tube, adjustable height 1 meter long (approximate), With Dual Switch Lever Size/Capacity :13-inch (minimum) diameter Power Supply: 220/240 VAC, 50/60 Hz. Power: 1/3 Hp (minimum) Rotation Speed: 160 rpm (minimum) Heavy duty (Royal) Power Cord Length: 12 meters (minimum) with Type A plug (or providing 10A plug adapter is an option) With pair of Rubber Wheels, Smooth surface, no sharp edges Comes with pad holder, 2 pcs - polishing brush and 3 pcs - floor polishing pads Includes User's Manual in English which contains:</p> <ol style="list-style-type: none"> A Diagram of the Parts with their Names, Operating Procedures on how to use the Equipment, Safety Precautions when using the Equipment, Basic Troubleshooting and Maintenance Procedures <p>Branded, Brand name and electric rating permanently mark on the item, With 1-year Warranty Parts and Service The offered brand of the item must be an international brand with at least 5 years presence at the local market and global presence in the USA, Europe or in Japan market.</p>				
Housekeeping NC II	279. Shelving H-Duty	<p>Shelving, open, knockdown type, adjustable shelves Metal Powder Coated frame Number of Shelves: 5 Overall Dimensions: 85 x 30 x 180 cm(minimum) Sturdy connection, No wobble Smooth surface, no sharp edges</p>				
Housekeeping NC II	280. Sponges, Dish	<p>Dish Sponge, cellulose, non-scratch Dimensions: 5 x 3 x 1 inch (minimum) Branded</p>				

Housekeeping NC II	281. Spray Gun, Water High Pressure Water	Barber/Salon Spray Gun w/complete Access Material: HDPE Transparent Plastic Capacity: 300 ml.(minimum) Trigger type Sprayer Dimension: Diameter :7 cm. x Height: 16.3 cm (minimum) Rotating nozzle to adjust spray patterns Smooth surface, no sharp edges Must be branded				
Housekeeping NC II	282. Squeegee (H. Duty)	Squeegee, short handle Head/Blade Material: stainless, rubber Handle: plastic or stainless steel Blade Length: 25 - 30 cm Overall length (handle and head) 20 - 32 cm No sharp edges				
Housekeeping NC II	283. Squeezer, Mop (H. Duty)	Mop bucket with squeezer/wringer and wheels Hand lever to squeeze, made of metal, with hand grip Material: Hard Plastic, (PS) Polystyrene or its equivalent Capacity: 30 L (minimum) Overall Dimension (excluding handle: (L x W x H) 40 x 27 x 57 cm (minimum) Color: Yellow With 3 inches non-marking rubber casters "CAUTION" printed in black on both sides of the mop bucket Smooth surface, no sharp edges				
Housekeeping NC II	284. Step Ladder (H. Duty)	Material: aluminum U channel Capacity: 250 lbs. (minimum) Type: Platform type Number of steps: 6 (including top step) Reach height: 6 to 8 Feet(minimum) Width: 15 inches minimum Spread: 4 feet (minimum) Twin steps with gripped treads to prevent slipping Step braces on top and bottom step Heavy duty aluminum foot bracket with slip-resistant foot pad With User's Manual in English which includes: a. parts manual with labels, b. assembly instructions, Branded				

Housekeeping NC II	285. Vacuum Cleaner, Dry and Wet (H. Duty)	<p>Electric vacuum cleaner, wet and dry function, sucks even screws, with 4 swivel caster wheels</p> <p>Material: Hard Plastic, (ABS) or rust proof body equivalent</p> <p>Power Supply: 220/240VAC, 50/60Hz, 1000 Watts (minimum)</p> <p>Auto shut off</p> <p>Tank Capacity: 20 Liters (minimum)</p> <p>Equipped with complete accessories i.e., detachable Vacuum Hose assembly (flexible non-kink), extension tubes/wands, carpet (long square) brush nozzle, wet and dry floor brush nozzle, crevice nozzle, HEPA filter, sponge filter/washable cloth bag.</p> <p>Comes with 4 meters (minimum) heavy duty (royal) power cord, molded male plug to adapt Type A outlet (or providing 10A plug adapter is an option)</p> <p>Smooth surface, no sharp edges</p> <p>With user's manual written in English that contains operating procedure, parts with description, safety procedure, and maintenance.</p> <p>The item must be branded, Brand name and electric rating permanently mark on the item. 1-year warranty parts and service</p> <p>With Service centers located in major cities in the Philippines.</p> <p>The offered brand of the item must be an international brand with at least 5 years presence at the local market and global presence in the USA, Europe or in Japan market.</p>				
Housekeeping NC II	286. Washer, Laundry (H. Duty)	<p>Front Load Electric Washer, laundry</p> <p>Electronic control, digital indicator display, transparent glass door</p> <p>Body Material: steel, powder coated, Any Color</p> <p>Dimensions (WxDxH): 590 mm (minimum) x 490 mm (minimum) x 820 mm (minimum)</p> <p>Drum Material: Stainless Steel</p> <p>Capacity: 8 kg (minimum)</p> <p>Spin Speed: 1200 rpm (minimum)</p> <p>Power rating: 220 /240VAC, 50/60 Hz.</p> <p>Comes with a 1 meter (minimum) heavy duty power cord with male plug to adapt Type A outlet (or providing 20A plug adapter is an option)</p> <p>Smooth surface, no sharp edges</p> <p>With DTI-BPS certification, Brand and electrical ratings clearly and permanently mark on the item</p>				

		<p>Includes User's Manual in English which contains:</p> <ul style="list-style-type: none"> a. A Diagram of the Parts with their Names, b. Operating Procedures on how to use the Equipment, c. Safety Precautions when using the Equipment, d. Basic Troubleshooting and Maintenance Procedures <p>The item must be branded, DTI-BPS certified, 1-year warranty parts and service</p> <p>With Service centers located in major cities in the Philippines.</p> <p>The offered brand of the item must be an international brand with at least 5 years presence at the local market and global presence in the USA, Europe or in Japan market.</p>				
Housekeeping NC II	287. White board w/stand	<p>White board, floor standing, rolling</p> <p>Board: White Formica Laminated, plane will not deform.</p> <p>Board Size: Rectangular 1800mm W x 1000 to 1200mm H,</p> <p>Board Edges secured with Aluminum Clip Edging 17 mm (minimum) with plastic corner caps</p> <p>Comes with Metal Tray for Marker and Eraser</p> <p>The stand and frame are constructed with Aluminum or powder coated steel 25mm square tube (minimum), sturdy, no wobble</p> <p>With 4 lockable hard plastic caster wheels</p> <p>Overall Height from floor: 210 to 214cm</p> <p>Smooth surface, no sharp edges</p>				
Local Guiding Services NC II	288. First Aid kit	<p>Type: Emergency case;</p> <p>Contents: First Aid Quick Reference Guide, 1pc;</p> <p>Sterize Gauge Swab (4 x4 x12 ply) 100 pcs/pack, 1 pack;</p> <p>Adhesive strips/Band -Aid, 50 pcs/pack, 2 packs;</p> <p>Gloves, disposable, medium size, 2 pairs;</p> <p>Hypo Allergenic adhesive tape, 5cm x 5cm, 2 rolls;</p> <p>Triangular bandage/arm sling, min 90cm x 90cmx 120cm, 2pcs;</p> <p>Safety pins, 1 1/4 inches, (12 pcs), 1 3/4 inches (12 pcs);</p> <p>Stainless steel bandage scissors, 2pcs;</p> <p>Betadine, 60ml, 2 -3 years expiration, 2 bottles;</p> <p>Dust mask, 2pcs;</p> <p>Hand towels or face towels, white color, 6 pcs;</p> <p>Gauze bandage, minimum 5cm x 4cm, 2 rolls;</p> <p>Antiseptic handwash/germicidal soap, 60 gms, 2pcs;</p> <p>Torniquet, 2 pcs;</p> <p>Spirit of ammonia, 30ml, 2-3 years expiration, 1 bottle;</p> <p>Burn cream ointment, 20g to 30g, 2- 3years expiration, 1 tube;</p> <p>Medical tweezers min. 8cm, plastic, 2pcs;</p>				

		Plastic bags, resealable, minimum of 24pcs, 100mm x 180mm, 24pcs, 150mm x 230mm Cotton balls, 50 balls in a sealed package, 2 packs Hot and Cold pack, reusable, 1 pack Water resistant and sturdy case w/ handle that can accommodate all the listed items.				
Local Guiding Services NC II	289. Megaphone (H. Duty)	Battery operated (4 pcs - Size D battery) With Built-in siren Power output: 20-Watts (minimum) Range: 700 meters (minimum) With hand grip and carrying strap Branded With User's manual that contains the specification, list of parts, instruction guide, troubleshooting, safety instruction.				
Local Guiding Services NC II	290. Whistle	Anodized Aluminum; Size: Length - 6.5cm x 3cm diameter; Handy and Lightweight; Loud whistle can be heard for far distance of 100 meters; With Key ring for attachment				
Local Guiding Services NC II	291. White board W/stand	White board, floor standing, rolling Board: White Formica Laminated, plane will not deform. Board Size: Rectangular 1800mm W x 1000 to 1200mm H, Board Edges secured with Aluminum Clip Edging 17 mm (minimum) with plastic corner caps Comes with Metal Tray for Marker and Eraser The stand and frame are constructed with Aluminum or powder coated steel 25mm square tube (minimum), sturdy, no wobble With 4 lockable hard plastic caster wheels Overall Height from floor: 210 to 214cm Smooth surface, no sharp edges				
Wellness Massage NC II	292. Dummy, Anatomical	Half Life-Size Muscular Figure Measures 32" tall (minimum). This model features 27 removable parts that are held on by metal screws, posts, and hooks. It shows the muscular system with numbered parts that comes with a corresponding key. It has removable arms, a removable calvarium, and a removable chest plate that hides the individual numbered organs of the digestive system				

		<p>Detachable muscles include: Deltoid, Brachioradialis with extensor carpi radialis longus and brevis, Biceps Brachii, Pronator teres with palmaris longus and flexor carpi radialis, Sartorius Muscle, Rectus Femoris, Extensor Digitorum Longus, Tensor Faciae Latae, Gluteus Maximus, Biceps Femoris, Semitendinosus, Gastrocnemius, Soleus.</p> <p>Removable organs include: Brain (2parts), Lungs (2 parts), Heart (2 parts, Liver, Intestines, Stomach</p> <p>Base is 13" x 9" (removable)</p> <p>Weighs 12 lbs. (approximately)</p> <p>Plastic material</p> <p>Non-toxic material</p> <p>Carton box packaging</p>				
Wellness Massage NC II	293. Massage Bed / Table (H-Duty)	<p>Materials: Hard wood with steel bracings, Hardwood Frame, Marine Plywood Deck;</p> <p>Color: Black</p> <p>Dimensions: W:75 cm x L:183 cm x H: (adjustable)</p> <p>Height: adjustable from 24 in. - 33in.</p> <p>Leg thickness - 35mm (minimum)</p> <p>Cushion System: High density foam (7.5 cm / 2.95") minimum with PU leather cover (1mm thick)</p> <p>Finishing: Round Corner</p> <p>Weight Capacity: 250 kg(minimum)</p> <p>Gross Weight: 21 kg (Approximate) 2 end support bearer to strengthen the base and increase weight capacity</p> <p>Accessories - aluminum headrest (Adjustable) + face plug + armrest + arm sling + carry case</p> <p>Portable and Foldable</p>				
Wellness Massage NC II	294. Massage Chair (H-Duty)	<p>Padded with 3" thick, high-density, small-cell foam</p> <p>Size: 14"-diameter seat (minimum) but without back and arm rest, with metal post and hard plastic star.</p> <p>Pneumatic spring will effortlessly adjust the height from 18" to 24" with the pull of a lever</p> <p>Five heavy-duty, smooth-rolling wheels</p> <p>Load capacity: 265 lbs / 120 kg (maximum)</p> <p>Smooth surface and no sharp edges</p> <p>Any color with one color only for whole lot</p>				
Wellness Massage NC II	295. Sphygmomanometer (H-Duty)	<p>Aneroid Type; (for adult use)</p> <p>Large cuff sizes: 33 to 42 cm arm diameters</p> <p>Accuracy: ± 3mm Hg;</p>				

		<p>Measurement range: 0mm Hg to 300mm Hg; Smallest scale: 1mm Hg-Index and range markings on the dial for clear readings Nylon cuff is durable and stain resistant with a Velcro closure Inflation system is latex free and has an easy-release deflation valve Chrome-plated brass air release valve; Set includes: 1-unit Sphygmomanometer; 1 zippered nylon carrying case Smooth surface and edges, non-toxic material</p>				
Wellness Massage NC II	296. Stethoscope (H-Duty)	<p>Chest-piece Description: Stainless Steel Double Chest Piece Color: Black Tubing Description: Y-tube PVC Uses extra soft replaceable and pivotable Ear Tips The binaural is chromium-plated Chest-piece diameter: 44 mm (minimum) and has non-chill rim Overall Length: 29" /74 cm (minimum) The stethoscope is latex-free Comes with a pair of replacement Ear Tips, a replacement Membrane, and a Name Plate Smooth surface and no sharp edges</p>				

Wellness Massage NC II	297. Talking Sphygmomanometer	<p>Type: arm type blood pressure monitor (talking English), Nylon cuff sizes: 33 to 42 cm arm dia. LCD Digital Display: Systolic, diastolic, pulse rate with real voice, loud and clear, announcing blood pressure automatically when reading is detected and displayed simultaneously Dimensions: 98mm*126mm*60mm (approximate) Hard plastic casing, smooth surface and no sharp edges, non- toxic materials Measurement range: 0mm Hg to 300mm Hg; Smallest scale: 1mm Hg Weight: 450g (approximate) Pressure measurement range: 20~280mmHg(0.4kPa-37.3kPa) Pressure accuracy: $\pm 3\text{mmHg}(\pm 0.4\text{kPa})$ Pulse measurement range: 40 ~199 beats /min Voltage: 4*AAA alkaline batteries or power adapter Certificate: CE ROHS Intelligent automatic pressurization and decompression Incorrect prompting function Automatic shutdown: 1 min after last operation Carton box packaging</p>				
Wellness Massage NC II	298. Talking Thermometer	<p>Case Material: Hard plastic Sensing unit: Thermistor Measurement method: Actual measurement Measurement Range: 32 C - 42 C (89.6F-107.6F) Measurement Accuracy: $\pm 0.1\text{C}$ 32C-42.0C (± 0.2 F 89.6.9F- 107.6F) Power Supply: 1.5V DC, LR41 Alkaline-Magnesium button battery Real voice (loud and clear in English) announces temperature automatically when reading is detected Temperature display: 3-digit, +deg C (deg F) display in 0.1- degree increment Dimension Approx.: 2.0 (W) x 4.4 (H) x 1.2 (D) inches (not including probe) / 51 (W) x 110 (H) x 30 (D) mms (not including probe) Choices in degrees Celsius or Fahrenheit Talk button repeats last temperature reading Last reading memory</p>				

		<p>Auto switch off</p> <p>Accessories: Protective case, 5 probe covers, instruction sheet</p> <p>Paddle shape with sensor on small end</p>				
Wellness Massage NC II	<p>299. Thermometer, Digital</p> <p>Forehead & Ear type</p> <p>Penal Type</p>	<p>Case Material: Hard plastic</p> <p>Sensing unit: Thermistor</p> <p>Measurement method: Actual measurement</p> <p>Measurement Range: 32 C - 42 C (89.6F-107.6F)</p> <p>Measurement Accuracy: $\pm 0.1^{\circ}\text{C}$ 32C-42.0C ($\pm 0.2^{\circ}\text{F}$ 89.6.9F-107.6F)</p> <p>Power Supply: 1.5V DC, 1 LR41 Alkaline-Magnesium button battery when measured at a standard room temperature of 23 deg C (73.4 deg F) in a test tank held at constant temperature</p> <p>Power consumption: 0.1mW</p> <p>Low battery indication: Battery symbol displayed</p> <p>Temperature display: 3-digit, +deg C (deg F) display in 0.1-degree increment</p> <p>Memory: Last measuring reading</p> <p>Beeper function: 1 beep when power on 3 beeps after measurement completed</p> <p>External Size (mm): 19.4(W) \times 132.5 (L) \times 10.0(D)</p> <p>Accessories: Protective case, test battery, 5 probe covers, instruction sheet</p> <p>Paddle shape with sensor on small end</p>				
Wellness Massage NC II	300. White board W/Stand	<p>White board, floor standing, rolling</p> <p>Board: White Formica Laminated, plane will not deform.</p> <p>Board Size: Rectangular 1800mm W x 1000 to 1200mm H,</p> <p>Board Edges secured with Aluminum Clip Edging 17 mm (minimum) with plastic corner caps</p> <p>Comes with Metal Tray for Marker and Eraser</p> <p>The stand and frame are constructed with Aluminum or powder coated steel 25mm square tube (minimum), sturdy, no wobble</p> <p>With 4 lockable hard plastic caster wheels</p> <p>Overall Height from floor: 210 to 214cm</p> <p>Smooth surface, no sharp edges</p>				

Automotive Servicing (NC I)	301. Air Compressor with Complete Accessories	<p>The item shall have the following specifications: (H. Duty)</p> <ol style="list-style-type: none"> 1. Rated voltage: 220 / 240 volts AC 2. Power in Hp: 2 horsepower (minimum) 3. Frequency: 50 / 60 hertz 4. Tank design: Horizontal mounted 5. Hose length: 5 meters (minimum) with fittings 6. Number of wheels: 4 pcs. 7. Phase: Single 8. Comes with pressure gauge, pressure switch, safety valve, on/off switch and motor protection 9. Comes with 1.5 meters power cord with moulded male plug 10. English user's manual that contains: Operation guide, maintenance / troubleshooting guide, safety guide and list of parts 11. Warranty period of parts and service: 1 year 12. With Service centers located in major cities in the Philippines. 13. Item must be branded 				
Automotive Servicing (NC I)	302. Apron	<p>The item shall have the following specifications:</p> <ol style="list-style-type: none"> 1. Material: High quality denim 2. Type: Machinist/Shop Apron 3. Size: 0.85 m to 1 m 4. Color: Any dark color 				
Automotive Servicing (NC I)	303. Ball Peen Hammer 8 oz. (H. Duty)	<p>The item shall have the following specifications:</p> <ol style="list-style-type: none"> 1. Material: High Carbon Steel 2. Handle: Hard Plastic with Rubber cushion grip 3. Capacity: 8 oz. 4. Fully polished head 5. Over-all Length: 9 inches to 10 inches 				
Automotive Servicing (NC I)	304. Battery Tester (H. Duty)	<p>The item shall have the following specifications:</p> <ol style="list-style-type: none"> 1. Digital Multi tester 2. Test all 12V car/motorcycle electrical system 3. Battery Test Type: All lead acid starter battery, including regular flooded, EFB, AGM tablet battery, AGM winding battery, GEL battery and etc. 4. Voltage measure range: at least 7-30VDC 5. Has compensation adjustment for battery temperature of at least, in Fahrenheit, 0°F to 125°F or, in Celsius, - 18° C to 52° Celsius. 				

		6. Shows condition of battery using built-in load and shows the amount charged 7. Permits cold crank testing without inserting probe into battery cell 8. Determines proper activation of dry charged batteries 9. Has a large, easy-to-read meter (screen size: Approx. 50mm x 25mm) 10. Furnished in a box; housing material: resistant to acid and will not rust, at least vinyl coated. 11. Includes two flexible cables (red and black; at least 4 ft.) paired with insulated clamps (red and black). 12. Permanent operating instructions printed on the unit. 13. At least 1-year warranty for parts and services. 14. With Service centers located in major cities in the Philippines.				
Automotive Servicing (NC I)	305. Bore Gauge (Set H. Duty)	The item shall have the following specifications: 1. Bore Gauge Category: Dial, 0.01 graduation 2. Measuring Range: from 35 mm to 150 mm 3. Bore Depth: minimum 150 mm 4. Accuracy: 0.018mm 5. Repeatability: 0.003mm 6. No. of Anvils: minimum 16 7. Carbide tip on measuring plunger 8. Comes with ABS plastic storage case 9. Self-centering dial indicator is fully protected by plastic or rubber cover 10. Must have individual slots for ring and rod indicating size to select specific range inside the storage case. 11. Fitted in the case: a. Dial Indicator, 0.01 graduation b. At least 16 pcs. Anvils c. Minimum 1 pc. 50 mm Extension Rod d. 4 pcs. Spacer (0.05 mm, 1.0 mm, 2.0 mm, 3.0 mm)				
Automotive Servicing (NC I)	306. Combination Pliers, 8" H-Duty	The item shall have the following specifications: 1. Material: Special drop forged steel, machined and hardened with a full polish nickel chrome plated finish. 2. Type: Slip-Joint Plier 3. Built-in wire cutter and serrated jaws 4. Cushion grip handle 5. Size:				

		a. Over-all Length: 200mm b. Jaw Length: 35mm				
Automotive Servicing (NC I)	307. Combination Wrench Option 1 – Metric Option 2 – English	The item shall have the following specifications: 1. Material: Drop Forged Alloy Steel, Heat treated and chrome, polished 2. 15 degrees offset open end wrench on one end and 12-point box wrench on the other end. 3. The same size opening on each end 4. Range: 6 mm to 32 mm 5. Comes with a durable storage pouch 6. Must be branded				
Automotive Servicing (NC I)	308. Dial Indicator (H. Duty)	The item shall have the following specifications: 1. Material: Satin chrome plated steel 2. Bezel Diameter: 58 mm with transparent dial cover with adjustable scale and stop screw 3. Stem Diameter: 8 mm 4. Range: 0 to 10 mm, 0.01 graduations 5. Plunger Length: 20 mm w/ removable tungsten carbide tip 6. Plunger Diameter: 6mm 7. Thickness: 22mm to 24mm 8. With back lug 9. Magnetic Stand with complete dial indicator holder 10. Magnetic Base Dimensions: minimum (LxWxH) 63mm x 50mm x 55 mm., 60kg pull with off/on function 11. Stand Rod Material: Chrome plated steel rod 12. Stand Rod Size: 8x32 mm long 13. Extension Rod Material: Chrome plated steel rod 14. Dimensions: 10mm dia. x 175mm long 15. Must be branded				
Automotive Servicing (NC I)	309. Feeler Gauge (H. Duty)	The item shall have the following specifications: 1. Material: Tapered stainless steel leaves nested in a steel frame 2. Length: 3 inches to 4 inches 3. Thickness Range: 0.0015 inch to 0.025 inch (0.001-inch increments)				

		<ol style="list-style-type: none"> 4. Blades are marked with inches and metric equivalents in sizes 5. Blades thickness are clearly marked on each leaf 6. With adjusting lock nut 7. Comes in a vinyl pouch 				
Automotive Servicing (NC I)	310. Hydraulic Jack (H. Duty)	<p>The item shall have the following specifications:</p> <ol style="list-style-type: none"> 1. Type: Manual hydraulic jack with steel wheels 2. Length: 55 inches long 3. Capacity: 3 tons (4 tons) 4. Lift Range: 6.5 inches to 22 inches high 				
Automotive Servicing (NC I)	311. Hydrometer (H. Duty)	<p>The item shall have the following specifications:</p> <ol style="list-style-type: none"> 1. Material: Glass barrel, rubber 2. Length: 330 mm(minimum) 3. Measuring Range: 1.10 to 1.3 at 77 degrees F 4. Displays specific gravity on an easy to read float 5. Thermometer indicates what must be added or subtracted from the float reading to arrive at an accurate specific gravity reading for each battery cell 6. Flexible rubber tip 				
Automotive Servicing (NC I)	312. Ignition Timing Light for Gasoline Engine (HD)	<p>The item shall have the following specifications:</p> <ol style="list-style-type: none"> 1. Material: Plastic 2. Screen digital LCD readout 3. Size: 14.5 inches x 10 inches x 3.5 inches(approximate) 4. Slim, rotating barrel for better aim at timing mark 5. LED diagnostic indicator shows accurate engine RPM, Dwell angle, Volt and advance Degree 6. Replaceable xenon flash tube 7. With user's manual written in English that contains operating procedure, parts with description, safety procedure, and maintenance. 8. 1-year warranty (parts & service) 9. With Service centers located in major cities in the Philippines. 				
Automotive Servicing (NC I)	313. Multimeter, digital	<p>The item shall have the following specifications:</p> <ol style="list-style-type: none"> 1. Digital Multi tester 2. Automatic polarity indication 3. Continuity test with buzzer sound in circuit 4. at least 3 inches LCD Display 5. DC voltage 1000mV-0.1mV (+/- 5% +1) 6. AC voltage 750mV-0.1mV (+/- 0.8% +3) 				

		7. AC current 20mA-20mA (+/- 1% +3) 8. Resistance 200 ohms-2000 ohms (+/-2.5%+3) 9. 2nF-200 microF capacitor 10. Frequency measurement range: 0 to 10MHz 1Hz 11. Temperature measuring range: -20°C to 1000°C (-4°F to 1832°F) 12. Capacitance measurement range: to 6000uF 10Pf 13. Diode test. Open Voltage: at least approximately 1.5V 14. Turn buzzer 15. Power Source: 9V Battery 16. Must be branded 17. With user's manual written in English that contains operating procedure, parts with description, safety procedure, and maintenance. 18. At least 1-year warranty (parts & service) 19. With Service centers located in major cities in the Philippines.				
Automotive Servicing (NC I)	314. Safety Goggles	The item shall have the following specifications: 1. Lens Material: Impact resistant polycarbonate 2. Frame: Soft Vinyl 3. Vented both sides and top 4. Elastic headband				
Automotive Servicing (NC I)	315. Screw Driver, Flat, 6" Blade Length (H. Duty)	The item shall have the following specifications: 1. Material: Chrome plated vanadium steel 2. Type: Flat 3. Size: 6 inches, standard round 4. Handle: Hard plastic				
Automotive Servicing (NC I)	316. Screw Driver, Phillips, 6" Blade length (HD)	The item shall have the following specifications: 1. Material: Chrome plated vanadium steel 2. Type: Philips or Cross 3. Size: 6 inches, standard round 4. Handle: Hard plastic				
Automotive Servicing (NC I)	317. Socket Wrench Set, Metric 8 to 32 mm H. Duty	The item shall have the following specifications: 1. Material: Forged heat-treated alloy steel 2. Type: 1/2-inch Square Drive, 18-12 point 3. 26 pcs. Of different sizes ranging from 9mm to 32mm 4. Sets includes: a) 10-1/2 inches long reversible rachet b) 17-1/4 inches Speeder c) 5 inches and 10 inches Extension				

		d) 18 inches flex handle 5. Contained in a metal box (18-1/4 inches L x 5-1/4 inches W x 2-1/4 inches H)				
Automotive Servicing (NC I)	318. Soldering Iron, 200 watts H. Duty	The item shall have the following specifications: 1. Voltage: 220/240VAC, 60Hz, Single phase 2. Power: 150W (minimum) 3. Handle: Plastic 4. Type: Gun type 5. With user's manual written in English that contains operating procedure, parts with description, safety procedure, and maintenance. 6. Interchangeable copper tip. 7. 1-year warranty (parts & service) 8. With Service centers located in major cities in the Philippines.				
Automotive Servicing (NC I)	319. Tachometer (H. Duty)	The item shall have the following specifications: 1. Type: Non-contact type 2. Battery-operated 3. Accuracy: +/- 0.05% 4. Measuring Range: 0 to 99,999 RPM (minimum) 5. LED light 6. Auto-zero adjustment 7. At least 5-digit LCD display 8. Measuring Distance: minimum (2-20 inches) 9. Comes with a molded plastic case and a reflective tape 10. With user's manual written in English that contains operating procedure, parts with description, safety procedure, and maintenance. 11. 1-year warranty (parts & service) 12. With Service centers located in major cities in the Philippines. 13. Must be branded				
Automotive Servicing (NC I)	320. Torque Wrench, 1/2 " drive (H. Duty)	The item shall have the following specifications: 1. Material: Chrome plated steel body with rubber grip 2. Torque Range: 0 Nm to 200 Nm 3. Drive Size: 1/2-inch drive 4. Adjustable Click Style 5. Adjustable knob, audible click and releases signals if setting is reached				

		6. Reversible ratchet head 7. Accuracy: +/- 4% certified by manufacturer 8. Comes with an English manual 9. Must come with a molded plastic casing 10. With user's manual written in English that contains operating procedure, parts with description, safety procedure, and maintenance.				
Automotive Servicing (NC I)	321. Vernier Caliper, 0 to 100mm (150mm H. Duty)	The item shall have the following specifications: 1. Material: Stainless Steel, hardened 2. Type: English System fractional and Metric Vernier Scale 3. Measuring Range: 0-6 inches and 0-150mm 4. Resolution: 0.02mm 5. Highly polished surface, ensuring the accuracy 6. Ergonomic thumb adjustment with textured grip 7. Lock screw to hold the slide in position 8. Precision laser engraved lines, accurate scale and clear lines 9. With integrated depth rod 10. Comes with a wooden case or plastic case 11. It must be branded				
Automotive Servicing (NC I)	322. Wire Stripper (H. Duty)	The item shall have the following specifications: 1. Material: High Carbon Steel 2. Type: Shear type wire cutter 3. Handle: Insulated plastic grips 4. Over-all Length: 7 inches 5. Spring loaded hinge with safety lock				
Automotive Servicing (NC I)	323. Air Compressor with Complete Accessories	The item shall have the following specifications: 1. Rated voltage: 220 / 240 volts AC 2. Power in Hp: 2 horsepower (minimum) 3. Frequency: 50 / 60 hertz 4. Tank design: Horizontal mounted 5. Hose length: 5 meters (minimum) with fittings (15 meters) 6. Number of wheels: 4 pcs. 7. Phase: Single 8. Comes with pressure gauge, pressure switch, safety valve, on/off switch and motor protection				

		9. Comes with 1.5 meters power cord with moulded male plug 10. English user's manual that contains: Operation guide, maintenance / troubleshooting guide, safety guide and list of parts 11. Warranty period of parts and service: 1 year 12. With Service centers located in major cities in the Philippines. 13. Item must be branded				
Computer System Servicing (NC II)	324. Allen Wrench (Set H. Duty)	1. Material: chrome vanadium steel, HRc 38 to 60; 2. Set of 10 pieces: 1.5 mm, 2 mm, 2.5 mm, 3 mm, 4 mm, 5 mm, 5.5 mm, 6 mm, 8 mm, 10 mm; 3. With holder/ring to keep the set intact; 4. Label of sizes engraved in each Allen wrench; 5. Smooth surfaces and no sharp edges 6. Plastic pack by set				
Computer System Servicing (NC II)	325. Anti-Static Device (Anti-static Wrist Strap)	Consists of: a) Adjustable and elastic wristband with integrated 1 Mega Ohm Resistor, b) banana plug with alligator clip for connecting to ground (or equivalent), c) at least 59" long coiled cord; d) non-toxic material e) Carton box or plastic pouch packaging				
Computer System Servicing (NC II)	326. Crimping Tool (H. Duty)	1. Ratchet Crimp Tool 2. ALL-IN-ONE tool that can strip, cut, and crimp 3. lightweight steel frame 4. RJ-11/45 Compatible 5. Positions for 8P/8C, 6P/6C and 4C Connectors 6. Lightweight, compact, and durable 7. Smooth surface and no sharp edges except cutting edges 8. Carton box packaging				
Computer System Servicing (NC II)	327. Desoldering pump	1. Material: Plastic or aluminum housing; 2. Replaceable heat-resistant plastic tip; 3. Length: Minimum of 6 inches; 4. Effective in removing solder; 5. Smooth surface and no sharp edges				

		6. Carton or plastic packaging				
Computer System Servicing (NC II)	328. External optical drive	<ol style="list-style-type: none"> Interface: USB 3.0 or better; Compatibility: Windows 2000, XP, Vista, 7, 8, 10, Apple Mac, Linux or better; Read Speed: at least 8x DVD, at least 24x CD; Write Speed: at least 4x DVD, at least 16x CD; Package includes: <ol style="list-style-type: none"> 1 x External optical drive, 1 x USB Power Cable, 1 x USB Data Cable, Item size: 5.4"x 5.51"x0.63"(L x W x H) approximate Metal or hard plastic casing Smooth surface and no sharp edges Carton box packaging With User's Manual in English which includes: <ol style="list-style-type: none"> a diagram of the parts with their names, operating procedures With Service centers located in major cities in the Philippines. 				
Computer System Servicing (NC II)	329. Flash drive	<ol style="list-style-type: none"> Capacity: 32 GB; Connectivity: USB 3.0, Backward-Compatible with USB 2.0, Plug and Play; Device/OS compatibility: Windows Vista, Windows 7, 8, 10, Mac OS 10.6+ or later versions; Form: Swivel type or with cover; Dimension: 0.40 x 0.80 x 2.31 in. (10.16 x 20.32 x 58.67 mm) approximate Metal or hard plastic casing Smooth surface and no sharp edges Carton and/or plastic packaging User's Guide on name of parts, connection guide, maintenance and safety precautions. 				
Computer System Servicing (NC II)	330. Flashlight, head-mounted (H. Duty)	<ol style="list-style-type: none"> Type: Rechargeable, Head mounted LED flashlight; Minimum of 160 lumens; Beam Distance: minimum of 150 meters; Includes 220 V AC Charger/Power Adaptor (or equivalent); 				

		<ol style="list-style-type: none"> 5. Charging time: 3-6 hours; 6. Provides up to 30 hours (minimum) of constant light on a single full charge; 7. Approximate Size: 60X 30mm 8. Smooth surface and no sharp edges 9. Carton box or plastic pouch packaging. 10. With User's Manual in English which includes: <ol style="list-style-type: none"> a. a diagram of the parts with their names, b. operating procedures c. safety precautions when using the equipment, d. basic troubleshooting and maintenance procedures. 				
Computer System Servicing (NC II)	331. LAN Cable tester (H. Duty)	<ol style="list-style-type: none"> 1. Cable Tester with LED indication for RJ12, RJ11, RJ45, Cat5e, Cat5, 10/100 Base-T; 2. Main tester: 1-2-3-4-5-6-7-8-G; 3. Remote tester: 1-4-3-2-5-6-7-8-G; 4. Power supply: 9 V battery (included); 5. Capable of testing crossover, straight-through, and rollover cables; 6. Includes plastic case or pouch; 7. With User's Manual in English which includes: <ol style="list-style-type: none"> a. a diagram of the parts with their names, b. operating procedures c. safety precautions when using the equipment, d. basic troubleshooting and maintenance procedures. 8. With Service centers located in major cities in the Philippines. 9. Material: ABS 10. Size: 103×100×30mm/4.06×0.39×1.18in approximate 11. Smooth surface and no sharp edges 				
Computer System Servicing (NC II)	332. Long Nose Pliers, 8" (H-Duty)	<ol style="list-style-type: none"> 1. Material: chrome vanadium steel, HRc 38 to 60; 2. Length: 7 inches 8inch (minimum); 3. Handle type: curved handle with rubber cushion for easy grip; 4. Jaws type: knurled and long tempered; 5. Comes with hardened cutting edges and chrome-nickel finish. 6. Smooth surface and no sharp edges 7. Carton or plastic packaging 				

Computer System Servicing (NC II)	333. PC Video camera	<ol style="list-style-type: none"> 1. 5.0 Mega Pixel Web Camera, USB-type; 2. With Microphone for Laptop and Desktop PC use; 3. Resolution: at least 640 x 480; 4. Support Windows XP/7/8/equivalent Mac OS or later versions; 5. With User's Manual in English which includes: <ol style="list-style-type: none"> a) a diagram of the parts with their names, b) operating procedures c) basic troubleshooting and maintenance procedures. 6. Hard plastic or metal casing 7. Smooth surface and no sharp edges 8. Carton or plastic packaging 				
Computer System Servicing (NC II)	334. Phillip's screwdriver, 8" insulated (H. Duty)	<ol style="list-style-type: none"> 1. Shank Material: chrome vanadium steel, HRC 38 to 60; 2. Handle Material: Molded Plastic 3. Overall length: 8 inches (minimum) 4. Insulation protection (including shank): 1000VAC/1500VDC, VDE Certified (or its equivalent) 5. Non-slip handle design 6. Carton or plastic packaging 				
Computer System Servicing (NC II)	335. Precision Screwdriver Set (H. Duty)	<ol style="list-style-type: none"> 1. Material: Hardened and tempered steel; 2. 1 set comes with the following: <ol style="list-style-type: none"> a) 3 x Phillips tip No. 00, 0, and 1; b) 6 x Standard tip No. 1, 1.2, 1.4, 1.8, 2.4, and 3.0; c) 1 x Awl; d) 1 x Magnet; e) plastic storage case; 3. Non-slip design handle 				
Computer System Servicing (NC II)	336. Soldering Iron, 60W (H. Duty)	<ol style="list-style-type: none"> 1. Type: Iron rod 2. Voltage: 220/240VAC, 60Hz, Single phase; 3. Power: 60W (minimum); 4. Body Length: 8.3 inches (21 cm) approximate 5. Cord Length: 1.5 meters (minimum) 6. Handle: Plastic; (non-slip handle) 7. With user's manual written in English that contains user's guide, operating procedure, parts with description, safety procedure, and maintenance; 8. Interchangeable copper tip; 				

		9. Should have available spare parts nationwide for a minimum period of 5 years; 10. Carton and/or plastic packaging				
Computer System Servicing (NC II)	337. Standard screwdriver (Flat), 8" insulated (HD)	1. Shank Material: chrome vanadium steel, HRc 38 to 60; 2. Handle Material: Molded Plastic 3. Overall length: 8 inches (minimum) 4. Insulation protection (including shank): 1000v, VDE Certified (or its equivalent) 5. Non-slip handle design 6. Carton or plastic packaging				
Computer System Servicing (NC II)	338. Working Table Length: 39.5 Inch (101cm) Width: 23.7 Inch (60cm) Height: 28.5 Inch (73cm)	Type: Wood Top Table Shape: Rectangle Legs material: Heavy duty steel frame Wood top thickness: 1.5" thick (minimum) with flat surface Dimensions (L x W): 48" x 24" (minimum), Adjustable steel legs 28.5" to 42" (adjustable at least 7" height difference) Load capacity: 500 lbs. (minimum) No sharp edges				
Electrical Installation and Maintenance NC II	339. Cutter, Bolt, 24"	Type: Heavy duty; Material: High carbon steel (jaw); Overall length: 24 inches (minimum); Handle material: Tubular steel with paint finish and rubber cushion for easy grip; Comes with adjustable jaw and handle with rubber cushion for easy grip Warranty period of 1 year				
Electrical Installation and Maintenance NC II	340. Cutter, Pipe (H. Duty)	Type: Pipe Cutter, Single - handed Body shape: C - shape Material: High shock-resistant tool steel Cutting capacity: 1/8 to 2 inches pipe Overall close length: 17 inches (minimum) With one handle and one-wheel heavy duty Warranty period of parts and service: 1 year				

Electrical Installation and Maintenance NC II	341. Disc Grinder, Portable, Electric (Set H.Duty)	<p>Type: Angle grinder Body shape: Round Material: Plastic body Rated Input Power: 900W Disc Diameter: 100mm, 100mm (4") Rated Voltage: 220V-240V No-Load Speed: 12000RPM Frequency: 50Hz Disc (Wheel) Type: Cutting Disc Dimensions: 34cm x 12.5cm x 10cm Weight: 1.6KG Spindle head: M10 Standard accessories: Wrench Package Includes: (1) 4-1/2 In. Angle Grinder, (1) Grinding Wheel Guard, (1) Auxiliary Handle, (1) Inner (Clamping) Flange, (1) Outer (Round Nut) Flange, (1) Spanner Wrench, (1) 4 In. Abrasive Grinding Wheel Packaging: Carton Box With user's manual written in English that contains operating procedure, parts with description, safety procedure, and maintenance; Warranty period of 1 year;</p>				
Electrical Installation and Maintenance NC II	342. Drill, Portable, Electric (Set w/drill bits H.D)	<p>Type: Electric power Material: Hard plastic Rated voltage: 220 / 240 volts, AC 60 Hz Power in watts: 550 to 650 watts Speed: Variable speed Chuck capacity: 2 to 13 mm Power cord must have flat blade attachment plug (Type A plug) Comes with HSS Drill bits: 2mm 4pcs. 4 mm 4pcs. 6 mm 4pcs. 8 mm 4pcs. 10 mm 4pcs. 12 mm 4pcs. 12.5 mm 4pcs. Total- (28 pcs) Masonry drill bits; 4 mm 2pcs. 6 mm 2pcs. 8 mm 2pcs. 10 mm 2pcs. 12 mm 2pcs. Total- (10 pcs.) With hammer function for concrete drilling Comes with English user's manual includes of the following: a. a diagram of the parts with label; b. assembly instructions; c. operating procedures; d. safety precautions when using the equipment;</p>				

		e. basic troubleshooting and maintenance procedures. Warranty period of parts and service: 1 year				
Electrical Installation and Maintenance NC II	<p>343. Fire Alarm System</p> <p>Option 1 Conventional Fire Alarm Type System 1-unit fire alarm control panel 4 zone 2-unit photo electric smoke detector (2 wires) 2-unit conventional rate of rise heat detector (2 wires) 2 units conventional fixed temperature heat detector (2wires) 2-unit conventional manual call point w/LED indicator 2 units indicating lamp (LED)</p> <p>Option 2: Addressable Fire Alarm System - Addressable 1 loop fire alarm control panel + 5" color touch screen (mini) - Monitoring/ control module w/EOL - Addressable photoelectric smoke detector w/EOL - Addressable fixed temperature heat detector w/EOL - Addressable rate of rise heat detector w/EOL - Addressable Manual Call point w/EOL</p>	<p>Type: Sensor Material: Combination of hard plastic and metal Input voltage: 220 / 240 volts AC, 60 hertz Length: 8 inches (minimum) Operation voltage: 24 volts DC Type: Conventional/ addressable fire alarm system with 4 zones Control panel display: 240 x 64-pixel graphic LCD Control panel specs: Number of zone - 4 zone; detector zone - 32; Number of alarm circuits - 2; Alarm circuit load - 400mA / circuit; main voltage - 240 volts; Set included: Smoke detector, sound alarm, flash alarm, relay system, heat detector, flame detector, cable and bell or buzzer Comes with LED for indicator, earth fault monitoring, battery low, sounder open circuit sounder short circuit and control panel board circuit English user's manual that contains: Installation/assembly guide with diagram, Operation guides, maintenance guide, troubleshooting guide, safety guide and list of parts Warranty period of parts and service: 1 year</p>				
Electrical Installation and Maintenance NC II	344. Fire Extinguisher (with contents)	<ol style="list-style-type: none"> 1. For Type A, B, C Fire: Dry Chemicals (Monoammonium Phosphate) 2. Portable type 3. Capacity: 5 - 6 kgs (10 lbs) 4. Rechargeable Cylinder Metal 5. Working pressure of Cylinder: 400 psi 6. Brass Valve with Pressure Gage 				

		7. With Rubberized Hose and Aluminum Nozzle Attached 8. With Squeeze lever to discharge and safety pin 9. Painted with Metal Primer and Red Enamel Paint 10. Includes with User's Guide in English that contains: a. Operating procedure on how to use the equipment b. Safety precaution when using the equipment 11. 1-year warranty parts and service 12. The item must be branded and have good quality				
Electrical Installation and Maintenance NC II	345. First Aid Kit	Type: Emergency case; Body shape: Standard; First Aid Quick Reference Guide, 1pc Sterize Gauge Swab (4 x4 x12 ply) 100 pcs/pack, 1 pack Adhesive strips/Band -Aid, 50 pcs/pack, 2packs Gloves, disposable, medium size 2 pairs Hypo Allergenic adhesive tape, 5cm x 5cm, 2 rolls Triangular bandage/arm sling, min 90cm x 90cmx 120cm, 2pcs Safety pins, 1 1/4 inches (12 pcs), 1 3/4 inches (12 pcs) Stainless steel bandage scissors, 2pcs Betadine, 60ml, 2 -3 years expiration, 2 bottles Dust mask, 2pcs Hand towels or face towels, white color, 6 pcs Gauze bandage, minimum 5cm x 4cm, 2 rolls Antiseptic handwash/germicidal soap, 60 gms, 2pcs Tourniquet, 2 pcs Spirit of ammonia, 30ml, 2-3 years expiration, 1 bottle Burn cream ointment, 20g to 30g, 2- 3years expiration, 1 tube Medical tweezers min. 8cm, plastic ,2pcs Plastic bags, releasable, minimum of 24pcs, 100mmx180mm, 24pcs; 150mmx230mm Cotton balls, 50 balls in a sealed package, 2 packs Hot and Cold pack, reusable, 1 pack Water resistant and sturdy case w/ handle that can accommodate all the listed items. All items shall be branded and have quality Control markings(local/international)				
Electrical Installation and Maintenance NC II	346. Gloves, Rubber (insulating)	Type: Working Gloves Material: Rubber insulating The following data must be met and permanently etched/engrave:				

		<p>a. Protection insulation: ASTM D120 - Class 00 or its equivalent</p> <p>b. Proof Test: 2,500 V AC / 10,000 V DC</p> <p>c. Max use Voltage: 500 V AC / 750 V DC / 12 KVA</p> <p>Sizes composed of ten (10) pairs in the following:</p> <p>One size fits all</p> <p>Size 10: 4 pairs</p> <p>Size 11: 3 pairs</p> <p>Overall length: 12 to 14 inches</p> <p>Must be branded</p>				
Electrical Installation and Maintenance NC II	347. Goggles, Safety	<p>Safety goggles,</p> <p>Clear Polycarbonate - one-piece lens with 180° panoramic view, non-fog</p> <p>Size/Dimension: L 17 - 18.5 cm x W 8 cm x D 5-7.5 cm High impact resistant, ANSI "Z87" compliant</p> <p>Firm and comfortable seal around forehead, cheeks, nose and temples protects against splash, chemicals, dust</p> <p>Adjustable head strap</p> <p>Shall bear mark Z87 embossed or engraved or etched on the item.</p>				
Electrical Installation and Maintenance NC II	348. Hacksaw, Hand (with 32 TPI Blade) (H. Duty)	<p>The item shall have the following specifications:</p> <ul style="list-style-type: none"> • Material: Chromed Steel adjustable frame, Plastic handle; • Length: Adjustable to fit 10" to 12" blades; • Includes 32 TPI hacksaw blade; 				
Electrical Installation and Maintenance NC II	349. Hammer, Ball Peen, 16 oz. (H. Duty)	<p>Type: Ball face;</p> <p>Body shape: Circular</p> <p>Material: High Carbon Steel</p> <p>Handle material: Hard wood with natural color</p> <p>Height weight: 12 oz. (etched/engraved on the head) (16 oz)</p> <p>Overall Length: 10 inches (minimum)</p> <p>Fully polished head</p>				
Electrical Installation and Maintenance NC II	350. Hammer, Claw, 16 oz. (H. Duty)	<p>Type: Double sided head;</p> <p>Body shape: Curved with long handle;</p> <p>Head Material: Carbon steel</p> <p>Head weight: 16 oz. (etched on the head)</p> <p>Handle Material: Hardwood with natural varnish color and smooth surface</p> <p>Length of Handle: 12 to 13 inches</p>				

Electrical Installation and Maintenance NC II	351. Hand File, flat smooth, 6" Set H. Duty	Type: Double cut Body shape: Flat Material: High carbon steel Length: 8 inches (minimum) Thickness: 3/16 inches (minimum) Width: 3/4 inches (minimum) Comes with hard plastic handle				
Electrical Installation and Maintenance NC II	352. Hat, Hard, HDPE	Type: II Hard Hat with Impact Protection Body shape: Full brim Electrical Insulation Rating: Class E Sizes composed of ten (10) pcs in the following: Small 54-55 cm: 3 pcs Medium 56-57 cm: 3 pcs Large 58-59 cm: 4 pcs Comes with suspension straps and ratchet adjustment. ANSI Standard Type II and Class E must be permanently etched on the inside surface. Must be branded				
Electrical Installation and Maintenance NC II	353. Heat gun (H. Duty)	Type: Electric Material: Combination of Hard plastic and metal Rated voltage: 220 / 240 volts AC, 60 hertz Power in watts: 1,200 watts (minimum) Phase: Single Variable temperature setting: 600 degrees centigrade max. Comes with 1.5 meters power cord with molded male plug With User's Manual in English includes of the following: a. parts manual with labels b. assembly instructions c. operating procedures d. safety precautions e. basic troubleshooting and maintenance procedures. Warranty period of parts and service: 1 year With plastic carrying case Must be branded. Brand name and electrical ratings permanently mark on the item.				

Electrical Installation and Maintenance NC II	354. Knife, Stripping, Electrical Cable (H. Duty)	Type: Utility / Electrician knife; Body shape: Curved; Blade material: Stainless steel; Handle material: Hard plastic Overall length: 6 inches (minimum) Blade length: 2 inches (minimum) Comes with holster/pouch Must be branded				
Electrical Installation and Maintenance NC II	355. Level, Spirit (H. Duty)	Type: Spirit Level, bubble Body shape: Rectangular Material: Aluminum Length: 24 inches (minimum) Comes with three clear and accurate marking vials for 45 degrees, horizontal and vertical Must be branded				
Electrical Installation and Maintenance NC II	356. Pipe Bender (Hydraulic H. Duty)	Type: Hydraulic Body shape: Circular with base Material: Heavy gauge steel Sets compose of six (6) dies: 1/2, 3/4, 1, 1 1/4, 1 1/2, and 2 inches Bender capacity: 12 tons Handle length: 17 inches (minimum) Type: Hydraulic Comes with user's manual written in English that contains: assembly guide, operating guide, parts with labels, safety, and maintenance guide Warranty period of parts and service: 1 year Must be branded				
Electrical Installation and Maintenance NC II	357. Pipe Reamer (H. Duty)	Type: Ratchet reamer, self-feeding Body shape: Straight flute; Material: Hardened alloy steel; Reaming capacity: 1/8 to 2 inches pipe Number of flutes: 5g taper Reamer handle length: 6 5/8 inches (minimum) Flute length: 6 3/8 inches (minimum) Warranty period of parts and service: 1 year Must be branded				

Electrical Installation and Maintenance NC II	358. Pipe threader, Manual (H. Duty)	<p>Type: Manual pipe threader, with standard die heads, pipe dies, and ratchet; Body shape: Circular Material: Steel, carbon steel Die head sizes: 1/2-inch, 3/4-inch, 1 inch, 1 1/4 inches, 1 1/2 inches & 2 inches; Overall Length: 23 7/8 inches (minimum) Die Material: Hard alloy steel; With hard plastic carrying case With User's Manual in English which includes:</p> <ol style="list-style-type: none"> parts manual with labels, assembly instructions, operating procedures, safety precautions when using the equipment, basic troubleshooting and maintenance procedures. <p>Warranty period of parts and service: 1 year Must be branded.</p>				
Electrical Installation and Maintenance NC II	359. Pliers, Combination, 8", Insulated (H. Duty)	<p>Type: Combination pliers; Body shape: Square nose Material: Chrome vanadium/forged steel Length: 9 inches (minimum) Insulation range: 1000 volts (etched on the handle) Design: Square nose with serrated jaw Comes with nickel plated finish, side cutter and insulated handle Must be branded (Brand must etch either in the head or on the handle)</p>				
Electrical Installation and Maintenance NC II	360. Plumb bob (H. Duty)	<p>Type: Plumb bob, w/ screw cap for cord /string Body shape: Cone tip Material: Rust resistant chrome plated steel bob, w/ screw cap for cord Weight: 12 oz. (minimum) (400g) Shape: Hexagonal body with conical tip Body length: 4 inches (minimum) With nylon string of 10 meters long and 1/32-inch diameter Must be branded</p>				
Electrical Installation and Maintenance NC II	361. Screwdriver set, Standard, insulated (16 pcs/set H. Duty)	<p>Type: Screwdrivers set, insulated Body shape: Round shank Material: Chrome vanadium steel molybdenum</p>				

		Set composed of the following: Slotted screwdriver: 2.5, 3.0, 3.5, 4.0, 4.5, 5.5, 6.0, 6.5, 8.0, 10.0 mm. Phillips: #0, 1, 2, 3. Square #1, 2. Xeno Terminal #1, 2. Single pole voltage Insulation protection: 1,000 volts permanently printed in the handle With hard plastic carrying casing with lock Must be branded				
Electrical Installation and Maintenance NC II	362. Soldering Iron, 300 Watts, Heavy Duty	Body shape: Round Material: Copper Rated voltage: 220/240 AC, 60 Hz, single phase Power in watts: 300 watts Handle material: Hardwood with natural color Overall length: 12 inches (minimum) Tip temperature range: 250 - 600°C Tip materials: Flat copper and chisel type, width: 3/4 inch (minimum) Comes with power cord of 1.2 meters with molded male plug With English user's manual that contains: Operating guide, safety, parts with labels, and maintenance guide Warranty period of parts and service: 1 year Must be branded, Brand name and electrical ratings permanently mark on the item.				
Electrical Installation and Maintenance NC II	363. Steel Tape Measure, 5m (H. Duty)	Type: Metric Body Shape: L-shape Blade Material: Stainless steel Blade Length: 300 mm Graduation: 1mm Blade Width: 30 mm(minimum) Blade Thickness: 1 mm(minimum) Handle Length: 150 mm(minimum) Graduation are marked permanently Numbers and graduations are engraved and filled with black or red color Packed in a plastic pouch Warranty period of 1 year.				
Electrical Installation and Maintenance NC II	364. Stripper, Wire (H. Duty)	Type: Spring-loaded self-opening; Body shape: Long jaw with slot Blade material: Hardened alloy steel (sharp edges to strip and cut the wires)				

		<p>Wires to stripped: 10 AWG to 24 AWG</p> <p>Length: 7 inches (minimum)</p> <p>Comes with automatic self- adjusting spring, crimping slot, and hard plastic handle</p> <p>Must be branded</p>				
Electrical Installation and Maintenance NC II	365. Tools Holster/Pouch, Electrician's	<p>Type: Hips tool holster;</p> <p>Body shape: Irregular;</p> <p>Material: Polyester fabric / leather</p> <p>Width of belt: 2 inches (minimum)</p> <p>Adjustable waist size: 20 to 46 inches with Velcro strap 3 to 6</p> <p>Three (3) pocket details of the following:</p> <ul style="list-style-type: none"> a. upper width: 8 5/8 inches (minimum); depth: 7 7/8 inches (minimum); bottom width: 10 5/8 inches (minimum) b. width: 5 7/8 inches (minimum); depth: 5 3/4 inches (minimum); c. width: 3 3/4 inches (minimum); depth: 5 inches (minimum) <p>Comes with easy access three (3) sewn pockets close at bottom parts for placing screwdrivers, pliers, hammer, flashlight and bolts</p> <p>Belt waist length: 48 inches (minimum)</p> <p>Must be branded</p>				
Electrical Installation and Maintenance NC II	366. Wire splicer (H. Duty)	<p>Type: Wire splicer</p> <p>Body shape: Slotted jaw with long handle;</p> <p>Blade material: Hardened alloy steel</p> <p>Splicing capacity: 8 AWG to 24 AWG</p> <p>Length: 11 inches (minimum)</p> <p>Comes with automatic self- adjusting spring, crimping slot, and hard plastic handle</p> <p>Must be branded</p>				
Electrical Installation and Maintenance NC II	367. Wrench, Box (H. Duty)	<p>Type: Box end Wrench;</p> <p>Body shape: Z shape; (S Shape)</p> <p>Material: Chrome vanadium steel (etching on the body)</p> <p>Set contains five (5 pc/set): 1 pc - 10 x 11 mm, 1 pc - 12 x 14 mm, 1 pc -13 x 15 mm, 1 pc -16 x 18 mm & 1 pc -17 x 19 mm</p> <p>Comes with 45 degree offset, smooth surfaces and edges</p> <p>Comes with plastic roll-up pouch</p> <p>Must be branded</p>				

STATEMENT OF COMPLIANCE

I/We have read and understood the requirements/scope of service/terms of reference and conditions stipulated herein and shall therefore comply to the conditions set forth in the Contract with respect to this Section VI. Schedule of Requirements, if our bid is considered for award.

Name and Signature of Bidder's Authorized Representative

Company Name

Date

Section VIII. Required Forms

**Please see latest GPPB issuance on the
required forms for the procurement of
goods**

Section VIII. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary “pass/fail” criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class “A” Documents

Legal Documents

- ☐ (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) **in accordance with Section 8.5.2 of the IRR;**

Technical Documents

- ☐ (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- ☐ (c) Statement of the bidder’s Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; **and**
- ☐ (d) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission **or** Original copy of Notarized Bid Securing Declaration; **and**
- ☐ (e) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; **and**
- ☐ (f) Original duly signed Omnibus Sworn Statement (OSS) **and** if applicable, Original Notarized Secretary’s Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

- ☐ (g) The prospective bidder’s computation of Net Financial Contracting Capacity (NFCC) **or** A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

Class “B” Documents

- ☐ (h) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence **or** duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

II. FINANCIAL COMPONENT ENVELOPE

- ☐ (i) Original of duly signed and accomplished Financial Bid Form; **and**
- ☐ (j) Original of duly signed and accomplished Price Schedule(s).

Other documentary requirements under RA No. 9184 (as applicable)

- ☐ (k) *[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos]* Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- ☐ (l) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

