

Republic of the Philippines **Department of Education** REGION IV-A CALABARZON

TO : ALL PROSPECTIVE BIDDERS OBSERVERS

- SUBJECT : BID BULLETIN NO. 1, S. 2025
- PROJECT : **PROCUREMENT OF TECHNICAL-VOCATIONAL-LIVELIHOOD (TVL) EQUIPMENT PACKAGES TO PUBLIC SENIOR** HIGH SCHOOLS (ROIVA-25-03)

DATE : June 19, 2025

Pursuant to Section 22.5.2 of the 2016 Revised Implementing Rules and Regulations of Republic Act No. 9184, this Bid Bulletin is hereby issued for the information and guidance of all prospective bidders. It shall form an integral part of the Bidding Documents issued earlier in connection with the above-mentioned project.

Section VI Schedule of Requirements			ITEM/DESCRIPTION																
LOT 1	hedule of Requirements PT 1								tion VI edule of Requireme ` 1	ents									
Batangas Batangas	Batangas Binan City	Cabuyao City	Calamba City	CAVITE						Batangas	Batangas	Batangas	Binan City	Cabuyao City	Calamba City	CAVITE	CAVITE	Dasmarinas Citu	Dasmarinas City
Item Agoncillo SHS Alitagtag SH	Placido T. Amo SHS Timbao Campus	Mamatid SHS Int		Emilia Ambalada oblete Integrated HS	Escuela Secondaria Senor de Salinas	Dr. Jose P. Rizal SHS	Paliparan II Integrated HS		ltem	Agoncillo SHS	Alitagtag SHS	Placido T. Amo SHS	Binan City SHS - Timbao	Mamatid SHS	Integrated School of	Emilia Ambalada Poblete	Escuela Secondaria Senor de	Dr. Jose P. Rizal SHS	Paliparan II Integrated HS
28 Pillars, Cake (Set 3", 5", 7") 5 5	2		5		2	5				5115		Allo SIIS	Campus		Lava	Integrated HS	Salinas	Fizar 5115	integrated 115
29 Piping Bag 5 15	8		12	20	4	5	22		Bread and Pastry Production										
30 Rectangular Pan (8x8x1) 5 5	6		5	5		5			Pillars, Cake (Set 3", 5", 7")	5	5	2			5		2	5	
31 Rolling Pins 6 6	8	24	5	5	6	5	24		Piping Bag	5	15	8			12	20	4	5	22
32 Rubber Scraper 5 5	6	25	10	10	20	11	24		Rectangular Pan (8x12x1)	5	5	6			5	5		5	
33 Sauce Pan 5 3	12 10	12	5	4	10	5			Rolling Pins	6	6	8		24	5	5	6	5	24
34 Sheet Pan 5 5	8 20		5	10	20	5			Rubber Scraper	5	5	6		25	10	10	20	11	24
35 Spoon, Measuring 6 10	8		6	5	10	10			Sauce Pan Sheet Pan	5	3	12	10	12	5	4	10	5	
36 Spoon, Wooden 6 5	6		5	6	20	5			Spoon, Measuring	6	5	8	20		5	10	20	5	
37 Strainer 6 6	4		5	5	6	5			Spoon, Wooden	6	5	6			6	5	20	5	
38 Tip, Decarative (Set) 5 5	0	6	5	5	2	5			Strainer	6	6	4			5	5	6	5	
39 Weighing Scale, 10kgs 5 1	4 2	1	1	4	1	5			Tip, Decarative (Set)	5	5	0		6	5	5	2	5	
40 Weighing Scale, 5kgs, Digital 4 3	4 5	1	1	6	4	5	6	39	Weighing Scale, 10kgs	5	1	4	2	1	1	4	1	5	
41 Wire Whisk, Medium 5 5			5	10	10	10	24		Weighing Scale, Skgs, Digital	4	3	4	5	1	1	6	4	5	6
	1							41	Wire Whisk, Medium	5	5				5	10	10	10	24

08F/ROA/Pro2



Address: Gate 2, Karangalan Village, Cainta, Rizal Telephone No.: 02-8682-2114 Email Address: region4a@deped.gov.ph Website: depedcalabarzon.ph



	Laguna	Laguna	Laguna	Laguna	Lucena	Lucena	Quezon	Quezon	Quezon	Quezon	Quezon				Laguna	Laguna	Laguna	Laguna	Lucena	Lucena	Quezon	Quezon	Quezon	Quezon	Quezon
ltem	BN Calara Seniol High School		HS Luisiana INHS	Siniloan INHS	Gulang-Gulang NHS	S Ibabang Talim	Apad NHS	Danlagan	Hagonghong Integrated HS	Jacinto G. Esplana NHS	Lalig NHS			ltem	BN Calara Senior High	Luis Obial SHS		Siniloan INHS	Gulana	lbabang Talim			Hagonghong Integrated HS	Jacinto G.	
28 Pillars, Cake (Set 3", 5", 7")	5	5	5	2	3	4	3	5	6	5	5			1	School					-			_		
29 Piping Bag	5	5	5		5	5	6	10	3	5	5			Bread and Pastry Production											
30 Rectangular Pan (8x8x1)	5	5	5	5	8	4	6	5	6		5	2	28 Pillar 29 Pipir	rs, Cake (Set 3'', 5'', 7'') ng Bag	5	5	5	2	3	4	3 6	5	6	5	5
31 Rolling Pins				3	5	9	4	5	6	5	5	3	_	tangular Pan (8x12x1)	5	5	5	5	8	4	6	5	6	5	5
32 Rubber Scraper				10	10	5	6	20	6		5	3		ngPins				3	5	9	4	5	6	5	5
33 Sauce Pan 34 Sheet Pan				5	3	5	6	5	6	5	5	3	_	ber Scraper				10	10	5	6	20	6		5
				7	10	10	3	10	3	40 40	5		33 Sau				ļ	5	3	5	6	5	6	5	5
35 Spoon, Measuring 36 Spoon, Wooden				5	10	4	6	5	6	40	6		34 She	et Pan on, Measuring				7	10 11	10	3	10 5	3	40 40	5
37 Strainer	1	1	1	5	5	4	4	5	6	40	5		_	on, Wooden	-		+	5	10	4	6	5	6	40	6
38 Tip, Decarative (Set)	5	5	5	3	4	4	3	5	6	vr	5	3	37 Strai	iner	1	1	1	5	5	4	4	5	6	40	5
39 Weighing Scale, 10kgs	1	1	1		2	4	2	2	6		5	3		Decarative (Set)	5	5	5	3	4	4	3	5	6		5
40 Weighing Scale, 5kgs, Digital	1	1	1	5	10	4	6	2	2		5	3	_	ghing Scale, 10kgs ghing Scale, 5kgs, Digital	1	1	1	5	2	4	2	2	6		5
41 Wire Whisk, Medium				5	20	4	7	8	5	10	5			yning Joane, okgs, bigkar Whisk, Medium	1		1	5	20	4	6	2	5	10	5
1t 28 Pillars, Cake (Set 3", 5", 7")	em .		Antonio C. Esguerra Men NHS	n. I 🗸	to A. Duavit INHS	Tanay SHS	Тау	tay SHS	Sinalhan Inte HS 5	grated Dapdag S	p Integrated School 5			ltem			Antonio C Esguerra Mem. NHS	narg D	arito A. it MNHS	Tanay Sł	1S Tay	tay SHS	Sinalha Integrated	an In	Dapdap itegrated School
29 Piping Bag									5		5			Bread and Pastry	Productie	л									
30 Rectangular Pan (8x8x1)									5		5		28	Pillars, Cake (Set 3", 5", 7")									5		5
31 Rolling Pins									5		5		29	Piping Bag									5		5
32 Rubber Scraper									15		5		30	Rectangular Pan (8x12x1)									5		5
33 Sauce Pan			5		5	4		4			4		31	Rolling Pins									5		5
			5		5	4		4					32	Rubber Scraper									15		5
34 Sheet Pan									-		4		33	Sauce Pan			5	_	5	4	_	4			4
35 Spoon, Measuring									5		10		34	Sheet Pan				_			_			_	4
36 Spoon, Wooden									5		10		35 36	Spoon, Measuring Spoon, Wooden				_			_		5	_	10 10
37 Strainer									5		5		36 37	Spoon, wooden Strainer				+					5		5
38 Tip, Decarative (Set)									5		5		37 38	Tip, Decarative (Set)									5		5
39 Weighing Scale, 10kgs			5		5	5		5	2		5			Weighing Scale, 10kgs			5	+	5	5		5	2	+	5
40 Weighing Scale, 5kgs, Digit	al		5		5	5		5	5		5			Weighing Scale, 5kgs, Digit	tal		5	_	5	5		5	5	+	5
41 Wire Whisk, Medium											5			Wire Whisk, Medium			-			-		-			5
										- I								1					1	I	-

	Batangas	Batangas	Batangas	Batangas	Cabuyao City	Calamba City	Calamba City	Calamba City	CAVITE Emilia Ambalada	CAVITE	CAVITE		Batangas	Batangas	Batangas	Batangas	Cabuyao City	Calamba City	Calamba City	Calamba City	CAVITE	CAVITE	CAV
Item	Agoncillo SHS	Alitagtag SHS	Placido T. Amo SHS	Sto. Tomas SHS	Mamatid SHS	Integrated School of Lawa	Majada Integrated School	Makiling Integrated School	Pohlete Integrated	Escuela Secondari Senor de Salinas		kem	Agoncillo		Disside T	Sto. Tomas		Integrated	Majada	Makiling	Emilia Ambalada	Escuela Secondaria	Bag
lad Plates, 7" to 8"	5	36	24	24	24	36	30		24	12			SHS	Alitagtag SHS	Amo SHS	SHS	Mamatid SHS		Integrated	Integrated	Poblete	Senor de	Nation
It and Pepper Shakers (set)	5	12	12		12	5	4	10	12	6								Lawa	School	School	Integrated HS	Salinas	Sc
uce Ladles	5	12	12		12				12	6		36 Salad Plates, 7" to 8"	5	36	24	24	24	36	30		24	12	
ver, Cake	5	12	12	10	12	5			12	6	6	37 Salt and Pepper Shakers (set)	5	12	12		12	5	4	10	12	6	
vice Fork	5	36	6	12	12		30	10	12	12	6	38 Sauce Ladles	5	12	12		12				12	6	
vice Tray	5	12	6		12		3	10	12	6	6	39 Server, Cake	5	12	12	10	12	5			12	6	
w/Service/Base Plates 11" to 14"	5	36	6	12	12		30	40	12	12		40 Service Fork	5	36	6	12	12		30	10	12	12	
Plates or Bread Plates 6"	5	36	8	12	24		30	40	24	12		41 Service Tray	5	12	6		12		3	10	12	6	
Towel	5	12	6			20			24	12		42 Show/Service/Base Plates 11" to 14"	5	36	6	12	12		30	40	12	12	
r Platter	5	12	6	12	1		30		24	12	6	43 Side Plates or Bread Plates 6"	5	36	8	12	24		30	40	24	12	
) Bowl	5	36	6	12	24		25	40	12	12		44 Side Towel	5	12	6			20			24	12	
p Ladle	5	12	6				8		6			45 Silver Platter	5	12	6	12	1		30		24	12	
o Tureen										12		46 Soup Bowl	5	36	6	12	24		25	40	12	12	
orcelaine	6	3			3		4		12	12		47 SoupLadle	5	12	6				8		6		
ainless	6	3	6		3	2	4			12		Soup Tureen											
n, Dessert	6	33	12	24		24	30	30	15	12	12	48 Porcelaine	6	3			3		4		12	12	
n, Service	6	36	6	24		24	30	10	12	12	10	49 Stainless	6	3	6		3	2	4			12	
ons, Soups (Cream and Consume)	6	36	12	24		24	30	30	12	12	10	50 Spoon, Dessert	6	33	12	24		24	30	30	15	12	
r Container	6	12	8	5		4	4	30	6	6	12	51 Spoon, Service	6	36	6	24		24	30	10	12	12	
e Cloth, 54x54 inches	6	3	7	,	4	7	4		4	6	6	52 Spoons, Soups (Cream and Consume)	6	36	12	24		24	30	30	12	12	-
ble Cloth, Rectangular	6	3	8		4	2	4	2	4	6	6	53 Sugar Container	6	12	8	5		4	4		6	6	_
,	8	·	32		0	80	30	2		,	0	54 Table Cloth, 54x54 inches	6	3	1		4	2	4	0	4	6	_
le Napkins, Cloth, 16"x16"	6	36	52		6	2	30 4	2	50	50 6	6	55 Table Cloth, Rectangular	6	3	8 32		6	2 80	4 30	2	4	6	-
ble Skirting Cloth 90"x90"	D	3	0		D	2	4	2	2	D	D	56 Table Napkins, Cloth, 16"x16" 57 Table Skirting Cloth 90"x90"	6	36 5	32		6	2	3U 4	,	50 5	50 6	-
ble, Round (8's)				10				,				Table Round (8's)	0	J	0		0	2	4	2	J	0	
HDPE Plastic (8-10 seaters, 152x74x54cm)	5	1	3	10	4	4		5	5	4		58 HDPE Plastic (8-10 seaters, 152x74x54cm)	5	1	3	10	4	4		5	5	4	-
ong (8-12 seater, 186x76cm)	6	1	3	2		2	4	2		2	3	59 Long (8-12 seater, 186x76cm)	6	1	3	2	4	2	4	2	J	2	-
le, Scquare/Rectangular (4's or 6's)												Table, Scouare/Rectangular (4's or 6's)		'	J	2		6	7	2		2	
lectangle HOPE Plastic (4's, 120x60cm)	6	2			6	12	3		5	2		60 Rectangle HOPE Plastic (4's, 120x60cm)	6	2			6	12	3		5	2	
6's180x70x74cm)	5	1		5		8			5	2		61 (6's180x70x74cm)	5	1		5	· ·	8	~		5	2	+
quare Long (91x76cm)	5	1	1	5	1	2	2	6	5	4		62 Square Long (91x76cm)	5	1	1	5	1	2	2		5	4	+
Pot, 2 Pints	5	3	4		3		3	5	4	6		63 TeaPot, 2Pints	5	3	4	- ·	3	-	3	5	4	6	+
spoon	5	24	24	23		24	29	49	16	12	25	64 Teaspoon	5	24	24	23		24	29	49	16	12	+
g, 8 inches	6	10	12			10			6	11		65 Tong, 8 inches	6	10	12			10			6	11	1
th Pick Holder	5	10	6			10			6	5		66 Tooth Pick Holder	5	10	6			10			6	5	1
Stand	5	3	6		5			10	10	6	3	67 Tray Stand	5	3	6		5			10	10	6	1
, Bill Folder/Change	5	5	6	10			4	9	6	6	3	68 Tray, Bill Folder/Change	5	5	6	10			4	9	6	6	
, Round (Bar)	5	5	6	3	5		4	10	6	10	6	69 Tray, Round (Bar)	5	5	6	3	5		4	10	6	10	
ter Goblet	5	24	24	24		30	25	30	12	24		70 Water Goblet	5	24	24	24		30	25	30	12	24	
iter Pitcher	6	5	6	5	12		8		12	9		71 Water Pitcher	8	5	6	5	12		0		12	9	

		Batangas	Batangas	Batangas	Binan City	Cabuyao City	Calamba City	CAVITE	CAVITE	Dasmarinas City	Dasmarinas City
	ltem	Agoncillo SHS	Alitagtag SHS	Placido T. Amo SHS	Binan City SHS - Timbao Campus	Mamatid SHS	Integrated School of La v a	Emilia Ambalada Poblete Integrated HS	Escuela Secondaria Senor de Salinas	Dr. Jose P. Rizal SHS	Paliparan II Integrated HS
	Bread and Pastry Production										
28	Pillars, Cake (Set 3", 5", 7")	5	5	2			5		2	5	
29	Piping Bag	5	15	8			12	20	4	5	22
30	Rectangular Pan (8x12x1)	5	5	6			5	5		5	
31	Rolling Pins	6	6	8		24	5	5	6	5	24
32	Rubber Scraper	5	5	6		25	10	10	20	11	24
33	Sauce Pan	5	3	12	10	12	5	4	10	5	
34	Sheet Pan	5	5	8	20		5	10	20	5	
35	Spoon, Measuring	6	10	8			6	5	10	10	
36	Spoon, Wooden	6	5	6			5	6	20	5	
37	Strainer	6	6	4			5	5	6	5	
38	Tip, Decarative (Set)	5	5	0		6	5	5	2	5	
39	Weighing Scale, 10kgs	5	1	4	2	1	1	4	1	5	
40	Weighing Scale, 5kgs, Digital	4	3	4	5	1	1	6	4	5	6
41	Wire Whisk, Medium	5	5				5	10	10	10	24

		Laguna	Laguna	Laguna	Laguna	Lucena	Lucena	Quezon	Quezon	Quezon	Quezon	Quezon
	ltem	BN Calara Senior High School	Luis Obial SHS	Luisiana INHS	Siniloan INHS	Gulang- Gulang NHS	lbabang Talim Integrated HS	Apad NHS	Danlagan	Hagonghong Integrated HS	Jacinto G. Esplana NHS	Lalig NHS
	Bread and Pastry Production											
28	Pillars, Cake (Set 3", 5", 7")	5	5	5	2	3	4	3	5	6	5	5
29	Piping Bag	5	5	5		5	5	6	10	3	5	5
30	Rectangular Pan (8x12x1)	5	5	5	5	8	4	6	5	6		5
31	Rolling Pins				3	5	9	4	5	6	5	5
32	Rubber Scraper				10	10	5	6	20	6		5
33	Sauce Pan				5	3	5	6	5	6	5	5
34	Sheet Pan				7	10	10	3	10	3	40	5
35	Spoon, Measuring				5	11	4	6	5	6	40	5
36	Spoon, Wooden				5	10	4	6	5	6	40	6
37	Strainer	1	1	1	5	5	4	4	5	6	40	5
38	Tip, Decarative (Set)	5	5	5	3	4	4	3	5	6		5
39	Weighing Scale, 10kgs	1	1	1		2	4	2	2	6		5
40	Weighing Scale, 5kgs, Digital	1	1	1	5	10	4	6	2	2		5
41	Wire Whisk, Medium				5	20	4	7	8	5	10	5

		Rizal	Rizal	Rizal	Rizal	Sta. Rosa	Tayabas City
	ltem	Antonio C. Esguerra Mem. NHS	Margarito A. Duavit MNHS	Tanay SHS	Taytay SHS	Sinalhan Integrated HS	Dapdap Integrated School
	Bread and Pastry Production						
28	Pillars, Cake (Set 3", 5", 7")					5	5
29	Piping Bag					5	5
30	Rectangular Pan (8x12x1)					5	5
31	Rolling Pins					5	5
32	Rubber Scraper					15	5
33	Sauce Pan	5	5	4	4		4
34	Sheet Pan						4
35	Spoon, Measuring					5	10
36	Spoon, Wooden					5	10
37	Strainer					5	5
38	Tip, Decarative (Set)					5	5
39	Weighing Scale, 10kgs	5	5	5	5	2	5
40	Weighing Scale, 5kgs, Digital	5	5	5	5	5	5
41	Wire Whisk, Medium						5

	Batangas	Batangas	Batangas	Batangas	Cabuyao City	Calamba City	Calamba City	Calamba City	CAVITE	CAVITE	CAVITE
ltem	Agoncillo SHS	Alitagtag SHS	Placido T. Amo SHS	Sto. Tomas SHS	Mamatid SHS	Integrated School of La v a	Majada Integrated School	Makiling Integrated School	Emilia Ambalada Poblete Integrated HS	Escuela Secondaria Senor de Salinas	Bagbag National Hlg School
36 Salad Plates, 7" to 8"	5	36	24	24	24	36	30		24	12	
37 Salt and Pepper Shakers (set)	5	12	12		12	5	4	10	12	6	
38 Sauce Ladles	5	12	12		12				12	6	
39 Server, Cake	5	12	12	10	12	5			12	6	6
40 Service Fork	5	36	6	12	12		30	10	12	12	6
41 Service Tray	5	12	6		12		3	10	12	6	6
42 Show/Service/Base Plates 11" to 14"	5	36	6	12	12		30	40	12	12	
43 Side Plates or Bread Plates 6"	5	36	8	12	24		30	40	24	12	
44 Side Towel	5	12	6			20			24	12	
45 Silver Platter	5	12	6	12	1		30		24	12	6
46 Soup Bowl	5	36	6	12	24		25	40	12	12	
47 Soup Ladle	5	12	6				8		6		
Soup Tureen											
48 Porcelaine	6	3			3		4		12	12	
49 Stainless	6	3	6		3	2	4			12	
50 Spoon, Dessert	6	33	12	24		24	30	30	15	12	12
51 Spoon, Service	6	36	6	24		24	30	10	12	12	10
52 Spoons, Soups (Cream and Consume)	6	36	12	24		24	30	30	12	12	12
53 Sugar Container	6	12	8	5		4	4		6	6	
54 Table Cloth, 54x54 inches	6	3	7		4	2	4		4	6	6
55 Table Cloth, Rectangular	6	3	8		6	2	4	2	4	6	6
56 Table Napkins, Cloth, 16"x16"	8	36	32			80	30		50	50	
57 Table Skirting Cloth 90"x90"	6	5	6		6	2	4	2	5	6	6
Table, Round (8's)											
58 HDPE Plastic (8-10 seaters, 152x74x54cm)	5	1	3	10	4	4		5	5	4	
59 Long (8-12 seater, 186x76cm)	6	1	3	2		2	4	2		2	3
Table, Scquare/Rectangular (4's or 6's)											
60 Rectangle HOPE Plastic (4's, 120x60cm)	6	2			6	12	3		5	2	
61 (6's180x70x74cm)	5	1		5		8			5	2	
62 Square Long (91x76cm)	5	1	1	5	1	2	2		5	4	
63 TeaPot, 2Pints	5	3	4		3		3	5	4	6	
64 Teaspoon	5	24	24	23		24	29	49	16	12	25
65 Tong, 8 inches	6	10	12			10			6	11	
66 Tooth Pick Holder	5	10	6			10			6	5	
67 Tray Stand	5	3	6		5			10	10	6	3
68 Tray, Bill Folder/Change	5	5	6	10			4	9	6	6	3
69 Tray, Round (Bar)	5	5	6	3	5		4	10	6	10	6
70 Water Goblet	5	24	24	24		30	25	30	12	24	
71 Water Pitcher	6	5	6	5	12		8		12	9	

Ρ	а	g	е	8
---	---	---	---	---

Section VII Technical Spec DETAILED TEC	ification	TICATION					Section VII Technical Spo DETAILED TH	cification	FICATION				
TVL SPECIALIZATION	PARTICULARS	TECHNICAL SPECIFICATIONS	UNIT	QUANTITY	STATEMENT OF COMPLIANCE (State Comply or Not Comply)	BIDDER'S ACTUAL OFFER state the brand and model specifying the product offered with an attachment of official brochure or unamended sales literature	LOT 1 TVL SPECIALIZATION	PARTICULARS	TECHNICAL SPECIFICATIONS	UNIT	QUANTITY	STATEMENT OF COMPLIANCE (State Comply or Not Comply)	BIDDER'S ACTUAL OFFER state the brand and model specifying the product offered with an attachment of official brochure or unamended sales literature
Bread and Pastry Production NC II	30. Rectangular Pan, (8x8x1)	Type: Rectangular Pan Material: Anodized Aluminum Thickness: 1.63 mm thick, minimum Dimensions: Length- 8 inches x Width- 8 inches x Height- 1 inch (minimum) Oven safe to 500°F / 260°C Preferably with packing case Food grade and dishwasher safe Must be branded.				as applicable	Bread and Pastry Production NC II	30. Rectangular Pan, (8x12x1)	Type: Rectangular Pan Material: Anodized Aluminum Thickness: 1.63 mm thick, minimum Dimensions: Length- 8 inches x Width- 12 inches x Height- 1 inch (minimum) Oven safe to 500°F / 260°C Preferably with packing case Food grade and dishwasher safe Must be branded.				as applicable

TECHNICAL SPECIFICATIONS OF LOT 2

TVL SPECIALIZATION	PARTICULARS	TECHNICAL SPECIFICATIONS	UNIT	QUANTIT Y	STATEMENT OF COMPLIANCE (State Comply or Not Comply)	BIDDER'S ACTUAL OFFER state the brand and model specifying the product offered with an attachment of official brochure or unamended sales literature as applicable
Caregiving NC II	1. Airpot	 Type : Water Heater Outer Material : Hard Plastic,(PP) Polypropylene , Heat Resistant Cavity Material : Stainless Steel Capacity : 2.5 liters Voltage : 220/240 volts AC 50/60 Hz. Power in watts: 500 to 800 watts Comes with English manual that contains: users guide, list of parts, maintenance guide, safety guide The item must be branded and good quality. 				
Caregiving NC II	2. Apron	 Type : Bib Apron Material : Polyester - Cotton Fabric Length : 20 to 24 inches (minimum) With 2 to 3 bottom pockets; Color: Any The item must be of good quality 				
Caregiving NC II	3. Baby bathtub	 Material : Hard / Sturdy Plastic, (PP) Polypropylene Color : Any Dimension : (Lx W x H) 670 to 700 mm x 400 to 420 mm x 160 to 190mm (minimum) Thickness: 3 mm to 6 mm (minimum) The item must be of good quality 				

Caregiving NC II	4. Baby blanket	 Type: Blanket Material: 100% Cotton Color: White Dimension : (L x W) 38 to 42 inches x 28 to 32 inches (minimum) Washable The item must be of good quality. 		
Caregiving NC II	5. Basin (small)	 Material: Hard Plastic, (PP) Polypropylene Color: Any Dimension: 280 - 320 mm diameter x 80 - 120 mm high (minimum) Wall Thickness: 2 mm to 4 mm (minimum) The item must be of good quality. 		
Caregiving NC II	6. Bath Towel/ Towelette	 Type: Bath Towel Material: 100% cotton Color: White Dimension: (L x W) 120 - 125 cm x 60 - 65 cm (minimum) Washable The item must be of good quality 		
Caregiving NC II	7. Bedpan	 Material: Hard Plastic, (PS) Polystyrene Color: Any Color Dimension: (L x W x H) 22 - 26 cm x 27 - 32 cm x 7 - 12 cm (minimum) approximate Capacity: 1 liter (minimum) Thickness: 2 to 5 mm Saddle-shaped and lightweight The item must be of good quality 		

Caregiving NC II	8. Blanket	1. Type: Blanket 2. Material: Cotton 3. Color: White 4. Dimension: (Lx W) 80 - 90 inches x 54 - 64 inches approximate 5. Washable 6. The item must be of good quality
Caregiving NC II	9. Bottle Sterilizer, electric	I. Type: Electric Steam Sterilizer2. Material: Hard Plastic (P E) Polyethylene or its equivalent3. Color: Any Color4. Capacity: 6 bottles (minimum)5. Sterilizes bottle and accessories by steam6. with Automatic Power Shut-off function7. Dimensions:8. Power Supply: 220 V-240V AC, 50/60 Hz.9. The item must be of good quality
Caregiving NC II	10. Bread toaster	 Type: Electric Bread Toaster Dimensions (W x D x H): 25 -30 cm x 15 -20 cm x 18 -22 cm (minimum) approximate Capacity: 2 slices Power Supply: 220V-240V AC, 50/60 Hz. 400 to 600 W (minimum) The item must be of good quality.
Caregiving NC II	11. Burping Cloth	1. Type: Burping Cloth 2. Material: 100% cotton 3. Color: Any Color 4. Dimension: Length: 17 - 19 cm Width: 14 -16 cm (minimum) 5. Washable 6. The item must be of good quality.

Caregiving NC II	12. Cane	 Type: Adjustable offset walking cane Material: Aluminum Tip Size: 18 Height Adjustment: 31 inches to 39 inches (with 1 inch. increment) Weight Capacity: 200 - 250 lbs. (minimum) With rubber handle; with push-button height adjustment The item must be of good quality 	
Caregiving NC II	13. Carpet 4 ft. x 8 ft.	1. Material: Polyester2. Color: Any Patterned Color3. Dimension: 48 inches x 96 inches (minimum)4. The item must be of good quality.	
Caregiving NC II	14. China ware	1. Material: Porcelain 2. fit to be used in ovens and microwaves 3. Specific Dimensions: Dinner plate diameter: 10 inches (minimum) 4. Salad plate diameter: 7 inches (minimum) 5. Bowl diameter: 5 inches (minimum) 6. Mug: 12 oz. (minimum) 7. The item must be of good quality 8. Set includes: 1 piece Dinner plate, 1 piece Salad plate, 1 piece mug	
Caregiving NC II	15. Clothes brush	1. Type: Rectangular clothes brush 2. Handle Material: Wood 3. Bristle Material: Plastic Bristle 4. Color: Any Color 5. Overall Dimension: (L x W x H) 140 -160 mm x 45 -60 mm x 20 -30 mm (minimum) 6. The item must be of good quality.	
Caregiving NC II	16. Clothes hamper	1. Type: Square Hamper 2. Material: Polyester 3. Color: Any Color 4. Dimension: (L x W x H cm) 32 to 34 cm x 36 to 38 cm x 56 to 58 cm (minimum) 5. The item must be of good quality	

Caregiving NC II	17. Clothes Rack	1. Type: Single-Pole Clothes Rack 2. Material: Stainless Steel
		3. Dimension: (L x W x H) 30 to 32 inches x 14 to 18
		inches x 62 to 64 inches (minimum)
		4. Comes with 4 caster wheels.
		5. The item must be of good quality
Caregiving NC II	18. Comforter	1. Type: Comforter
		2. Material: Polyester
		3. Color: Any Color
		4. Dimension: (L x W) 84 to 88 inches x 62 to 65
		inches (minimum)
		5. Thickness: 20 -30 mm (minimum)
		6. Washable
		7. The item must be of good quality
Caregiving NC II	19. Commode	1. Type: Foldable Commode
		2. Durable Plastic Snap - on seat and lid without
		pushing buttons
		3. Blue powder -coated steel -welded construction
		4. Plastic arms for added comfort
		5. Comes complete with 12 qt. commode bucket
		with carry handle, cover and splash shield.
		6. Specifications: Width 18 inches between arms /
		22.5 inches Outside approximate
		7. Seat Dimensions: W 32 -36 cm x D 35 -40 cm,
		Height 38 -54 cm approximate
		8. Weight 13 lbs., Weight Limit 350 lbs.
		9. The item must be branded and have good quality

Caregiving NC II	20. Cooking Utensils	Material: Stainless Steel The set is comprised of ff:;1 pc 16 x 9.5 cm sauce pan with glass lid (minimum) 1 pc 16 x 9.5 cm casserole with one glass lid, (minimum) 1 pc 18 x 10.5 cm casserole with glass lid, (minimum) 1 pc 20 x 11.5 cm casserole with glass lid, (minimum) The item must be of good quality.		
Caregiving NC II	21. Crutches (adjustable)	Type: Adjustable CrutchesSet includes: 3 pcs./setMaterial: Aluminum Powder-CoatedColor : Any ColorWeight Capacity : 300 lbs. (minimum)Dimensions: Youth SizeUser Heights: 4 ft.6 inches to 5 ft. 2 inchesUnderarm Height: 37 inches to 46 inchesAdult size: User Heights: 5 ft. 2 inches to 5 ft.10 inchesUnderarm Heights : 45 inches to 53 inchesTall Adult Size : User Heights : 5 ft. 10 inchesUnderarm Height : 53 inches to 61 inchesThe item must be of good quality		
Caregiving NC II	22. Cutlery	Material: Stainless Steel 20 pieces set for 4 4 dinner knives 4 dinner forks 4 dinner spoons 4 salad forks 4 tea spoons The item must be of good quality.		
Caregiving NC II	23. Cutting Board, plastic	Material: Polyethylene plastic Color: Any Color Dimension : (L x W x H) 240 - 260 mm x 140 - 160 mm x 10 - 15 mm (minimum) Reversible Cutting Surface The item must be of good quality		

Caregiving NC II	24. Digital ThermometerA. Forehead and Ear typeB. Pencil Type	Case Material: Hard plastic (P E) Polyethylene Color : Any Color Range: 32 C - 42.9 C (90.0F-109.9F) Accuracy: ± 0.1C 35.5C-42.0C (± 0.2 F 95.9F-107.6F) Baterry Operated Memory: Last measuring reading Alarm: Approx. 10 seconds sound signal when peak temperature reached. The item must be of good quality.		
Caregiving NC II	25. Dressing trolley	Material: Shelves: Powder-coated steel sheet Dimensions: (W x D x H) 48 - 50 cm x 48 - 50 cm x 83 - 85 cm (minimum) Number of Shelves: 2 With four revolving castors, two Lockable The item must be of good quality		
Caregiving NC II	26. Electric knife	Type: Electric Knife Material: Stainless Steel and Hard Plastic ,(PE) Polyethylene Power Supply : 220/240 volts, AC 50/60 Hz. Dimensions: 4.25 X 2.75 X 11.88 inches (minimum) Comes with touch button control, safety lock and English user's manual. Comes with English manual that contains: users guide, list of parts, maintenance guide, safety guide The item must be branded and good quality.		
Caregiving NC II	27. Face Towel/ Towelette	Type: Face Towel Material: 100% Cotton Color: White Dimension : (L x W) 28 -32 cm x 28 -32 cm (minimum) Washable The item must be of good quality		
Caregiving NC II	28. Feeding Bottle brush (cleaning feeding bottles)	Bristle Material: Nylon Color: Any Color Handle Material: Hard Plastic, (PS) Polystyrene Total Length: 280 -320 mm (minimum) Fit with the standard feeding bottle for the baby Comes with nipple brush Washable. The item must be of good quality		

Caregiving NC II	29. Feeding Utensils (Child)	Material: hard plastic , (PS) Polystyrene Sets Inlcudes: 6 pcs./set 1 pc. Knife 1 pc. – plate 1 pc. – bowl 1 pc. – cup 1 pc. – fork 1 pc. – spoon		
		Color: Any The item must be of good quality.		
Caregiving NC II	30. First Aid Kit	Type: Emergency case; Contents: First Aid Quick Reference Guide, 1pc; Sterilize Gauge Swab (4 x4 x12 ply) 100 pcs/pack, 1 pack; Adhesive strips/Band -Aid, 50 pcs/pack, 2 packs; Gloves, disposable, medium size, 2 pairs; Hypo Allergenic adhesive tape, 5cm x 5cm, 2 rolls; Triangular bandage/arm sling, min 90cm x 90cmx 120cm, 2pcs; Safety pins, 1 1/4 inches, (12 pcs), 1 3/4 inches (12 pcs); Stainless steel bandage scissors, 2pcs; Betadine, 60ml, 2 -3 years expiration, 2 bottles; Dust mask, 2pcs; Hand towels or face towels, white color, 6 pcs; Gauze bandage, minimum 5cm x 4cm, 2 rolls; Antiseptic handwash/germicidal soap, 60 gms , 2pcs; Torniquet, 2 pcs; Spirit of ammonia, 30ml, 2-3 years expiration, 1 bottle; Burn cream ointment, 20g to 30g, 2- 3years expiration, 1 tube; Medical tweezers min. 8cm, plastic, 2pcs; Plastic bags, resealable, minimum of 24pcs, 100mm x 180mm, 24pcs, 150mm x 230mm		

		Cotton balls, 50 balls in a sealed package, 2 packs		
		Hot and Cold pack, reuseable, 1 pack		
		Water resistant and sturdy case w/ handle that		
		can accommodate all the listed items.		
Caregiving NC II	31. Flat sheet	Type: Bed Sheet		
		Material: 100% Cotton		
		Color: White		
		Dimension: Width - 137 -145 cm Length - 180 -200 cm		
		(minimum) Washable		
		The item must be of good quality.		
Caregiving NC II	32. Garbage Bin	Type: Swivel Lid Garbage Bin		
		Body Shape: Round		
		Material: Hard Plastic, Polypropylene		
		Dimension: Diameter-26 cm x Height-47 cm		
		(minimum)		
		Capacity: 4 gallons (minimum)		
		Removable dome shape Lid with spring return swivel		
		Preferably with a packing case		
		Color: Any color		
		Smooth and no rough surfaces		
Caregiving NC II	33. Gloves, Rubber (15 mils)	Medium size(# 8)		
		Super Nitrile, flocklined interior (acid/solvent		
		resistant)		
		Individually packed		
		For hand protection		
Caregiving NC II	34. Gloves, Surgical	Material: Latex		
	(disposable)	Color: White		
		Thickness: .09 mm (minimum)		
		Disposable and Sterile		
		The item must be of good quality		

Caregiving NC II	35. Gown (Hospital)	Type: Unisex Hospital Gown Material: Polyester-Cotton Color: Any Color Size: One size fits all Comes with overlap back closure The item must be of good quality.		
Caregiving NC II	36. Grooming kit (hairbrush comb, nail cutter, nail brush)	Set includes: 6 pcs. /set (minimum) Materials: stainless steel and hard plastic 2 nail clippers / trimmers of different sizes 1 multipurpose scissors 1 ear pick 1 tweezer 1 comb The item must be of good quality		
Caregiving NC II	37. Hand Towel	Type: Hand Towel Material: 100% Cotton Color: Any color Dimension : (L x W) 65 - 75 cm x 32 - 42 cm (minimum) Washable. The item must be of good quality.		
Caregiving NC II	38. High chair/ booster seat/ portable seat	Material: Foldable powder coated steel frame or its equivalent Phone type: Corded Polyester Harness, seat/back cushion Overall Dimensions (L x W x H): 65 - 75 cm x 50 - 60 cm x 90 - 102 cm (minimum) Capacity: 40 lbs. (minimum) With 3-position seat recline The item must be of good quality		
Caregiving NC II	39. Hot Water Bag	Material: Rubber or its equivalent Color: Any Color Overall Dimension : (LxW) 200 - 300 mm x 150 - 200 mm (minimum) Leak-Proof and Washable. The item must be of good quality.		

Caregiving NC II	40. Kettle	Material: Heat-resistant hard plastic		
		Capacity: 1 -1.5 liters (minimum)		
		Height: 25 -35 cm (minimum) approx.		
		Voltage: 220/240 volts, AC 50/60 Hz.		
		Power in watts: 1000 to 1500 watts		
		Comes with automatic shut-off feature and		
		permanent water level indicator.		
		Pitcher-type with pouring.		
		Comes with english manual that contains: users		
		guide, list of parts, maintenance guide, safety guide		
		The item must be branded and good quality		
Caregiving NC II	41. Measuring Cups, 1/4,	Material: Stainless Steel		
	1/3, 1/2, 1 cup set	Set includes: 4 pcs./set;		
	1/3, 1/2, 1 cup set	1 pc 1/4 cup (60 ml)		
		1 pc 1/3 cup (80 ml)		
		1 pc 1/2 cup (125 ml)		
		1 pc 1 cup (250ml)		
		Thickness: .5 mm to 1 mm (minimum)		
		The item must be of good quality.		
Caregiving NC II	42. Medical Tray	Type: Tray		
		Material: Stainless Steel		
		Dimension : (L x W x D) 300 - 350 mm x 200 - 250		
		mm x 12 - 19 mm. (minimum)		
		Thickness: .7 to 1 mm (minimum)		
		The item must be of good quality.		
Caregiving NC II	43. Mixing Bowl, stainless	Material: Stainless Steel		
	C I			
	steel, 6-piece set	Quantity of set: 6 pcs./set		
		Dimension : 3/4 qt., 1.5 qt., 3 qt., 4 qt., 5 qt., 8 qt. The item must be of good quality.		
Caregiving NC II	44. Pail, plastic 10 liters	Material: Polyethylene Plastic		
		Dimension: 25 -30 cm diameter x 23 -27 cm depth		
		(minimum)		
		Color: Any color		
		Chromed finished handle		
		Capacity: 10 liters (minimum)		
		Material must be non-toxic		
		The item must be of good quality		

Caregiving NC II	45. Pans	Type: Frying PanMaterial: Stainless SteelHandle: With hard plastic heat insulationTempered glass lid with steam holeSize : 23 -26 cm with lidThe item must have good quality	
Caregiving NC II	46. Peeler	Type: PeelerBlade Material: Stainless steelHandle Material: Stainless steelOverall dimensions: 18 x 8 cm (minimum)The item must be branded	
Caregiving NC II	47. Pick up forceps	Type: Curved forcepsMaterial: Stainless steelOverall length: 100 -130 mm (minimum)Comes with self-lockingThe item must be of good quality.	
Caregiving NC II	48. Pillow	Material: Cotton Color: Any ColorDimensions: (L x W) 50 -56 cm x 75 -80 cm (minimum) with 4 inches hems Washable The item must be of good quality	
Caregiving NC II	49. Pillowcase	Material: Cotton Color: Any Color Dimensions: (L x W) 50 -56 cm x 75 -80 cm (minimum) with 4 inches hems Washable The item must be of good quality	

Caregiving NC II	50. Portable mixer	Type : Portable Mixer		
		Material : Stainless Steel ,Clear Acrylic		
		Capacity : 16 -18 oz. (minimum)		
		Size : 170 - 220 mm x 75 - 100 mm		
		Requires 2 AAA batteries		
		Power in watts: 250 to 300 watts		
		The item must be of good quality.		
Caregiving NC II	51. Potato masher	Type : Potato Masher		
0 0		Material : Stainless Steel and Hard Plastic		
		Mesh head diameter : 70 - 90 mm (minimum)		
		Overall length : 250 -270 mm (minimum)		
		Handle length : 120 -140 mm (minimum)		
		Washable		
		The item must be of good quality		
Caregiving NC II	52. Pots	Type: Cooking pot		
		Material: Stainless Steel		
		Set includes: 4 pcs./set		
		1 x Pot with lid		
		1 x Pan with lid		
		1 x Strainer		
		1 x Egg steamer		
		Size : (L x W x H) 40 to 42 cm x 12 to 14 cm x 26 to 28		
		cm		
		The item must have good quality		
Caregiving NC II	53. Skillet	The item shall have the following specifications.		
		Material including handle: Cast iron		
		Color: Any Color		
		Dimension (Dia. x Depth): 250 -320 mm x 50 - 70 mm		
		(minimum)		
		Handle casted with the body and having plastic or		
		rubber heat insulator		
		Body Thickness: 1.5 -3 mm (minimum)		
		Washable		
		The item must be branded and have good quality.		

Caregiving NC II	54. Sphygmomanometer	Type: Aneroid Material : Nylon cuff and inflation bag, Die -cast zinc manometer Package Included : 1 x Aneroid sphygmomanometer, Size : (L x W x H cm) = 18 to 20 cm x 11 to 13 cm x 11 to 13 cm Nylon zippered carrying case Capacity: 0 to 300 mm Hg		
		The item must have good quality		
Caregiving NC II	55. Stethoscope	Type: Dual Head Stethoscope Material: Stainless Steel chestpiece and eartubes Reinforced PVC tubing Soft PVC eartips		
		Color: Any Color Bell diameter: 18-25 mm approx. Diaphragm diameter: 25-50 mm approx. Overall Length: 66-75 cm (minimum) The item must be of good quality		
Caregiving NC II	56. Urinal	Type: Unisex portable urinal Material: Hard Plastic, (PP) Polypropylene Color: Any Color Total Capacity: 28 oz. Minimum Dimension : (L x W x H) 270 to 290 mm x 145 to 160 mm x 70 to 80 mm (minimum) Thickness : 1 mm to 3 mm (minimum) The item must be of good quality.		
Caregiving NC II	57. Vacuum cleaner – Heavy Duty	 Material: Plastic (PP) Polypropylene or its equivalent COLOR: Any Color Suction power: 18 to 22 kpa (minimum) Tank Capacity: 24 Liters (minimum) Vacuum Hose Length: 6 to 8 ft. (minimum) Power Supply: 220 V - 240 V AC, 50/60 Hz. With accesories: Extension Wand, Utility Nozzle, Standard Paper Filter Comes with english manual that contains: users guide,list of parts,maintenance guide, safety guide The item must be branded and good quality 		

Caregiving NC		/heelchair VL Specializati		30 inches x Folded Dim to 14 inche Capacity: 3 With padd Brakes The item m	nensions : 34 - 38 ir nensions : ss x 34 to 3 50 lbs. (m led arm r	: (L x W x H) 4 nches (minimu (L x W x H) 4 38 inches (min	um) 0 to 44 incl nimum) ush-To-Lock	nes x 10					
		ITEM/DESCI	RIPTIC	ON					CLARIFICATIO	N/AM		T	
	Specificat	ion AL SPECIFICAI	NON					al Specificat	ion AL SPECIFICAT	rion			
TVL SPECIALIZ ATION	PARTICULARS	TECHNICAL SPECIFICATIONS	UNIT	QUANTITY	STATEME NT OF COMPLIA NCE (State Comply or Not Comply)	BIDDER'S ACTUAL OFFER state the brand and model specifying the product offered with an attachment of official brochure or	LOT 3 TVL SPECIALIZ ATION	PARTICULARS	TECHNICAL SPECIFICATIONS	UNIT	QUANTITY	STATEME NT OF COMPLIA NCE (State Comply or Not Comply)	BIDDER'S ACTUAL OFFER state the brand and model specifying the product offered with an attachment of official brochure or

				1					1	 -
Food and	184. Calculator	Type: Simple calculator,			Front	184. Calculator	Type: Simple calculator,			
Beverage		Non-scientific			Office		Non-scientific			
Services		Body material: Hard			Services		Body material: Hard			
NC II		plastic			NC II		plastic			
		Minimum Size: 110mm					Minimum Size: 110mm			
		Width x 140mm Long					Width x 140mm Long			
		LCD display: at least font					LCD display: at least font			
		size is 8mm x 5mm					size is 8mm x 5mm			
		With Dual power; Solar					With Dual power; Solar			
		cell and battery					cell and battery			
		With at least 8 digits					With at least 8 digits			
		display					display			
		Includes spare battery					Includes spare battery			
							· · ·			
		Packed with protective					Packed with protective			
		carton box					carton box			
		User's Manual in English			1		User's Manual in English			
		which includes:					which includes:			
		a. parts manual with					a. parts manual with			
		labels,					labels,			
		b. assembly instructions					b. assembly instructions			
		c. operating procedures					c. operating procedures			
		on how to use the					on how to use the			
		equipment,					equipment,			
		Branded					Branded			
Food and	185. Cart, Bell Boy	Type: Hotel luggage			Front	185. Cart, Bell Boy	Type: Hotel luggage			
Beverage		trolley			Office		trolley			
Services		Capacity: at least 450			Services		Capacity: at least 450			
NC II		kilograms			NC II		kilograms			
		Minimum dimensions:					Minimum dimensions:			
		Length - 1000mm x					Length - 1000mm x			
		Width - 600mm x Height					Width - 600mm x Height			
		- 1700mm					- 1700mm			
		Frame material:					Frame material:			
		Stainless Steel Tubing					Stainless Steel Tubing			
		Stainless Tube Diameter:					Stainless Tube Diameter:			
		at least 35mm Black					at least 35mm Black			
		Powder Coated Steel					Powder Coated Steel			
		Platform					Platform			
		With carpeted surface					With carpeted surface			
		and Rubber Bumper at			1		and Rubber Bumper at			
		the edge			1		the edge			
		With 4 pieces x 200mm					With 4 pieces x 200mm			
		Diameter Black					Diameter Black			
		Pneumatic Swivel					Pneumatic Swivel			
		Wheels Packed with					Wheels Packed with			
		shipping carton box					shipping carton box			
		Branded			1		Branded			
1 1 1	1		1		1		1			L

Food and	196 Cach Dogister	Printer: Width:		 Front	196 Cach Dogister	Printer: Width:		1	<u> </u>
Food and	186. Cash Register	57mm (minimum)		Front	186. Cash Register	57mm (minimum)			
Beverage	with Drawer			Office	with Drawer				
Services		Speed: 2 lines/sec		Services		Speed: 2 lines/sec			
NC II		(minimum)		NC II		(minimum)			
		LCD Display Size:				LCD Display Size:			
		5cm Width x 10cm				5cm Width x 10cm			
		Long(minimum)				Long(minimum)			
		With drawer at least				With drawer at least			
		4 bills and 5 coins				4 bills and 5 coins			
		compartments				compartments			
		With drawer				With drawer			
		dimension at least				dimension at least			
		410mm Width x				410mm Width x			
		450mm Depth				450mm Depth			
		Input Method:				Input Method:			
		Numeric 10-key				Numeric 10-key			
		Interface with at				Interface with at			
		least 2 ports				least 2 ports			
		Power Source: 220-				Power Source: 220-			
		240Volts AC,				240Volts AC,			
		50/60Hz;				50/60Hz;			
		With AC/DC				With AC/DC			
		Adapter				Adapter			
		Can be Operated				Can be Operated			
		with battery				with battery			
		Programmable				Programmable			
		User's Manual in				User's Manual in			
		English which				English which			
		includes:				includes:			
		a. parts manual				a. parts manual			
		with labels,				with labels,			
		b. assembly				b. assembly			
		instructions				instructions			
		c. operating				c. operating			
		procedures on how				procedures on how			
		to use the				to use the			
		equipment,				equipment,			
		Packed with carton				Packed with carton			
		box with Styrofoam				box with Styrofoam			
		protection				protection			
Food and	187. Credit Card	Color: (White & Gray)		Front	187. Credit Card	Color: (White & Gray)			
Beverage	Imprinter w/	With User's Manual in		Office	Imprinter w/	With User's Manual in			
Services	compact light	English which includes:		Services	compact light	English which includes:			
NC II	weight design	a. parts manual		NC II	weight design	a. parts manual			
		with labels,				with labels,			
		b. assembly		1		b. assembly			
		instructions,				instructions,			
		c. operating		1		c. operating			
		procedures				procedures			
		- Color dye sublimation				- Color dye sublimation			
		& monochrome thermal				& monochrome thermal			
	1						II		

	resin transfer technology - Sing side, edge to edge direct card printing - Manual Hand-fed for on-demand card personalization - Card size: CR80 (2.13" x 3.38") or 54mm x 86mm - card thickness: 30 mil (0.76 mm) - Card types: PVC & composite PVC cards, PET - Fast print speed of 150 cards per hour for full color single side, 600 cards per hour single sided for monochrome - Free IDesigner software - Auto ribbon search function - single sided only			resin transfer technology - Sing side, edge to edge direct card printing - Manual Hand-fed for on-demand card personalization - Card size: CR80 (2.13" x 3.38") or 54mm x 86mm - card thickness: 30 mil (0.76 mm) - Card types: PVC & composite PVC cards, PET - Fast print speed of 150 cards per hour for full color single side, 600 cards per hour single sided for monochrome - Free IDesigner software - Auto ribbon search function - single sided only		
	 - card thickness: 30 mil (0.76 mm) - Card types: PVC & composite PVC cards, PET - Fast print speed of 150 cards per hour for full color single side, 600 cards per hour single sided for monochrome - Free IDesigner software - Auto ribbon search 			 - card thickness: 30 mil (0.76 mm) - Card types: PVC & composite PVC cards, PET - Fast print speed of 150 cards per hour for full color single side, 600 cards per hour single sided for monochrome - Free IDesigner software - Auto ribbon search 		
Food and 188. Credit Card Beverage Voucher holder Services NC II	Material: LeatherDimensions:11 x 23 cmHigh Density BoardSimple & High-endFashionable roundedcover design internalstrong magneticattraction designMaterial is skinfriendly &comfortable	Front Office Services NC II	188. Credit Card Voucher holder	Material: Leather Dimensions:11 x 23 cm High Density Board Simple & High-end Fashionable rounded cover design internal strong magnetic attraction design Material is skin friendly & comfortable		

	1		1				1	1	—
Food and	189. Detector,	LED Display;		Front	189. Detector,	LED Display;			
Beverage	Fake Bills	LED Display Size: at		Office	Fake Bills	LED Display Size: at			11
Services		least 5 cm Width x		Services		least 5 cm Width x			1
NC II		10 cm Long;		NC II		10 cm Long;			1
NC II		Hard plastic casing;		NC II		Hard plastic casing;			.
									4 I
		Ultraviolet (UV) and				Ultraviolet (UV) and			1
		Magnetic (MG)				Magnetic (MG)			1
		sensors;				sensors;			1
		Power Source: Built				Power Source: Built			1
		in Rechargeable				in Rechargeable			1
		Battery, 12V output				Battery, 12V output			4 I
									4 I
		and AC 100-240V				and AC 100-240V			4 L
		Adapter;				Adapter;			1
		With complete				With complete			1
		detection;				detection;			1
		Accessories		11		Accessories			11
		includes:		11		includes:			11
				11					11
		Tough Plastic				Tough Plastic			4 I
		Carrying Case,		11		Carrying Case,			11
		Power Cord,				Power Cord,			1
		Cleaning Brush, and				Cleaning Brush, and			4 I
		Power Charger;				Power Charger;			1
		User's Manual in				User's Manual in			1
		English which				English which			1
									1
		includes:				includes:			1
		a. parts manual				a. parts manual			1
		with labels,				with labels,			i
		b. assembly				b. assembly			i
		instructions,				instructions,			1
		c. operating				c. operating procedures			1
		procedures on how				on how to use the			1
									1
		to use the				equipment			
		equipment		Front	190. Guest folio	Material: Hard			1
Food and	190. Guest folio	Material: Hard		Office	rack	plastic;			1
Beverage	rack	plastic;		Services		Accommodates at			1
Services		Accommodates at		NC II		least 50 room			1
		least 50 room		NC II					1
NC II						divider indexes;			1
		divider indexes;				With divider boards			4 I
		With divider boards				with metal tabs;			4 I
		with metal tabs;				A4 size divider;			4 I
		A4 size divider;				With metal sidings			4 I
		With metal sidings							1
		Ū		4					
Food and	191. Hypercom	Memory: 1 MB RAM							
Beverage		(Minimum)							
Services		LCD Display; 160 x							
		80 pixel graphics							
NC II									
		(minimum)							
		With Card Reader							
		Magnetic stripe							
		PIN pad port: 4-							
		wire, RS485;							

		With Peripheral								
		Ports for PC								
		connection;								
		Electronic cash								
		register or journal								
		printer;								
		With at least								
		2400bps modem;								
		Support								
		Synchronous								
		(SDLC) and								
		asynchronous, LAN								
		operation;								
		With PIN								
		Encryption;								
		With Thermal								
		Printer at least 576								
		dots per line;								
		Thermal Paper – 2								
		inches wide x 3								
		inches roll diameter								
		(min.);								
		Keypad: Membrane,								
		12 keys, water-								
		resistant;								
		Dimension: Length:								
		10 inches;								
		Width: 5 inhes;								
		Height: 2 inches								
		(minimum);								
		Power: 220-250								
		Volts AC, 50/60 Hz;								
		DC: 24 V, 1A;								
		User's Manual in								
		English which								
		includes:								
		(a) parts manual								
		with labels, (b)								
		assembly								
		instructions, (c)								
		operating								
		procedures on how								
		to use the								
	100.10	equipment;	+							
Food and	192. Key card	Set of Hotel Door			Front	192. Key card	Set of Hotel Door			
Beverage	marker with	Lock System with			Office	marker with	Lock System with			
Services	Verifier	Management			Services	Verifier	Management			
NC II		software;			NC II		software;			
		a) 1 unit - Card					a) 1 unit - Card			
		Type Door Lock with					Type Door Lock with			
		Inductive distance					Inductive distance			
		at least 4cm					at least 4cm			
		b) 1 unit - Card					b) 1 unit - Card			
		Encoder Unit with					Encoder Unit with			
	•			•				1		

		25 pieces Door Room Key Cards					25 pieces Door Room Key Cards			
			1							
111		Computer software	1				Computer software			
		system for Door					system for Door			
111		Lock and making	1				Lock and making			
		cards					cards			
111		With complete	1				With complete			
		accessories					accessories			
		including the USB					including the USB			
111		Type A cable	1				Type A cable			
111		interface to the	1				interface to the			
		computer					computer			
		User's Manual in					User's Manual in			
111		English which	1		1		English which			
		includes:	1				includes:			
		a. parts manual	1		1		a. parts manual			
		with labels,	1		1		with labels,			
			1							
		b. assembly					b. assembly			
		instructions					instructions			
		c. operating					c. operating			
		procedures on how					procedures on how			
111		to use the			1		to use the		1	11
		equipment / online					equipment / online			
		training			1		training		1	11
		1 set lockset type					1 set lockset type			
		door (left & right)					door (left & right)			
		w/ alkaline battery					w/ alkaline battery			
		1 unit lockset rfid					1 unit lockset rfid			
		card encoder					card encoder			
		1 unit lockset date		1	1		1 unit lockset date			
		collector/handsim					collector/handsim			
		25 pcs rfid key					25 pcs rfid key			
		cards					cards			
		2 pcs mechanical					2 pcs mechanical			
		keys w/complete					keys w/complete			
		accessories					accessories			
Food and	193. Key rack (Key	Rack material: wood			Front	193. Key rack (Key	Rack material: wood			11
Beverage	card electric	(plastic)			Office	card electric	Number of Racks:			
Services	magnetic	Number of Racks:			Services	magnetic	Can accommodate			
NC II	contractor set)	Can accommodate			NC II	contractor set)	at least 40 Key			
	contractor set	at least 40 Key				contractor set)	Cards			
		Cards			1		Minimum rack size:		1	11
		Minimum rack size:		1	1		70mm Width x			
		70mm Width x					110mm Height			
		110mm Height					Depth of the rack at			
							least 50mm			
		Depth of the rack at			1				1	11
11		least 50mm					Any color paint			
		Any color paint		1	1		Type: Wall mounted			
11		Type: Wall mounted					rack			
11		rack					Pack with shipping			
		Pack with shipping		1	1		carton box		1	11
		carton box		1						
					1					

								-	
Food and	194. Safety	Material: Metal,		Front	194. Safety	Material: Metal,			
Beverage	deposit box/ drop	powder coated,		Office	deposit box/ drop	powder coated,			
Services	vault	Solid steel door		Services	vault	Solid steel door			
NC II		thickness:		NC II		thickness:			
		4mm(minimum)				4mm(minimum)			
		Body thickness:				Body thickness:			
		2mm(minimum)				2mm(minimum)			
		Minimum outer				Minimum outer			
		dimension: L: 30cm				dimension: L: 30cm			
		x H: 20cm x W:				x H: 20cm x W:			
		20cm				20cm			
		User's Manual in				User's Manual in			
		English which				English which			
		includes:				includes:			
		a. parts manual				a. parts manual			
		with labels,				with labels,			
		b. assembly				b. assembly			
		instructions,				instructions,			
		-							
		c. operating				c. operating			
		procedures on how				procedures on how			
		to use the				to use the			
		equipment,				equipment,			
		Branded				Branded			
		Under Counter				Under Counter			
		Option 1: Manual				Option 1: Manual			
		12mm door & 3mm				12mm door & 3mm			
		body 30.5cm x				body 30.5cm x			
		20.3cm x 26.2cm				20.3cm x 26.2cm			
		Option 2: digital				Option 2: digital			
		L: 68.6 x H: 35.6 x				L: 68.6 x H: 35.6 x			
		W: 39.6 cm				W: 39.6 cm			
Food and	195. Speaker,	Frequency at least		Front	195. Speaker,	Frequency at least			11
Beverage	Lapel	500MHz		Office	Lapel	500MHz			
Services	Lupei	With audio input		Services	Lupei	With audio input			
NC II		connector		NC II		connector			
NC II		With operation		NC II		With operation			
		range at least				range at least			
		50meters				50meters			
		Receiver/70mA				Receiver/70mA			
		Earphone output				Earphone output			
		level: 32ohm, 65mW				level: 32ohm, 65mW			
		Operates with				Operates with			
		energizer battery				energizer battery			
		With minimum				With minimum			
		power consumption				power consumption			
		of transmitters at				of transmitters at			
		least 3V/70mA				least 3V/70mA			
		Receiver: 3V/70mA				Receiver: 3V/70mA			
└────									
							· · · ·		

Amendment on the Technical Specialization Column

Section VII

Technical Specification

DETAILED TECHNICAL SPECIFICATION

Section VII Technical Specification

DETAILED TECHNICAL SPECIFICATION

LOT 3							L	ОТ З						
TVL SPECIALIZATION	PARTICULARS	TECHNICAL SPECIFICATIONS	UNIT	QUANTITY	STATEMENT OF COMPLIANCE (State Comply or Not Comply)	BIDDER'S ACTUAL OFFER state the brand and model specifying the product offered with an attachment of official brochure or unamended sales literature		TVL SPECIALIZATIO N	PARTICULA RS	TECHNICAL SPECIFICATIONS	UNIT	QUANTIT Y	STATEME NT OF COMPLIA NCE (State Comply or Not Comply)	BIDDER'S ACTUAL OFFER state the brand and model specifying the product offered with an attachment of official brochure or unamended sales literature as applicablo
Food and Beverage Services NC II	193. Key rack (Key card electric magnetic contractor set)	Rack material: wood (plastic) Number of Racks: Can accommodate at least 40 Key Cards Minimum rack size: 70mm Width x 110mm Height Depth of the rack at least 50mm Any color paint Type: Wall mounted rack Pack with shipping carton box				as applicable		Front Office Services NC II	193. Key rack (Key card electric magnetic contractor set)	Rack material: wood Number of Racks: Can accommodate at least 40 Key Cards Minimum rack size: 70mm Width x 110mm Height Depth of the rack at least 50mm Any color paint Type: Wall mounted rack Pack with shipping carton box				applicable

Havealaaniss	240 Dealista	Frequency at least				1	Havaalaantoo	240 Dealers	Consistent collors	1		
Housekeeping	248. Baskets,						Housekeeping	248. Baskets,	Capacity:6 gallons			
NC II	Laundry	500MHz					NC II	Laundry	(minimum);			
		With audio input							Material: Flexible			
		connector							plastic with			
		With operation							mesh/perforated			
		range at least							design to allow air			
		50meters							to circulate			
		Receiver/70mA							With two handles on			
		Earphone output							opposite sides for easy			
		level: 320hm,							transport.			
		65mW										
		Operates with										
		energizer battery										
		With minimum										
		power consumption										
		of transmitters at										
		least 3V/70mA										
		Receiver: 3V/70mA										
							Housekeeping	252. Boots,	Upper material:			
Housekeeping	252. Boots,	Upper material:							Elastic PVC			
NC II	Safety, Plastic	Elastic PVC					NC II	Safety,	Sizes:			
	(H.Duty)	Sizes:						Plastic				
		7 inches – 5 pcs						(H.Duty)	7 inches – 5 pairs			
		8 inches – 5 pcs							8 inches – 5 pairs			
		9 inches – 5 pcs							9 inches – 5 pairs			
		10 inches -5 pcs							10 inches -5 pairs			
		11 inches – 5 pcs							11 inches – 5 pairs			
		Height: 13 to 14							Height: 13 to 14			
		inches							inches			
		Plain toe							Plain toe			
		Type of boots:							Type of boots:			
		Unisex rain boots							Unisex rain boots			
		with rugged tractor							with rugged			
		lug outsole							tractor lug outsole			
		Packed with carton							Packed with			
		box per size							carton box per size			
	1	son per bize	1	1	1			1	± -			

This notice is being issued pursuant to Section 22.5.2 of the 2016 Revised Implementing Rules and Regulation of Republic Act 9184.

For further information, you may contact the BAC Secretariat at <u>bac.calabarzon@deped.gov.ph</u>.

Please be guided accordingly.

LOIDA/N. NIDEA BAC Chairperson