



Republic of the Philippines
Department of Education
REGION IV-A CALABARZON



TO : **ALL PROSPECTIVE BIDDERS
OBSERVERS**

SUBJECT : **BID BULLETIN NO. 7, S. 2025**

PROJECT : **PROCUREMENT OF TECHNICAL-VOCATIONAL-LIVELIHOOD (TVL) EQUIPMENT PACKAGES FOR PUBLIC SENIOR
HIGH SCHOOLS (ROIVA-25-09)**

DATE : **November 5, 2025**

Pursuant to Section 51.5 of the Implementing Rules and Regulations of Republic Act No. 12009, this Bid Bulletin is hereby issued for the information and guidance of all prospective bidders. It shall form an integral part of the Bidding Documents issued earlier in connection with the above-mentioned project.

ITEM/DESCRIPTION	CLARIFICATION/AMENDMENT
Section III. Bid Data Sheet 2. The Funding Source is: 2.1 The GoP through the source of funding as indicated below for Government of the Philippines under FY 2024 General Appropriations Act in the total amount of FIFTY-NINE MILLION EIGHTY-ONE THOUSAND THREE HUNDRED SEVENTY PESOS (Php59,081,370.00). a. ROIVA-25-09 – Lot 1 = Php43,337,825.00; b. ROIVA-25-09 – Lot 2 = Php8,544,010.00; c. ROIVA-25-09 – Lot 3 = Php4,367,020.00; and d. ROIVA-25-09 – Lot 3 = Php2,832,515.00.	Section III. Bid Data Sheet 2. The Funding Source is: 2.1 The GoP through the source of funding as indicated below for Government of the Philippines under FY 2024 General Appropriations Act in the total amount of FIFTY-NINE MILLION EIGHTY-ONE THOUSAND THREE HUNDRED SEVENTY PESOS (Php59,081,370.00). a. ROIVA-25-09 – Lot 1 = Php43,337,825.00; b. ROIVA-25-09 – Lot 2 = Php8,544,010.00; c. ROIVA-25-09 – Lot 3 = Php4,367,020.00; and d. ROIVA-25-09 – Lot 4 = Php2,832,515.00.

08F/ROA/Pro2



Address: Gate 2, Karangalan Village, Cainta, Rizal
Telephone No.: 02-8682-2114
Email Address: region4a@deped.gov.ph
Website: depedcalabarzon.ph



Certificate No. PHP QMS
22 93 0085

<p>5.5 SLCC</p> <p>Similar project: Technical-Vocational-Livelihood (TVL) Equipment Packages</p>	<p>5.5 SLCC</p> <p>a. The Bidder should have completed at least one (1) similar contract amounting to at least 25% of the ABC; and</p> <p>b. The Bidder should have completed other contracts, whether similar or not, with an aggregate amount of at least 25% of the ABC.</p> <p>Similar project:</p> <p>Lot 1, 2 and 3 - Technical-Vocational-Livelihood (TVL) Equipment Packages covering Home Economic Sector (e.g. Bread and Pastry Production, Cookery, Food and Beverage Services, Caregiving, Wellness Massage, Hairdressing, Front Office Services, Housekeeping, and Local Guiding Services)</p> <p>Lot 4 - Technical-Vocational-Livelihood (TVL) Equipment Packages covering Information and Communications Technology (ICT) and Industrial Arts (e.g. Computer System Servicing, Automotive Servicing, and Electrical Installation and Maintenance)</p>
<p>12.4 The ABC is as follows:</p> <ol style="list-style-type: none"> ROIYA-25-03 – Lot 1 = Php43,337,825.00; ROIYA-25-03 – Lot 2 = Php8,544,010.00; ROIYA-25-03 – Lot 3 = Php4,367,020.00; and ROIYA-25-09 – Lot 4 = Php2,832,515.00. <p>Any bid with a financial component exceeding the amount shall not be accepted.</p>	<p>12.4 The ABC is as follows:</p> <ol style="list-style-type: none"> ROIYA-25-09 – Lot 1 = Php43,337,825.00; ROIYA-25-09 – Lot 2 = Php8,544,010.00; ROIYA-25-09 – Lot 3 = Php4,367,020.00; and ROIYA-25-09 – Lot 4 = Php2,832,515.00. <p>Any bid with a financial component exceeding the amount shall not be accepted.</p>
<p>20.2</p>	<p>20.2</p> <p>During post-qualification, upon demand by the BAC or its representative(s), a bidder with the lowest calculated bid shall be able to present:</p> <ol style="list-style-type: none"> Documents to verify or support its Statement of On-going and/ or Statement identifying its Completed Contracts which may consist of the following: appropriate and clear duly signed contracts, purchase orders, agreements, notices of award, job orders, or notices to proceed, with the corresponding duly signed certificate of completion, delivery receipts, inspection and acceptance reports, certificates of final acceptance or official receipts. Original copy of Class "A" Eligibility documents for validation purposes as well as the technical and financial documents submitted during bid opening. Sample of at least 50% of the number of Technical-Vocational-Livelihood (TVL) Equipment being offered shall be available for inspection during the Post Qualification and its Project Implementation Timeline. <p>Failure to submit the above requirements within the required timeframe or a finding against the veracity of any such documents or other documents submitted for the project shall be a ground for disqualification of the bidder for the award and the enforcement of the bid securing declaration.</p>

Section VII. Technical Specification

Cookery NC II	73. Meat Slicer, Small (H. Duty) A. ELECTRIC B. MANUAL	Type: Meat Slicer Body Shape: Circular Housing Material: Die Cast Aluminum Alloy and body painted Dimensions: Width-40.5 cm x Depth- 45.7 cm x Height- 38 cm (minimum) Stainless Steel Rotary Blade Diameter: 190 mm (minimum) Power Source: 220 Volts- 230 Volts, 60 Hz with power cord 1.5-meter-long with attachment of standard Type A male plug or provide plug Adapter 10A/220V Power Rated: 150 Watts (minimum) Adjustment slicing /Cutting Thickness: 0 - 20 mm thick Complete with push button switch, pilot light and adjustable control knob for slice thickness Equipped with food carrier, slide bracket, locking plate, blade, knife sharpener, handle bar and fixed ring guard for safety Preferably with a packing case Comes with an English manual that contain: Operation guide, Safety guide, maintenance / troubleshooting procedure and list of parts. With Service centers located in major cities in the Philippines. Warranty period of 1 year (parts and service) Must be branded
---------------	--	---

Section VII. Technical Specification

Cookery NC II	73. Meat Slicer, Small (H. Duty) A. ELECTRIC B. MANUAL	<p>A. Electric Type: Meat Slicer Body Shape: Circular Housing Material: Die Cast Aluminum Alloy and body painted Dimensions: Width-40.5 cm x Depth- 45.7 cm x Height- 38 cm (minimum) Stainless Steel Rotary Blade Diameter: 190 mm (minimum) Power Source: 220 Volts-230 Volts, 60 Hz with power cord 1.5-meter-long with attachment of standard Type A male plug or provide plug Adapter 10A/220V Power Rated: 150 Watts (minimum) Adjustment slicing /Cutting Thickness: 0 - 20 mm thick Complete with push button switch, pilot light and adjustable control knob for slice thickness Equipped with food carrier, slide bracket, locking plate, blade, knife sharpener, handle bar and fixed ring guard for safety Preferably with a packing case Comes with an English manual that contain: Operation guide, Safety guide, maintenance / troubleshooting procedure and list of parts. With Service centers located in major cities in the Philippines. Warranty period of 1 year (parts and service) Must be branded</p> <p>B. Manual Specifications: material: Alloy Steel + Stainless Steel color: Sier slice Velocity: 120pcs/ Min adjustment Method: Positioning Nut Adjustment blade Length: 170mm/6.99in velocity Meat Width: 1.5mm/4.53in adjustment Thickness: 0.3~15mm/0.01~0.59in</p>
---------------	--	--

Electrical Installation and Maintenance NC II	365. Fire Alarm System	<p>Type: Sensor</p> <p>Material: Combination of hard plastic and metal</p> <p>Input voltage: 220 / 240 volts AC, 60 hertz</p> <p>Length: 8 inches (minimum)</p> <p>Operation voltage: 24 volts DC</p> <p>Type: Conventional/ addressable fire alarm system with 4 zones</p> <p>Control panel display: 240 x 64-pixel graphic LCD</p> <p>Control panel specs: Number of zone - 4 zone; detector zone - 32; Number of alarm circuits - 2;</p> <p>Alarm circuit load - 400mA / circuit; main voltage - 240 volts; Set included: Smoke detector, sound alarm, flash alarm, relay system, heat detector, flame detector, cable and bell or buzzer</p> <p>Comes with LED for indicator, earth fault monitoring, battery low,</p>	
Electrical Installation and Maintenance NC II	365. Fire Alarm System	<p>Conventional Fire Alarm Type System 1-unit fire alarm control panel 4 zone 2-unit photo electric smoke detector (2 wires) 2-unit conventional rate of rise heat detector (2 wires) 2 units conventional fixed temperature heat detector (2wires) 2-unit conventional manual call point w/LED indicator 2 units indicating lamp (LED)</p>	<p>weight: 1.85kg</p> <p>package Includes:</p> <p>1 X Meat Slicer</p> <p>double Blade Design, Can Be Adjust 0.3-15mm Thickness comfortable Handle, Easy to Operate, Safe to Use. it is Made of Alloy Steel Blade, Stainless Steel Body, Not Easy to Rust, and Very Durable. spring Pressure Meat Cap Feeding Meat. Do Not Need to Operate by Hand. double Pressure Bearing, Labor-saving Operation. multi-purpose, Suitable for Beef, Beef, Thick Meat and Vegetables and Fruits. the Body Can Be Easily Washed After Use. adjustable Cutting Thickness, Only Need to Adjust the Knob. safe and Strong Anti-skid Feet. easy to Use and Clean.</p>
Electrical Installation and Maintenance NC II	365. Fire Alarm System	<p>Conventional Fire Alarm Type System</p> <p>1-unit fire alarm control panel 4 zone 2-unit photo electric smoke detector (2 wires) 2-unit conventional rate of rise heat detector (2 wires) 2 units conventional fixed temperature heat detector (2wires) 2-unit conventional manual call point w/LED indicator 2 units indicating lamp (LED)</p> <p>Type: Sensor</p> <p>Material: Combination of hard plastic and metal</p> <p>Input voltage: 220 / 240 volts AC, 60 hertz</p> <p>Length: 8 inches (minimum)</p> <p>Operation voltage: 24 volts DC</p> <p>Type: Conventional fire alarm system with 4 zones</p> <p>Control panel display: 240 x 64-pixel graphic LCD</p> <p>Control panel specs: Number of zone - 4 zone; detector zone - 32; Number of alarm circuits - 2;</p>	

		sounder open circuit sounder short circuit and control panel board circuit English user's manual that contains: Installation/assembly guide with diagram, Operation guides, maintenance guide, troubleshooting guide, safety guide and list of parts Warranty period of parts and service: 1 year
		Alarm circuit load - 400mA / circuit; main voltage - 240 volts; Set included: Smoke detector, sound alarm, flash alarm, relay system, heat detector, flame detector, cable and bell or buzzer Comes with LED for indicator, earth fault monitoring, battery low, sounder open circuit sounder short circuit and control panel board circuit English user's manual that contains: Installation/assembly guide with diagram, Operation guides, maintenance guide, troubleshooting guide, safety guide and list of parts Warranty period of parts and service: 1 year

For further information, you may contact the BAC Secretariat at bac.calabarzon@deped.gov.ph.

Please be guided accordingly.


ANN GERALYN T. PELIAS
BAC Vice-Chairperson